



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Norwogonin

Cat. No.:	HY-N2562
CAS No.:	4443-09-8
Molecular Formula:	C ₁₅ H ₁₀ O ₅
Molecular Weight:	270.24
Target:	Enterovirus
Pathway:	Anti-infection
Storage:	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 250 mg/mL (925.10 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		3.7004 mL	18.5021 mL	37.0041 mL
		5 mM		0.7401 mL	3.7004 mL	7.4008 mL
		10 mM		0.3700 mL	1.8502 mL	3.7004 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (7.70 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	Norwogonin, isolated from <i>Scutellaria baicalensis</i> Georgi, possesses antiviral activity against Enterovirus 71 (EV71) with an IC ₅₀ of 31.83 µg/mL ^[1]
IC ₅₀ & Target	IC ₅₀ : 31.83 µg/mL (EV71) ^[1]
In Vitro	Norwogonin (0.4, 2, 10, and 50 µg/mL; 48 hours) inhibits EV71 replication in Vero cells and prevents the cytotoxicity induced by EV71 infection^[1]. Norwogonin (50 µg/mL; 48 hours) dramatically decreases viral VP2 protein expression^[1]. Norwogonin (50 µg/mL; 48 hours) strongly decreases the expression of EV71 NCR gene at 48 h^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA