



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GDP366

Cat. No.:	HY-U00177
CAS No.:	501698-03-9
Molecular Formula:	C ₂₀ H ₁₇ N ₅ OS
Molecular Weight:	375.45
Target:	Survivin
Pathway:	Apoptosis
Storage:	Powder -20°C 3 years In solvent -80°C 6 months -20°C 1 month



SOLVENT & SOLUBILITY

In Vitro	DMSO : 62.5 mg/mL (166.47 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		2.6635 mL	13.3174 mL	26.6347 mL
		5 mM		0.5327 mL	2.6635 mL	5.3269 mL
		10 mM		0.2663 mL	1.3317 mL	2.6635 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (5.54 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	GDP366, a dual inhibitor of survivin and Op18, induces cell growth inhibition, cellular senescence and mitotic catastrophe in human cancer cells.
IC ₅₀ & Target	Survivin ^[1] Op18 ^[1]
In Vitro	GDP366 potently and selectively inhibits the expression of both survivin and Op18. GDP366 decrease both the mRNA and protein levels of survivin and Op18. This inhibitory effect is not dependent on the status of p53 and p21 although GDP366 potently increases p53 and p21 levels. GDP366 significantly inhibits the growth of tumor cells in vitro and in vivo (nude mouse model) without rapid induction of apoptosis. GDP366 induces polyploidy in multiple types of cancer cell lines. GDP366 increases chromosomal instability, and induces cellular senescence by inhibiting telomerase activity^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Invest New Drugs. 2021 Jan 21.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Shi X, et al. GDP366, a novel small molecule dual inhibitor of survivin and Op18, induces cell growth inhibition, cellular senescence and mitotic catastrophe in human cancer cells. Cancer Biol Ther. 2010 Apr 15;9(8):640-50.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA