



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Phytosphingosine-d₇

Cat. No.:	HY-W011303S
Molecular Formula:	C ₁₈ H ₃₂ D ₇ NO ₃
Molecular Weight:	324.55
Target:	Isotope-Labeled Compounds; Fungal; Free Fatty Acid Receptor; Apoptosis; Endogenous Metabolite
Pathway:	Others; Anti-infection; GPCR/G Protein; Apoptosis; Metabolic Enzyme/Protease
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description

Phytosphingosine-d₇ (4-Hydroxysphinganine-d₇) is deuterium labeled Phytosphingosine. Phytosphingosine is a phospholipid with anti-inflammatory, antibacterial, and anti-cancer activities, which can induce apoptosis. Phytosphingosine is an immune regulator and can be used in the study of inflammatory skin diseases. Phytosphingosine is also an activator of GPR120 with an IC₅₀ value of 33.4 μM and can be used in the study of type II diabetes^{[1][2][3][4][5]}.

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019 Feb;53(2):211-216.
- [2]. 1. Pavicic T, Wollenweber U, Farwick M, et al. Anti-microbial and-inflammatory activity and efficacy of phytosphingosine: an in vitro and in vivo study addressing acne vulgaris[J]. *International journal of cosmetic science*, 2007, 29(3): 181-190.
- [3]. Cai Q, et al. Phytosphingosine inhibits the growth of lung adenocarcinoma cells by inducing G2/M-phase arrest, apoptosis, and mitochondria-dependent pathway cell death in vitro and in vivo. *Chem Biol Interact*. 2024 Jan 5;387:110795.
- [4]. Glenz R, et al. The major plant sphingolipid long chain base phytosphingosine inhibits growth of bacterial and fungal plant pathogens. *Sci Rep*. 2022 Jan 20;12(1):1081.
- [5]. Nagasawa T, et al. Phytosphingosine is a novel activator of GPR120. *J Biochem*. 2018 Jul 1;164(1):27-32.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA