



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

6,6'-Dithiodinicotinic acid

Cat. No.:	HY-W273281
CAS No.:	15658-35-2
Molecular Formula:	C ₁₂ H ₈ N ₂ O ₄ S ₂
Molecular Weight:	308.34
Target:	Biochemical Assay Reagents
Pathway:	Others
Storage:	4°C, stored under nitrogen
	* In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 125 mg/mL (405.40 mM; ultrasonic and warming and heat to 60°C)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		3.2432 mL	16.2159 mL	32.4317 mL
		5 mM		0.6486 mL	3.2432 mL	6.4863 mL
		10 mM		0.3243 mL	1.6216 mL	3.2432 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: 2.08 mg/mL (6.75 mM); Suspended solution; Need ultrasonic					
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: 2.08 mg/mL (6.75 mM); Suspended solution; Need ultrasonic					
	3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.08 mg/mL (6.75 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	6,6'-Dithiodinicotinic acid is a sulfur-containing organic compound belonging to nicotinic acid derivatives, which can be used as a specific sulfhydryl blocker ^[1] .
-------------	--

REFERENCES

[1]. Samir Abou-Khalil, et al. Effects of 6,6'-dithiodinicotinic acid, a thiol reagent on several mitochondrial functions: Coupling mechanism, ATPase and anion transport. Biochemical Pharmacology. Volume 24, Issue 1, 1 January 1975, Pages 49-56.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA