

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





#### Datasheet for 609-146-002-0.5

## Human IgG (H&L) Antibody Dylight™ 405 Conjugated

#### **Overview**

Description:	Goat Anti-Human IgG (H&L) Antibody DyLight™ 405 Conjugated (5 X 100 μg) - 609-146-002-0.				
Item No.:	609-146-002-0.5				
Size:	5 x 100 μg				
Reactivity:	Human				
<b>Host Species:</b>	Goat				

#### **Product Details**

**Background:** 

Anti-Human IgG (H&L) DyLight 405 generated in goat detects human Immunoglobulin G (IgG), both heavy and light chains of the antibody molecule are present. It is a protein complex composed of four peptide chains — two identical heavy chains and two identical light chains arranged in a Y-shape typical of antibody monomers. Each IgG has two antigen binding sites. Representing approximately 75% of serum immunoglobulins in humans, IgG is the most abundant antibody isotype found in the circulation. IgG molecules are synthesized and secreted by plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

	reactivity, and nost-species source and fragment composition.				
Synonyms:	goat anti-Human IgG DyLight™ 405 conjugated Antibody, goat anti-Human IgG Antibody DyLight™405 conjugation				
<b>Host Species:</b>	Goat				
Specificity:	IgG (H&L)				
Conjugate:	DyLight™ 405				
Clonality:	Polyclonal				
Format:	IgG				
F/P Ratio:	3.0				

#### **Target Details**

Reactivity: Human

www.rockland.com Page 1 of 4





Purity/Specificity:  This product was prepared from monospecific antiserum by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by conjugation to fluorochrome and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Human IgG and Human Serum. This antibody will react with heavy chains of Human IgG and with light chains of most Human immunoglobulins.	Immunogen:	Human IgG, whole molecule			
	Purity/Specificity:	using Human IgG coupled to agarose beads followed by conjugation to fluorochrome and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Human IgG and Human Serum. This antibody will react with heavy chains of Human IgG and with light chains of most Human			

### **Application Details**

Application Note:	Anti-Human IgG (H&L) DyLight 405 is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this DyLight™ conjugate match the principle output wavelengths of most common fluorescence instrumentation.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FLISA:	>1:20,000
IF:	>1:5,000
WB:	>1:10,000

#### **Formulation**

Physical State:	Lyophilized			
Concentration:	1.0 mg/mL by UV absorbance at 280 nm			
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2			
Preservative:	0.01% (w/v) Sodium Azide			
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free			
Reconstitution Volume:	100 μL			
Reconstitution Buffer:	Restore with deionized water (or equivalent)			

### **Shipping & Handling**

Shipping Condition: Ambient

www.rockland.com Page 2 of 4





Storage Condition: Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20°

C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an

undiluted liquid. Dilute only prior to immediate use.

**Expiration:** Expiration date is one (1) year from date of receipt.

### **Images**


Emission	Color	DyLight™ Dye	Ex/Em (nm)	е (M-1 cm-1)	Similar Dyes
Blue		405	400/420	30,000	Alexa™ 405, Cascade Blue
Green	17	488	493/518	70,000	Alexa™ 488, Cy2®, FITC
Yellow		549	550/568	150,000	Alexa™ 546, Alexa 555, Cy3®,TRITC
Red	9	649	646/674	250,000	Alexa™ 647, Cy5®
Near Infrared		680	682/715	140,000	<u>Alexa™ 680, Cy5.5®, IRDye™ 700</u>
Infrared		800	770/794	270,000	IRDye™ 800

#### Diagram

Properties of DyLight™ Fluorescent Dyes.

#### Diagram

DyLight<sup>™</sup> 405 Fluorescence Spectra.



#### **Disclaimer**

www.rockland.com Page 3 of 4





This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 4 of 4