

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

# Datasheet for 612-142-002 Rat IgG (H&L) Antibody DyLight™ 549 Conjugated

#### **Overview**

Description:	Goat Anti-Rat IgG (H&L) Antibody DyLight™ 549 Conjugated - 612-142-002		
Item No.:	612-142-002		
Size:	100 µg		
Applications:	Dot Blot, IF		
Reactivity:	Rat		
Host Species:	Goat		

#### **Product Details**

Background:	This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.
Synonyms:	Goat Anti-Rat IgG DyLight 549™ Conjugated Antibody, Goat Anti-Rat IgG Antibody DyLight 549™ Conjugation
Host Species:	Goat
Specificity:	IgG (H&L)
Conjugate:	DyLight™ 549
Clonality:	Polyclonal
Format:	IgG
F/P Ratio:	4.8

#### **Target Details**

Reactivity:	Rat
Immunogen:	Rat IgG whole molecule



www.rockland.com tech@rockland.com +1 484.791.3823

# Purity/Specificity:This product was prepared from monospecific antiserum by immunoaffinity chromatography<br/>using Rat IgG coupled to agarose beads followed by conjugation to fluorochrome and extensive<br/>dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single<br/>precipitin arc against anti-Goat Serum, Rat IgG and Rat Serum. This antibody will react with<br/>heavy chains of Rat IgG and with light chains of most Rat immunoglobulins.

#### **Application Details**

<b>Tested Applications:</b>	Dot Blot
Suggested Applications:	IF (Based on references)
Application Note:	Anti-Rat IgG DyLight <sup>™</sup> 549 has been tested by dot blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. The emission spectra for this DyLight <sup>™</sup> conjugate match the principle output wavelengths of most common fluorescence instrumentation.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FLISA:	>1:20,000
IF:	>1:5,000
WB:	>1:10,000

#### Formulation

Physical State:	Lyophilized	
Concentration:	1.0 mg/mL by UV absorbance at 280 nm	
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	
Preservative:	0.01% (w/v) Sodium Azide	
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free	
<b>Reconstitution Volume:</b>	100 μL	
<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)	

#### **Shipping & Handling**

Shipping Condition: Ambient




#### Order online now!

www.rockland.com tech@rockland.com +1 484.791.3823


Storage Condition:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

#### Images



#### Western Blot

DyLight<sup>™</sup> dyes can be used for two-color Western Blot detection with low background and high signal. Anti-tubulin was detected using a DyLight<sup>™</sup> 549 conjugate. Anti-TNFa was detected using a DyLight<sup>™</sup> 649 conjugate. The image was captured using the Typhoon<sup>™</sup> 9410 Imaging System.



#### Diagram

DyLight<sup>™</sup> 549 Fluorescence Spectra.



www.rockland.com tech@rockland.com +1 484.791.3823

#### Diagram

Properties of DyLight<sup>™</sup> Fluorescent Dyes.

Emission	Color	DyLight™ Dye	Ex/Em (nm)	е (M <sup>-1</sup> cm <sup>-1</sup> )	Similar Dyes
Blue		405	400/420	30,000	Alexa™ 405, Cascade Blue
Green	12 7	488	493/518	70,000	Alexa™ 488, Cy2®, FITC
Yellow		549	550/568	150,000	Alexa™ 546, Alexa 555, Cy3®,TRITC
Red		649	646/674	250,000	Alexa™ 647, Cy5®
Near Infrared		680	682/715	140,000	<u>Alexa™ 680, Cy5.5®, IRDye™ 700</u>
Infrared		800	770/794	270,000	IRDye™ 800

#### References

 Igase M. et al. Establishment of rat anti-canine DEP domain containing 1B (DEPDC1B) monoclonal antibodies. J Vet Med Sci. (2020)

#### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.