

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Datasheet for 613-441-002-0.5

Sheep IgG (H&L) Antibody Dylight™ 488 Conjugated

Overview

Description:	Rabbit Anti-Sheep IgG (H&L) Antibody DyLight™ 488 Conjugated (5 X 100 μg) - 613-441-002-0.5			
Item No.:	613-441-002-0.5			
Size:	5 x 100 μg			
Reactivity:	Sheep			
Host Species:	Rabbit			

Product Details

Background:	This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.			
Synonyms:	Rabbit Anti-Sheep IgG DyLight™ 488 Conjugated Antibody, Rabbit Anti-Sheep IgG Antibody DyLight™488 Conjugation			
Host Species:	Rabbit			
Specificity:	IgG (H&L)			
Conjugate:	DyLight™ 488			
Clonality:	Polyclonal			
Format:	IgG			
F/P Ratio:	4.0			

Target Details

Reactivity:	Sheep		
Immunogen:	Sheep IgG, whole molecule		
Purity/Specificity:	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by conjugation to fluorochrome and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Sheep IgG and Sheep Serum. This antibody will react with heavy chains of Sheep IgG and with light chains of most Sheep immunoglobulins.		

www.rockland.com Page 1 of 4



Application Details

Application Note:	The emission spectra for this DyLight™ conjugate match the principle output wavelengths of most common fluorescence instrumentation.			
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.			
FLISA:	>1:20,000			
IF:	>1:5,000			
WB:	>1:10,000			

Formulation

Physical State:	Lyophilized		
Concentration:	1.0 mg/mL by UV absorbance at 280 nm		
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2		
Preservative:	0.01% (w/v) Sodium Azide		
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free		
Reconstitution Volume:	100 μL		
Reconstitution Buffer:	Restore with deionized water (or equivalent)		

Shipping & Handling

Shipping Condition:	Ambient			
Storage Condition:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.			
Expiration:	Expiration date is one (1) year from date of receipt.			

Images


www.rockland.com Page 2 of 4



Diagram

DyLight™ 405 Fluorescence absorption

Emission	Color	DyLight™ Dye	Ex/Em (nm)	е (M-1 cm-1)	Similar Dyes
Blue		405	400/420	30,000	Alexa™ 405, Cascade Blue
Green		488	493/518	70,000	Alexa™ 488, Cy2®, FITC
Yellow		549	550/568	150,000	Alexa™ 546, Alexa 555, Cy3®,TRITC
Red		649	646/674	250,000	Alexa™ 647, Cy5®
Near Infrared		680	682/715	140,000	Alexa™ 680, Cy5.5®, IRDye™ 700
Infrared		800	770/794	270,000	IRDye™ 800



Comparison of fluorescence absorption and emission spectra for DyLight 488 and Alexa Fluor 488 in PBS, pH 7.2 DyLight 488 DyLight 488 Alexa Fluor 488 Wavelength (nm)

Immunofluorescence Microscopy

DyLight™ dyes can be used for multi-color immunofluorescence microscopy with uniform fluorescence intensity throughout the image. DyLight™ dyes are exceptionally bright and photostable and are optimized for microscopy and microarray detection methods. This image shows anti-histone detection using a DyLight™ 488 conjugate (green). Anti-Tubulin was detected using a DyLight™ 549 conjugate (red). Nuclei were counter-stained using DAPI (blue). The image was captured using an Axio Imager.Z1 (Zeiss Micro Imaging Inc).

Diagram

DyLight™ 488 Fluorescence Spectra.

Disclaimer

www.rockland.com Page 3 of 4





This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 4 of 4