

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 613-7502 Sheep IgG (H&L) Antibody Alkaline Phosphatase Conjugated

Overview

| Description: | Donkey Anti-Sheep IgG (H&L) Antibody Alkaline Phosphatase Conjugated - 613-7502 |
|---------------|---|
| Item No.: | 613-7502 |
| Size: | 1 mg |
| Applications: | ELISA |
| Reactivity: | Sheep |
| Host Species: | Donkey |

Product Details

| Synonyms:Donkey Anti-Sheep IgG alkaline phosphatase Conjugated Antibody, Donkey Anti-Sheep IgGAntibody Alk phos Conjugation | Background: | Anti-Sheep IgG (H&L) antibody generated in donkey detects specifically sheep IgG heavy and light chains (H&L). This Anti sheep antibody is conjugated to alkaline phosphatase and this secondary antibody is suitable for immunoblotting and immunoassays. Anti-Sheep IgG (H&L) antibody is ideal for investigators in Cancer, Immunology, and Microbiology research. |
|---|---------------|--|
| | Synonyms: | |
| Host Species: Donkey | Host Species: | Donkey |
| Specificity: IgG (H&L) | Specificity: | IgG (H&L) |
| Conjugate: Alkaline Phosphatase (AP) | Conjugate: | Alkaline Phosphatase (AP) |
| Clonality: Polyclonal | Clonality: | Polyclonal |
| Format: lgG | Format: | lgG |

Target Details

| Reactivity: | Sheep |
|-----------------|---|
| Immunogen Type: | Native Protein |
| Immunogen: | Anti-Sheep IgG (H&L) was produced by repeated immunization with Sheep IgG whole molecule in donkey. |



www.rockland.com tech@rockland.com +1 484.791.3823

Purity/Specificity:Anti-Sheep IgG (H&L) Antibody was prepared from monospecific antiserum by immunoaffinity
chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption
(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single
precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Donkey Serum, Sheep IgG
and Sheep Serum.

Application Details

| Tested Applications: | ELISA |
|-----------------------------|--|
| Application Note: | Anti-Sheep IgG Alkaline Phosphatase Antibody has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, and immunohistochemistry assays requiring lot-to-lot consistency. |
| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |
| ELISA: | 1:2,000 - 1:8,000 |
| IHC: | 1:200 - 1:1,000 |
| WB: | 1:1,000 - 1:4,000 |

Formulation


| Physical State: | Liquid (sterile filtered) |
|-----------------|--|
| Concentration: | 1.0 mg/mL by UV absorbance at 280 nm |
| Buffer: | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0 |
| Preservative: | 0.1% (w/v) Sodium Azide |
| Stabilizer: | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free |

Shipping & Handling

| Shipping Condition: | Wet Ice |
|---------------------|--|
| Storage Condition: | Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity. |
| Expiration: | Expiration date is one (1) year from date of receipt. |

www.rockland.com tech@rockland.com +1 484.791.3823

Images



ELISA

ELISA results of purified Anti-SHEEP IgG (H&L) (DONKEY) Alkaline Phosphatase Conjugated tested against Sheep IgG. Each well was coated in 1.0 μ g of antigen. The starting dilution of antibody was 5 μ g/mL and the X-axis represents the Log10 of a 3-fold dilution. This titration is a 4-parameter curve fit where the IC50 is defined as the titer of the antibody. Assay performed using Buffer (p/n pNPP Buffer) and Substrate (p/n TMB-8000).

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.