

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

# Datasheet for 617-106-012 Monkey IgG (gamma chain) Antibody Biotin Conjugated

## **Overview**

Description:	Goat Anti-Monkey IgG (gamma chain) Antibody Biotin Conjugated - 617-106-012		
Item No.:	617-106-012		
Size:	1 mg		
Applications:	ELISA		
Reactivity:	Monkey		
Host Species:	Goat		

#### **Product Details**

Anti-Monkey IgG (gamma chain) biotin conjugated antibody generated in goat detects specifically Monkey IgG (gamma chain). This anti-Monkey biotin conjugated secondary antiboc is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.	
goat anti-Monkey IgG (gamma chain) biotin conjugated antibody, goat anti-Monkey IgG gamma antibody biotin conjugation, goat anti-monkey IgG biotin conjugated antibody	
Goat	
IgG (gamma chain)	
Biotin	
Polyclonal	
lgG	

## **Target Details**

Reactivity:	Monkey
Immunogen Type:	Native Protein
Immunogen:	Anti-Monkey IgG (gamma chain) was produced by repeated immunization with monkey IgG gamma heavy chain in goat.



www.rockland.com tech@rockland.com +1 484.791.3823

Purity/Specificity:	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Monkey IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum, Monkey IgG and Monkey Serum.
Relevant Links:	• 617-106-012 SDS

#### **Application Details**

<b>Tested Applications:</b>	ELISA Anti-Monkey IgG (gamma chain) biotin conjugated has been tested by ELISA and is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. Specific conditions for reactivity and signal detection should be optimized by the end user.	
Application Note:		
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.	
ELISA:	1:20,000 - 1:50,000	
IHC:	1:1,000 - 1:2,500	
WB:	1:2,000 - 1:5,000	

## Formulation

Physical State:	Lyophilized		
Concentration:	1.0 mg/mL by UV absorbance at 280 nm		
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2		
Preservative:	0.01% (w/v) Sodium Azide		
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free		
<b>Reconstitution Volume:</b>	1.0 mL		
<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)		

# **Shipping & Handling**

Shipping Condition: Ambient



www.rockland.com tech@rockland.com +1 484.791.3823

Storage Condition:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

#### Images

Product	Gt-a-Monkey IgG	<u>Gt-a-Monkey IgA</u>	Gt-a-Monkey IgM
Rhesus Serum	+	+	+
Baboon Serum	+	+	+
Cynomologus Serum	+	+	+
Rhesus IgG	+		
Human IgA		+	
Human IgM			+

#### Diagram

This table displays additional reactivity among various species of serum and immunoglobulin. A (+) indicates antibody reactivity to the corresponding target.

#### References

- Arunachalam PS, Charles TP, Joag V, et al. T cell-inducing vaccine durably prevents mucosal SHIV infection even with lower neutralizing antibody titers. *Nat Med.* (2020)
- Marassá AM, Paula MB, Gomes AC, Consales CA. Biotin-avidin sandwich elisa with specific human isotypes IgG1 and IgG4 for Culicidae mosquito blood meal identification from an epizootic yellow fever area in Brazil. *Scientific Electronic Library Online: Journal of Venomous Animals and Toxins including Tropical Diseases* (2009)

#### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.