

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

#### Datasheet for 618-105-012

# Ferret IgG (gamma chain) Antibody Alkaline Phosphatase Conjugated

#### **Overview**

| Description:         | Goat Anti-Ferret IgG (gamma chain) Antibody Alkaline Phosphatase Conjugated - 618-105-012 |
|----------------------|---|
| Item No.:            | 618-105-012   |
| Size:                | 1 mg  |
| Reactivity:          | Ferret  |
| <b>Host Species:</b> | Goat  |

#### **Product Details**

Background:

Anti-Ferret IgG Alkaline Phosphatase antibody generated in goat detects ferret IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsonization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well

as the F(ab) region possessing the epitope-recognition site. Both heavy and light chains of the

antibody molecule are present.

**Synonyms:** goat anti-Ferret IgG Antibody alkaline phosphatase Conjugation, goat anti-Ferret IgG alk phos

Conjugated Antibody

Host Species: Goat

Specificity: IgG (gamma chain)

Conjugate: Alkaline Phosphatase (AP)

Clonality: Polyclonal

Format: IgG

#### **Target Details**

Reactivity: Ferret

Immunogen: Ferret IgG gamma heavy chain

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

**Purity/Specificity:** 

Anti-Ferret IgG (gamma chain) was prepared from monospecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Goat Serum, Ferret IgG and Ferret Serum. No reaction was observed against Ferret IgA or Ferret IgM. Specificity was confirmed by ELISA at less than 1% cross reactivity against other Ferret heavy or light chain isotypes.

### **Application Details**

| Application Note: | Anti-Ferret IgG (gamma chain) antibody is suitable for ELISA, Western Blot and Immunohistochemistry. Antibody should be optimized by end user for reactive conditions. |
|-------------------|--|
| Assay Dilutions:  | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.  |
| ELISA:            | 1:2,000 - 1:10,000   |
| IHC:              | 1:200 - 1:1,000  |
| WB:               | 1:500 - 1:2,500  |

#### **Formulation**

| Physical State: | Liquid (sterile filtered)   |
|-----------------|---|
| Concentration:  | 1.0 mg/mL by UV absorbance at 280 nm  |
| Buffer:         | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0 |
| Preservative:   | 0.01% (w/v) Sodium Azide  |
| Stabilizer:     | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free  |

### **Shipping & Handling**

| Shipping Condition: | Wet Ice  |
|---------------------|--|
| Storage Condition:  | Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity. |
| Expiration:         | Expiration date is one (1) year from date of receipt.  |

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

#### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3