

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

#### Datasheet for 704-408-002

# F(ab')2 Dog IgG (H&L) Antibody Phycoerythrin conjugated

### **Overview**

Description:	Rabbit F(ab')2 Anti-Dog IgG (H&L) Antibody Phycoerythrin Conjugated - 704-408-002
Item No.:	704-408-002
Size:	500 μg
Applications:	Cellular Assay, Multiplex
Reactivity:	Dog
<b>Host Species:</b>	Rabbit

#### **Product Details**

Background:	F(ab')2 Antibody was generated by enzymatic cleavage and subsequent separation from the Fc fragment. Because of their smaller size, F(ab)2 fragments offer several advantages over intact antibodies for use in certain immunochemical techniques and experimental applications. F(ab)2 fragments penetrate tissue samples and show better antigen recognition and signal generation in IHC. F(ab)2 fragments lack the Fc region and therefore do not bind Fc receptors which effectively lowers background staining. F(ab')2 Antibody is ideal for investigators who routinely perform flow cytometry, immunohistochemistry or IHC and other immunoassays.
Synonyms:	Rabbit F(ab')2 Anti-Dog Phycoerythrin Conjugated Antibody, Rabbit Fab2 Anti-Dog Phycoerythrin Conjugated Antibody, Rabbit Fab'2 Anti-Dog Antibody PE Conjugation
Host Species:	Rabbit
Specificity:	IgG (H&L)
Conjugate:	R-Phycoerythrin (RPE)
Clonality:	Polyclonal
Format:	IgG F(ab')2

## **Target Details**

Reactivity:	Dog
Immunogen:	Dog IgG whole molecule

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

**Purity/Specificity:** This product was prepared from monospecific antiserum by immunoaffinity chromatography

using Dog IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any

unwanted reactivities, pepsin digestion and chromatographic separation. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-phycoerythrin, anti-Rabbit Serum, Dog IgG and Dog Serum. No reaction was observed against anti-Pepsin or anti-Rabbit

IgG F(c).

### **Application Details**

Suggested Applications:	Cellular Assay, Multiplex (Based on references)
Application Note:	Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FC:	1:100 - 1:250
IF:	1:100 - 1:250

### **Formulation**

Physical State:	Lyophilized
Concentration:	1.0 mg/mL by absorbance = 82.0 at 565 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Reconstitution Volume:	500 μL
Reconstitution Buffer:	Restore with deionized water (or equivalent)

### **Shipping & Handling**


<b>Shipping Condition:</b>	Ambient
Storage Condition:	Store vial at 4° C prior to restoration. Restore with deionized water (or equivalent). This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Centrifuge product if not completely clear after standing at room temperature. Do not freeze after reconstitution. Store reagent in the dark. Use subdued lighting during handling and incubation of cells prior to analysis.
Expiration:	Expiration date is one (1) year from date of receipt.

www.rockland.com Page 2 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

### **Images**



#### **Immunofluorescence Microscopy**

Multiplex antigen detection of SARS-CoV-2-specific antibodies in sera from SARS-CoV-2-neutralizing antibody positive (NA-pos) but not NA-neg dogs and cats. Fig 6. PMID: 33532799.

#### References

• Shen H et al. A flexible, pan-species, multi-antigen platform for the detection and monitoring of SARS-CoV-2-specific antibody responses. *medRxiv*. (2021)

### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3