



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

**Datasheet for 714-400-002****F(ab')<sub>2</sub> Swine IgG (H&L) Antibody Rhodamine Conjugated****Overview**

|                      |  |
|----------------------|--|
| <b>Description:</b>  | Rabbit F(ab') <sub>2</sub> Anti-Swine IgG (H&L) Rhodamine Conjugated - 714-400-002 |
| <b>Item No.:</b>     | 714-400-002  |
| <b>Size:</b>         | 500 µL   |
| <b>Reactivity:</b>   | Pig  |
| <b>Host Species:</b> | Rabbit   |

**Product Details**

|                      |   |
|----------------------|---|
| <b>Background:</b>   | F(ab') <sub>2</sub> Anti-Swine IgG (H&L) Antibody generated in rabbit detects swine IgG. Representing approximately 75% of serum immunoglobulins, IgG is the most abundant antibody isotype found in the circulation. IgG molecules are synthesized and secreted by plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition. F(ab') <sub>2</sub> Antibody is ideal for investigators who routinely perform flow cytometry, immunofluorescence, IHC, and other immunoassays. This F(ab') <sub>2</sub> Anti-Swine IgG Antibody is conjugated to Rhodamine. |
| <b>Synonyms:</b>     | Rabbit F(ab') <sub>2</sub> Anti-Swine IgG Antibody Rhodamine Conjugation, Rabbit F(ab') <sub>2</sub> Anti-Swine IgG TRITC Conjugated Antibody   |
| <b>Host Species:</b> | Rabbit  |
| <b>Specificity:</b>  | IgG (H&L)   |
| <b>Conjugate:</b>    | Rhodamine (TRITC)   |
| <b>Clonality:</b>    | Polyclonal  |
| <b>Format:</b>       | IgG F(ab') <sub>2</sub>   |
| <b>F/P Ratio:</b>    | 1.2   |

**Target Details**

|                    |                          |
|--------------------|--------------------------|
| <b>Reactivity:</b> | Pig                      |
| <b>Immunogen:</b>  | Swine IgG whole molecule |

|                            |  |
|----------------------------|--|
| <b>Purity/Specificity:</b> | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Swine IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Swine IgG and Swine Serum. No reaction was observed against anti-Pepsin or anti-Rabbit IgG F(c). |
|----------------------------|--|

## Application Details

|                          |   |
|--------------------------|---|
| <b>Application Note:</b> | This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. |
| <b>Assay Dilutions:</b>  | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.   |
| <b>IF:</b>               | 1:500-1:2,500   |

## Formulation

|                               |  |
|-------------------------------|--|
| <b>Physical State:</b>        | Lyophilized  |
| <b>Concentration:</b>         | 1 mg/mL by UV absorbance at 280 nm                         |
| <b>Buffer:</b>                | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| <b>Reconstitution Volume:</b> | 500 µL   |
| <b>Reconstitution Buffer:</b> | Restore with deionized water (or equivalent)               |

## Shipping & Handling

|                            |   |
|----------------------------|---|
| <b>Shipping Condition:</b> | Ambient   |
| <b>Storage Condition:</b>  | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. |
| <b>Expiration:</b>         | Expiration date is one (1) year from date of receipt.   |

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.