



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet for DAB-10

DAB Membrane Peroxidase Substrate (50X)**Overview**

Description:	DAB Membrane Peroxidase Substrate (50X) - DAB-10
Item No.:	DAB-10
Size:	10 mL
Applications:	IHC, WB

Product Details

Background:	DAB Membrane Peroxidase Substrate (50x) is a benzidine derivative that is oxidized by hydrogen peroxide in the presence of hemoglobin, yielding a dark-brown color of solution. This oxidation can be utilized for tissue samples by first preparing them with hydrogen peroxide. DAB Membrane Peroxidase Substrate (50x) is ideal for researchers in Immunology and Microbiology research.
Synonyms:	3,3',4,4'-Tetraamino-diphenyl; 3,3'-Diaminobenzidine, Dab Membrane Peroxidase Substrate, Dab Membrane HRP Substrate

Application Details

Suggested Applications:	IHC, WB (Based on references)
Application Note:	DAB Membrane Peroxidase Substrate (50x) is designed to be diluted with Rockland part number DAB-B50
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
IHC:	1X
WB:	1X

Formulation

Physical State:	Liquid - brown
Concentration:	50x

Stabilizer: Proprietary 50X buffer with solvents and stabilizers


Shipping & Handling

Shipping Condition: Ambient

Storage Condition: Store container at 4° C prior to opening. Protect from moisture and light. No special shipping conditions or precautions are required.

Expiration: Expiration date is one (1) year from date of receipt.

Images



Western Blot

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) western blot staining with anti-SARS-CoV-2 Receptor Binding Domain (RBD) monoclonal antibody for detecting S1 protein (MAB10540, RnD System) (8% gel); (A): western blot staining with anti-SARS-CoV-2 S2 monoclonal antibody (MAB10557, RnD System) (8% gel); (B): western blot staining with rabbit antibody serum (12% gel); (C): western blot staining with human convalescent serum from the COVID-19 infection (8% gel); (D): (S) labeled for spike protein, (N) labeled for nucleoprotein protein, (M) labeled for membrane protein, (E) labeled for envelope protein.

Western blot was performed by using antibody serum from an immunized rabbit with visualization and with HRP-conjugated anti-rabbit IgG polyclonal antibody with 1:10.000 concentration (Cat. no. 611-103-122, Rockland, USA) and DAB (Rockland, USA).

Figure 5. PMID: 34621509.

**Bottle**

DAB Membrane Peroxidase Substrate (50X)

References

- Barsky SH et al. Bone Marrow Origin of Mammary Phagocytic Intraductal Macrophages (Foam Cells). *Int J Mol Sci.* (2025)
- Rantam FA et al. Characterization of SARS-CoV-2 East Java isolate, Indonesia. *F1000Res.* (2021)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.