

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





#### Datasheet for MB-009-1000

## **UltraPure Sterile Water**

#### **Overview**

Description:	UltraPure Sterile Water - MB-009-1000
Item No.:	MB-009-1000
Size:	1 L
Applications:	IHC, LFA

#### **Product Details**

Background:	Deionized ultrapure water is commonly used in laboratory to prepare buffers in biochemistry and molecular biology laboratories and also cell culture media for cell biology studies.
Synonyms:	Deionized water, sterile H2O

#### **Target Details**

Purity/Specificity:

UltraPure Sterile Water consists of highly polished pharmaceutical grade deionized water processed using sterile conditions. This product was aseptically filtered through a Millipore 0.22 micron filter into clean, pre-sterilized containers. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria.

Relevant Links: • MB-009 SDS

## **Application Details**

Suggested Applications:	IHC, LFA (Based on references)
Application Note:	UltraPure Sterile Water is suitable for molecular immunology, molecular biology and nucleic acid methodologies, when applicable.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

#### **Formulation**

Physical State: Liquid (sterile filtered)

www.rockland.com Page 1 of 4




Concentration:	1X
Preservative:	None
Stabilizer:	None

### **Shipping & Handling**

<b>Shipping Condition:</b>	Ambient
Storage Condition:	Store container at room temperature (18 $^{\circ}$ to 26 $^{\circ}$ C) prior to opening. If desired, the solution may be stored at 4 $^{\circ}$ C or less.
Expiration:	Expiration date is six (6) months from date of receipt.

## **Images**



#### **Figure**

Schematic of biomarker concentration with an IL ATPS and subsequent detection on the LFA. Gold nanoprobes and phase-forming components are first mixed with a known concentration of target analyte. Following phase separation, the top phase is extracted and applied to both the competitive format LFAs for detection of transferrin and sandwich format LFAs for the detection of E. coli. For the competitive format LFA, which utilizes purple-colored DGNPs, a positive test is indicated by a single purple band, while a negative test is indicated by two purple bands. For the sandwich format LFA, which utilizes red-colored GNPs, a positive test is indicated by two red bands, while a negative test is indicated by one red band.


Figure 1. PMID: 30386770.

www.rockland.com Page 2 of 4





# c 2000C





Adjacent normal tissue

## Immunohistochemistry

Expression of CDCA3 in CRC tissues and cell lines and Kaplan-Meier survival analysis. (C) CDCA3 protein expression was examined by immunohistochemistry in 40 CRC tissues and 21 adjacent normal specimens. Figure 1. PMID: 30226575.



#### Bottle

UltraPure Sterile Water

#### References

- Sherine F Cheung et al. A Combined Aqueous Two-Phase System and Spot-Test Platform for the Rapid Detection of Escherichia coli O157:H7 in Milk. SLAS Technol. (2018)
- Yee, MF et al. Ionic Liquid Aqueous Two-Phase Systems for the Enhanced Paper-Based Detection of Transferrin and Escherichia coli. *Frontiers in Chemistry* (2018)
- Qian, W et al. CDCA3 mediates p21-dependent proliferation by regulating E2F1 expression in colorectal cancer. International Journal of Oncology (2018)

#### **Disclaimer**

www.rockland.com Page 3 of 4





This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 4 of 4