



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet for R405-0100**Sheep Red Blood Cells 10% Washed Pooled Cells****Overview**

Description:	Sheep Red Blood Cell (RBC) 10% Washed Pooled Cells - R405-0100
Item No.:	R405-0100
Size:	100 mL
Applications:	Cellular Assay, FC, Other
Origin:	Sheep

Product Details

Background:	Sheep whole blood is washed to remove the platelet rich plasma, buffy coat layer, and leukocytes (WBC). Red blood cells are supplied as a 10 percent suspension in phosphate buffered saline (PBS). Sheep red blood cells are useful for the titration of complement, adsorption procedures, testing for agglutinins/HA assays, and for the preparation of stroma as particulate reagents. Sheep red blood cells are perishable and are collected and processed upon receipt of your order.
Synonyms:	Sheep Washed Pooled Cells, Sheep WPCs, Sheep Red Blood Cells, Sheep RBCs, erythrocytes
Species of Origin:	Sheep

Target Details

Relevant Links:	<ul style="list-style-type: none">R405 SDS
------------------------	--

Application Details

Suggested Applications:	Cellular Assay, FC, Other (Based on references)
Application Note:	Complement titration, adsorption procedures, HA assays and for the preparation of stroma as particulate reagents.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Tissue Data

Tissue Type:	Red Blood Cells
Sex:	Mixed
Strain:	Sheep - Mixed

Formulation

Physical State:	Liquid
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Sterility:	Non-sterile
Preservative:	None
Stabilizer:	None

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store sheep washed pooled red blood cells at 4° C prior to opening. Be advised that blood is a perishable product and exact shelf may depend on application.
Expiration:	This product MAY be stable for up to two (2) weeks if properly stored and handled.

References

- Schultz JR et al. Identification of 5-(Aryl/Heteroaryl)amino-4-quinolones as Potent Membrane-Disrupting Agents to Combat Antibiotic-Resistant Gram-Positive Bacteria. *J Med Chem.* (2022)
- Gerlach BD et al. Efferocytosis induces macrophage proliferation to help resolve tissue injury. *Cell Metab.* (2021)
- Wang Y et al. Mitochondrial Fission Promotes the Continued Clearance of Apoptotic Cells by Macrophages. *Cell.* (2017)
- DeWitt JC et al. Suppression of antigen-specific antibody responses in mice exposed to perfluorooctanoic acid: Role of PPAR α and T- and B-cell targeting. *J Immunotoxicol.* (2016)
- Eisenstein TK et al. Anandamide and Δ 9-tetrahydrocannabinol directly inhibit cells of the immune system via CB2 receptors. *J Neuroimmunol.* (2007)
- Merchant ME et al. Identification of alternative pathway serum complement activity in the blood of the American alligator (*Alligator mississippiensis*). *Comp Biochem Physiol B Biochem Mol Biol.* (2005)
- Bussiere JL et al. Cytokine reversal of morphine-induced suppression of the antibody response. *J Pharmacol Exp Ther.* (1993)
- Albright JW et al. Fluctuations in subsets of splenocytes and isotypes of Ig in young adult and aged mice resulting from *Trypanosoma musculi* infections. *J Immunol.* (1990)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.