

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

# Sodium phenoxide: sc-272494



## MATERIAL SAFETY DATA SHEET

The Power to Question

#### 1 Identification of substance:

Product Name: Sodium phenoxide

Catalog Number: sc-272494

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue

Santa Cruz, California 95060 800.457.3801 or 831.457.3800

**Emergency:** ChemWatch

Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

## 2 Hazards identification

#### Classification of the substance or mixture



GHS05 Corrosion

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.



GHS07

H302 Harmful if swallowed.

## Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.



Xn; Harmful

AII; HAIIIIIUI

R22: Harmful if swallowed.

## Label elements

Labelling according to EU guidelines:

Code letter and hazard designation of product:

C Corrosive

## Risk phrases:

22 Harmful if swallowed.

34 Causes burns.

## Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately.

# Hazard description: WHMIS classification





# Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)

HEALTH 2
FIRE 1
REACTIVITY 1

Health (acute effects) = 2
Flammability = 1
Reactivity = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances

(CAS#) Description:

Sodium phenoxide (CAS# 139-02-6)

Identification number(s): EINECS Number: 205-347-3

## 4 First aid measures

## Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

#### 5 Firefighting measures

## Extinguishing media

## Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Sodium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

#### Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

## Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling

#### Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Keep ignition sources away.

## Conditions for safe storage, including any incompatibilities

Storage Store at room temperature.

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from air.

#### Further information about storage conditions:

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

This product is air sensitive.

## 8 Exposure controls/personal protection

#### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

#### Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

#### Exposure controls

#### Personal protective equipment

## General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

## Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

## Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

## Eye protection:

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemi	cal properties
General Information	
Appearance:	Do do
Form:	Powder
Formula:	C6H5ONa
Weight:	116.09
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	>300°C (>572 °F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.

Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	Not determined
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble
Segregation coefficient (n-octonol/water): Not determined.	
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

## 10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Incompatible materials:

Air

Oxidizing agents

Acids

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sodium oxide

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Corrosive effect on skin and mucous membranes.

on the eye: Strong corrosive effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Peripheral Nerve and Sensation - spastic paralysis with or without sensory change.

Behavioral - convulsions or effect on seizure threshold.

Behavioral - changes in motor activity (specific assay).

Lungs, Thorax, or Respiration - respiratory depression

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

#### 12 Ecological information

Toxicity

Acquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

## DOT regulations:



Hazard class: 8
Identification number: UN2905
Packing group: III

Proper shipping name (technical name): PHENOLATES, SOLID

Label 8

## Land transport ADR/RID (cross-border)



ADR/RID class: 8 (C10) Corrosive substances

Danger code (Kemler): 80
UN-Number: 2905
Packaging group: III

UN proper shipping name: 2905 PHENOLATES, SOLID

#### Maritime transport IMDG:



IMDG Class: 8
UN Number: 2905
Label 8
Packaging group: III
Marine pollutant: No

Proper shipping name:

PHENOLATES, SOLID

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 8
UN/ID Number: 2905
Label 8
Packaging group: III

Proper shipping name: PHENOLATES, SOLID

UN "Model Regulation": UN2905, PHENOLATES, SOLID, 8, III
Special precautions for user Warning: Corrosive substances
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

#### Hazard symbols:

C Corrosive

#### Risk phrases:

22 Harmful if swallowed.

34 Causes burns.

#### Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately.

## National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use: For use only by technically qualified individuals. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

1/23/2014