

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

Bismuth Lead Tin Cadmium ingot (Wood's metal): sc-278791



MATERIAL SAFETY DATA SHEET

The Power to Question

1 Identification of substance:

Product Name: Bismuth Lead Tin Cadmium ingot (Wood's metal)

Catalog Number: sc-278791

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue

Santa Cruz, California 95060 800.457.3801 or 831.457.3800

Emergency: ChemWatch

> Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2 Hazards identification

Classification of the substance or mixture



GHS08 Health hazard

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 Environment

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



GHS07

Harmful if swallowed. H302

Harmful in contact with skin. H312

Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-61: May cause cancer. May cause harm to the unborn child.



Xn; Harmful

R62-20/21/22: Possible risk of impaired fertility. Harmful by inhalation, in contact

with skin and if swallowed.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R33: Danger of cumulative effects.

Label elements

Labelling according to EU guidelines:

Code letter and hazard designation of product:

T Toxic

N Dangerous for the environment

Risk phrases:

45 May cause cancer.

61 May cause harm to the unborn child 62 Possible risk of impaired fertility

20/21/22 Also harmful by inhalation, in contact with skin and if swallowed.

Danger of cumulative effects.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

53 Avoid exposure - obtain special instructions before use.

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

Special labelling of certain preparations:

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

Hazard description:

WHMIS classification



Classification system HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)



Health (acute effects) = 2Flammability = 0Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

(CAS#) Description:

Bismuth (CAS# 7440-69-9): 50% Lead (CAS# 7439-92-1): 25% Tin (CAS# 7440-31-5): 12.5% Cadmium (CAS# 7440-43-9): 12.5%

4 First aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Toxic metal oxide fume

Lead oxide fume Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

```
Lead, elemental, and inorganic compounds (as Pb)
                       mg(Pb)/m3
ACGIH TLV
                       0.05; Confirmed animal carcinogen
Austria MAK
                      0.1
Belgium TWA
                      0.15
Denmark TWA
                      0.1
Germany MAK
                      0.1
Japan OEL
                      0.1
                      0.05; Confirmed animal carcinogen
Korea TLV
Netherlands TWA
                     0.15
Norway TWA
                      0.05
Poland TWA
                      0.05
Sweden TWA
                      0.05 (resp. dust)
                       0.1 (total dust)
Switzerland MAK-W
                      0.1
United Kingdom TWA
                      0.1
USA PEL
                       0.05
Cadmium and compounds, as Cd
                      mg/m3
ACGIH TLV
                      0.002(Cd); Suspected human carcinogen
Austria
                      Carcinogen
Belgium TWA
                      0.05
                     0.01
0.02; Carcinogen
Denmark TWA
Finland TWA
                      0.05
France VME
Germanv
                      Carcinogen
Ireland TWA
                      0.025; carcinogen
                  0.05; Group 1 Carcinogen
Japan OEL
Korea TLV 0.01; Suspected human carcinogen Netherlands MAC-TGG 0.02; 0.1-MAC-K
Norway TWA
                      0.05
Poland TWA
                      0.02; 0.05-STEL (fume)
                      0.04; 0.2-STEL (dust)
Russia
                      0.01; 0.05-STEL
                     0.05 (total dust)
0.01 (resp. dust)
Sweden NGV
      TWA
Switzerland MAK-W 0.05; Carcinogen United Kingdom TWA 0.025(Cd)
USA PEL (respirable) 0.2(Cd)
```

```
Tin metal, tin oxide and inorganic tin compounds,
```

except tin hydride, as Sn

mg/m3 ACGIH TLV Austria MAK Belgium TWA 2 Denmark TWA 2 Finland TWA Germany MAK 2

nungary TWA 1; 2-STEL (skin)
Netherlands MAC-TGG 2 Norway TWA Poland TWA Switzerland MAK-W

2; 4-KZG-W United Kingdom TWA 2; 4-STEL USA PEL

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Refer to 29CFR1910.1027 for regulations on respiratory protection required during exposure to cadmium and cadmium compounds.

Refer to 29CFR1910.1025 for regulations on respiratory protection required during exposure to lead and lead compounds.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical General Information Appearance:	properties
Form:	Ingot
Formula:	Bi50Cd12Pb25Sn1
Weight:	18402.47
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	71°C (160 °F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20°C (68 °F):	9.7 g/cm³ (80.947 lbs/gal)
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Segregation coefficient (n-octonol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Incompatible materials:

Acids Halogens

Hazardous decomposition products:

Toxic metal oxide fume Lead oxide fume Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness. Red blood cells may be damaged resulting in anemia. Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur. Cadmium compounds are highly toxic and experimental carcinogens. Exposure affects the respiratory tract, kidneys, and liver. Ingestion may cause nausea, salivation, vomiting and diarrhea. Ingestion or inhalation of cadmium compounds may be fatal. Bismuth compounds are often poorly absorbed. However exposure may cause loss of appetite, headache, skin rash, exodermatitis, kidney injury and jaundice. Repeated or prolonged exposure may cause a bismuth line or black spots on the gums, foul breath and salivation. Exposure to bismuth may cause injury to the mouth, esophagus and stomach. Symptoms may include loss of appetite, headache, skin rash, kidney damage and jaundice.

Metallic tin and inorganic tin compounds may cause nausea, vomiting, diarrhea, irritation and pneumoconiosis.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known

Danger through skin absorption.

May cause harm to the unborn child.

Possible risk of impaired fertility.

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-1: Known to be carcinogenic: sufficient evidence from human studies.

Carcinogen as defined by OSHA.

ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

12 Ecological information

Toxicity

Acquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits. Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

Not a hazardous material for transportation.

DOT regulations:
Hazard class: None

Land transport ADR/RID (cross-border)
ADR/RID class: None

Maritime transport IMDG:
IMDG Class: None
Marine pollutant: No

Air transport ICAO-TI and IATA-DGR:
ICAO/IATA Class: None

Environmental hazards: Environmentally hazardous substance, solid; Marine Pollutant Special precautions for user Not applicable.

Transport/Additional information: Not dangerous according to the above specifications. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols:

T Toxic

N Dangerous for the environment

Risk phrases:

- 45 May cause cancer.
- 61 May cause harm to the unborn child
- 62 Possible risk of impaired fertility
- 20/21/22 Also harmful by inhalation, in contact with skin and if swallowed.
- 33 Danger of cumulative effects.
- 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

- 53 Avoid exposure obtain special instructions before use.
- 45 In case of accident or if you feel unwell, seek medical advice immediately.
- 60 This material and its container must be disposed of as hazardous waste.
- 61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains lead and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains cadmium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1027 for regulations concerning cadmium and cadmium compounds.

Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.