



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



GrpEL1 siRNA (m): sc-145781

BACKGROUND

GrpEL1 (GrpE protein homolog 1, mitochondrial), also known as HMGE or Mt-GrpE#1, is a 271 amino acid protein that belongs to the GrpE family and is a likely member of the PAM complex. Consisting of Tim44, Tim14, HSP 70, Magmas, GrpEL1 and GrpEL2, the PAM complex plays an essential role in the ATP-dependent translocation of transit peptide-containing proteins to the mitochondrial matrix from the inner membrane. GrpEL1 regulates the nucleotide-dependent binding of mitochondrial HSP70 to substrate proteins and stimulates its ATPase activity. The gene encoding GrpEL1 maps to human chromosome 4, which represents approximately 6% of the human genome, contains nearly 900 genes, and is associated with Huntington's disease, Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic kidney disease.

REFERENCES

1. Kalchman, M.A., Graham, R.K., Xia, G., Koide, H.B., Hodgson, J.G., Graham, K.C., Goldberg, Y.P., Gietz, R.D., Pickart, C.M. and Hayden, M.R. 1996. Huntingtin is ubiquitinated and interacts with a specific ubiquitin-conjugating enzyme. *J. Biol. Chem.* 271: 19385-19394.
2. Höhfeld, J. and Jentsch, S. 1997. GrpE-like regulation of the hsc70 chaperone by the anti-apoptotic protein BAG-1. *EMBO J.* 16: 6209-6216.
3. Naylor, D.J., Stines, A.P., Hoogenraad, N.J. and Høj, P.B. 1998. Evidence for the existence of distinct mammalian cytosolic, microsomal, and two mitochondrial GrpE-like proteins, the co-chaperones of specific Hsp70 members. *J. Biol. Chem.* 273: 21169-21177.
4. Krakow, D., Salazar, D., Wilcox, W.R., Rimoin, D.L. and Cohn, D.H. 2000. Exclusion of the Ellis-van Creveld region on chromosome 4p16 in some families with asphyxiating thoracic dystrophy and short-rib polydactyly syndromes. *Eur. J. Hum. Genet.* 8: 645-648.
5. Choglay, A.A., Chapple, J.P., Blatch, G.L. and Cheetham, M.E. 2001. Identification and characterization of a human mitochondrial homologue of the bacterial co-chaperone GrpE. *Gene* 267: 125-134.
6. Sommardahl, C., Cottrell, M., Wilkinson, J.E., Woychik, R.P. and Johnson, D.K. 2001. Phenotypic variations of orpk mutation and chromosomal localization of modifiers influencing kidney phenotype. *Physiol. Genomics* 7: 127-134.
7. Dobson, C.M., Wai, T., Leclerc, D., Wilson, A., Wu, X., Dore, C., Hudson, T., Rosenblatt, D.S. and Gravel, R.A. 2002. Identification of the gene responsible for the cblA complementation group of vitamin B12-responsive methylmalonic acidemia based on analysis of prokaryotic gene arrangements. *Proc. Natl. Acad. Sci. USA* 99: 15554-15559.
8. Tamura, S., Kinouchi, H., Izaki, K., Okubo, A., Sugawara, T., Kunizuka, H. and Mizoi, K. 2003. Induction of heat shock protein 40 and GrpE mRNAs following transient focal cerebral ischemia in the rat. *Brain Res.* 960: 277-281.
9. Borges, J.C., Fischer, H., Craievich, A.F., Hansen, L.D. and Ramos, C.H. 2003. Free human mitochondrial GrpE is a symmetric dimer in solution. *J. Biol. Chem.* 278: 35337-35344.

CHROMOSOMAL LOCATION

Genetic locus: Grpel1 (mouse) mapping to 5 B3.

PRODUCT

GrpEL1 siRNA (m) is a pool of 3 target-specific 19-25 nt siRNAs designed to knock down gene expression. Each vial contains 3.3 nmol of lyophilized siRNA, sufficient for a 10 μ M solution once resuspended using protocol below. Suitable for 50-100 transfections. Also see GrpEL1 shRNA Plasmid (m): sc-145781-SH and GrpEL1 shRNA (m) Lentiviral Particles: sc-145781-V as alternate gene silencing products.

For independent verification of GrpEL1 (m) gene silencing results, we also provide the individual siRNA duplex components. Each is available as 3.3 nmol of lyophilized siRNA. These include: sc-145781A, sc-145781B and sc-145781C.

STORAGE AND RESUSPENSION

Store lyophilized siRNA duplex at -20° C with desiccant. Stable for at least one year from the date of shipment. Once resuspended, store at -20° C, avoid contact with RNases and repeated freeze thaw cycles.

Resuspend lyophilized siRNA duplex in 330 μ l of the RNase-free water provided. Resuspension of the siRNA duplex in 330 μ l of RNase-free water makes a 10 μ M solution in a 10 μ M Tris-HCl, pH 8.0, 20 mM NaCl, 1 mM EDTA buffered solution.

APPLICATIONS

GrpEL1 siRNA (m) is recommended for the inhibition of GrpEL1 expression in mouse cells.

SUPPORT REAGENTS

For optimal siRNA transfection efficiency, Santa Cruz Biotechnology's siRNA Transfection Reagent: sc-29528 (0.3 ml), siRNA Transfection Medium: sc-36868 (20 ml) and siRNA Dilution Buffer: sc-29527 (1.5 ml) are recommended. Control siRNAs or Fluorescein Conjugated Control siRNAs are available as 10 μ M in 66 μ l. Each contain a scrambled sequence that will not lead to the specific degradation of any known cellular mRNA. Fluorescein Conjugated Control siRNAs include: sc-36869, sc-44239, sc-44240 and sc-44241. Control siRNAs include: sc-37007, sc-44230, sc-44231, sc-44232, sc-44233, sc-44234, sc-44235, sc-44236, sc-44237 and sc-44238.

RT-PCR REAGENTS

Semi-quantitative RT-PCR may be performed to monitor GrpEL1 gene expression knockdown using RT-PCR Primer: GrpEL1 (m)-PR: sc-145781-PR (20 μ l). Annealing temperature for the primers should be 55-60° C and the extension temperature should be 68-72° C.

RESEARCH USE

For research use only, not for use in diagnostic procedures.