

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





### Instructions For Use

# RA0001-C.5-IFU-RUO

Rev. Date: Sept. 24, 2014

**Revision: 1** 

Page 1 of 2

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

# Actin, Smooth Muscle (Leiomyosarcoma Marker); Clone 1A4 (Concentrate)

Availability/Contents: Item # Volume
RA0001-C.5 Volume
0.5 ml

**Description:** 

Species: Mouse

Immunogen: N-terminal decapeptide of alpha smooth muscle isoform of actin and conjugated to KLH.

Clone: 1A4

Isotype: IgG2a, kappa Entrez Gene ID: 59 (Human) Hu Chromosome Loc.: 10q23.31

Synonyms: ACTA2, Actin Alpha 2 Smooth Muscle Aorta, Actin Aortic Smooth Muscle, Actin Vascular

Smooth Muscle, ACTSA, ACTVS, Alpha 2 Actin, Alpha Actin 2, Alpha Cardiac Actin, Alpha Smooth Muscle, Alpha-actin-2, Aortic Smooth Muscle, ASMA, Cell Growth-inhibiting Gene 46

Protein, Growth Inhibiting Gene 46

Mol. Weight of Antigen: 42kDa

Format: 200µg/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS

with 0.05% BSA & 0.05% azide.

Specificity: This MAb is highly specific to actin from smooth muscles. Its epitope lies in the first four N-

terminal amino acids. This MAb does not stain cardiac or skeletal muscle; however, it does stain myofibroblasts and myoepithelial cells. In most cases of rhabdomyosarcoma, this antibody

yields negative results whereas anti-muscle specific actin and myogenin are positive.

Leiomyosarcomas are positive only with anti-muscle specific actin and anti-smooth muscle actin

and are negative with anti-myogenin.

Background: Actin is a major component of the cytoskeleton and is present in most cell types. This antibody

could be used together with anti-muscle specific actin and myogenin in making a diagnosis of

smooth muscle and skeletal muscle tumors.

Species Reactivity: Human, Baboon, Monkey, Cow, Pig, Sheep, Goat, Cat, Dog, Rabbit, Mouse, Rat, Guinea Pig

and Chicken. Others not known.

Positive Control: Blood vessels in all tissues, smooth muscle or leiomyosarcoma.

Cellular Localization: Cytoplasmic

Titer/ Working Dilution: Immunohistochemistry (Frozen & Formalin-fixed): 0.5-1 µg/ml

Flow Cytometry: 0.5-1 µg/million cells

Immunofluorescence:0.5-1 μg/mlWestern Blotting:0.5-1 μg/ml

Immunoprecipitation: 0.5-1 μg/500μg protein lysate

Microbiological State: This product is not sterile.

Storage: 2° C 8° C

ScyTek Laboratories, Inc. 205 South 600 West Logan, UT 84321

U.S.A.

CE

EmergoEurope (31)(0) 70 345-8570 Molsnstraat 15 2513 BH Hague, The Netherlands



# Instructions For Use RA0001-C.5-IFU-RUO

Rev. Date: Sept. 24, 2014

**Revision: 1** 

Page 2 of 2

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

**Uses/Limitations:** Not to be taken internally.

For Research Use Only.


This product is intended for qualitative immunohistochemistry with normal and neoplastic formalin-fixed, paraffin-embedded

tissue sections, to be viewed by light

microscopy.

Do not use if reagent becomes cloudy. Do not use past expiration date.

Non-Sterile.



Formalin-paraffin human leiomyosarcoma stained with Actin, Smooth Muscle; Clone 1A4

### Ordering Information and Current Pricing at www.scytek.com

#### Procedure:

- Tissue Section Pretreatment (Highly Recommended): Staining of formalin fixed, paraffin embedded tissue sections is significantly enhanced by pretreatment with Citrate Plus (ScyTek catalog# CPL500).
- 2. **Primary Antibody Incubation Time:** We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user.
- 3. **Visualization:** For maximum staining intensity we recommend the "UltraTek HRP Anti-Polyvalent Lab Pack" (ScyTek catalog# UHP125, see IFU for instructions) combined with the "DAB Chromogen/Substrate Bulk Pack (High Contrast)" (ScyTek catalog# ACV500, see IFU for instructions).

### **Precautions:**

Contains Sodium Azide as a preservative (0.09% w/v).

Do not pipette by mouth.

Avoid contact of reagents and specimens with skin and mucous membranes.

Avoid microbial contamination of reagents or increased nonspecific staining may occur.

This product contains no hazardous material at a reportable concentration according to U.S. 29 CFR 1910.1200,

OSHA Hazardous Communication Standard and EC Directive 91/155/EC.

### References:

1. Skalli O et. al. Journal of Cell Biology, 1986, 103:2787-96.

### Warranty:

No products or "Instructions For Use (IFU)" are to be construed as a recommendation for use in violation of any patents. We make no representations, warranties or assurances as to the accuracy or completeness of information provided on our IFU or website. Our warranty is limited to the actual price paid for the product. ScyTek Laboratories, Inc. is not liable for any property damage, personal injury, time or effort or economic loss caused by our products. Immunohistochemistry is a complex technique involving both histological and immunological detection methods. Tissue processing and handling prior to immunostaining can cause inconsistent results. Variations in fixation and embedding or the inherent nature of the tissue specimen may cause variations in results. Endogenous peroxidase activity or pseudoperoxidase activity in erythrocytes and endogenous biotin may cause non-specific staining depending on detection system used.

Storage: 2° C

ScyTek Laboratories, Inc. 205 South 600 West Logan, UT 84321 U.S.A.

CE

EC REP EmergoEurope (31)(0) 70 345-8570 Molsnstraat 15 2513 BH Hague, The Netherlands