



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Tris Buffered Saline (25X) pH 7.4

Description: Tris Buffered Saline (25X) pH 7.4 has been formulated in an easy-to-use 25X concentration for use in an Immunohistochemistry protocol as a wash buffer. This standard tris buffer also has countless other applications in a general laboratory. Made using only ACS Reagent grade materials and water that meets USP specifications provides assurance that optimal results can be expected. The need to weigh and dissolve individual components is eliminated and replaced with a simple dilution. Contains no preservative.

Contents: Tris buffered saline in deionized water. pH of 1X diluted buffer is 7.40 ± 0.20 at standard room temperature (18-23°C). Concentration at final dilution is Tris: 0.05M, NaCl: 0.15M

Uses/Limitations: Not to be taken internally.
For In-Vitro Diagnostic use only.
Do not use if reagent becomes cloudy.
Do not use past expiration date.
Use caution when handling reagents.
Non-Sterile




Availability*:	Item #	Volume	Diluted Volume
	TBS500	500 ml	5 liters
	TBS999	1000 ml	10 liters
	TBS010	10 liters	100 liters
	TBS-20000	20 liters	200 liters


**Please contact for additional OEM and bulk pricing information.*

Storage: Store at 18-25°C.
After diluting to 1X, store in refrigerator (2-8°C)
Note that the pH of Tris buffers is inversely dependent upon temperature of the buffer.

Precautions: Avoid contact with skin and eyes.
Harmful if swallowed.
Follow all Federal, State, and local regulations regarding disposal.

- Procedure:**
1. Thoroughly mix 1 part of Tris Buffered Saline (25X) with 24 parts deionized or distilled water.
 2. Verify and adjust (if needed) pH for intended use.
 3. To avoid contamination issues and provide optimal results, prepare fresh buffer daily.

Storage: 18° C  25° C



ScyTek Laboratories, Inc.
205 South 600 West
Logan, UT 84321
U.S.A.

CE IVD

EC REP
Emergo Europe
Prinsessegracht 20
2514 AP The Hague, The Netherlands