



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Tau Protein

94 /100 1 Citation

Powered by Bioz

See more details on Bioz



Discovery through Partnership | Excellence through Quality

Human Recombinant Tau-352 (fetal 0N3R) Wild-Type Pre-formed Fibrils
Catalog No. SPR-491

Product Name

Tau Protein

Description

Human Recombinant Tau-352 (fetal 0N3R) Wild-Type Pre-formed Fibrils

Applications

WB, SDS-PAGE, In vitro Assay

Concentration

Lot/batch specific. See included datasheet.

Conjugates

No tag

Nature

Recombinant

Species

Human

Expression System

E. coli

Amino Acid Sequence

MAEPRQEFEVMEHDHAGTYGLGDRKDQGGYTMHQDQEGDTDAGLKAEEAGIGDTPSLEDEAAGHVTVQARMVSKSKDGT
GSDDKKAKGADGKTKIATPRGAAPPQKQGANATRIPAKTPPAPKTPPSSGEPKSGDRSGYSSPGSPGTPGSRRTPSLP
TPPTREPKKVAVVRTPPKSPSSAKSRLQTAPVMPDLDKNVSKIGSTENLKHQPGGGKVQIVYKPVVLSKVTSKCGSLGNIH
HKPGGGQVEVKSEKLDKDRVQSKIGSLDNITHVPGGGNKKIETHKLTFRENAKAKTDHGAEIVYKSPVWVGDTSPRHLSN
VSSTGSIDMVDPQLATLADEVASLAKQGL

Purity

>95%

Other Resources

Protein Length

Full Length (1-352 aa)

Field Of Use

Not for use in humans. Not for use in diagnostics or therapeutics. For in vitro research use only.

Properties

Storage Buffer

10 mM Hepes pH 7.4, 100 mM NaCl

Storage Temperature

-80°C

Shipping Temperature

Dry Ice. Shipping note: Product will be shipped separately from other products purchased in the same order.

Purification

Ion-exchange Purified

Cite This Product

Human Recombinant Tau352 (fetal 0N3R) Pre-formed Fibrils (StressMarq Biosciences Inc., Victoria BC CANADA, Catalog # SPR-491)

Certificate Of Analysis

Protein certified >95% pure on SDS-PAGE & Nanodrop analysis

Biological Description

Alternative Names

Tau aggregate, tau protein, microtubule-associated protein tau, MAPT, MAP, microtubule-associated protein, Truncated Tau Protein Aggregate, Paired Helical Filament- Tau, Phf-Tau, Neurofibrillary Tangle Protein, G Protein Beta1/Gamma2 Subunit-Interacting Factor 1, Isoform 2, tubulin-associated unit, 95-amino acid tau protein fragment, Truncated Tau

Research Areas

Alzheimer's Disease, Axon Markers, Cell Markers, Cell Signaling, Cytoskeleton, Microtubules, MT Associated Proteins, Neurodegeneration, Neuron Markers, Neuroscience, Tangles & Tau

Cellular Localization

Axolemma, Axolemma Plasma Membrane, Axon, Cell Body, Cell membrane, Cytoplasm, Cytoplasmic Ribonucleoprotein Granule, Cytoplasmic Side, Cytoskeleton, Cytosol, Dendrite, Growth cone, Microtubule, Microtubule Associated Complex, Neurofibrillary Tangle, Neuronal Cell Body, Nuclear Periphery, Nuclear Speck, Nucleus, Peripheral membrane protein, Plasma Membrane, Tubulin Complex

Accession Number

NP_058525.1

Gene ID

4137

Swiss Prot

P10636-2


Scientific Background

Alzheimer's Disease (AD) is the most common neurodegenerative disease, affecting 10% of seniors over the age of 65 (1). Tau (tubulin-associated unit) is normally located in the axons of neurons where it stabilizes microtubules. Tauopathies such as AD are characterized by neurofibrillary tangles containing paired helical filaments (PHFs). Brain-specific tau isoforms vary in the number of N-terminal inserts and C-terminal repeat domains due to alternative splicing of exons; only the shortest isoform of tau, 0N3R, is expressed in the fetal brain during neurogenesis (2). Three-repeat (3R) isoforms have been shown to be more prone than four-repeat (4R) isoforms to form oligomers in vitro (3). The β -sheet core of Tau 0N3R fibrilized using heparin differs from all other tau fibril structures known to date (4).


References

1. www.alz.org/alzheimers-dementia/facts-figures
 2. Goedert et al. Multiple isoforms of human microtubule-associated protein tau: Sequences and localization in neurofibrillary tangles of Alzheimer's disease. *Neuron*. 1989;3(4):519-526.
 3. Shahpasand-Kroner et al. Three-repeat and four-repeat tau isoforms for different oligomers. *Prot. Sci.* 2021;doi: 10.1002/pro4257
 4. Dregni, et al. Inclusion of the C-Terminal Domain in the β -Sheet Core of Heparin-Fibrillized Three-Repeat Tau Protein Revealed by Solid-State Nuclear Magnetic Resonance Spectroscopy. *JACS*. 2021. <https://doi.org/10.1021/jacs.1c03314>
-


Product Images




TEM of Fetal Tau 0N3R fibrils. Negative stain transmission electron microscopy images acquired at 80 Kv on carbon coated 400 mesh copper grids using phosphotungstic acid and uranyl acetate stain. Scale bar = 500, 200 and 100 nm (left to right). Method: Samples were prepared for examination in the transmission electron microscope using the 'direct application method' (Doane and Anderson 1987).



AFM of Fetal Tau 0N3R fibrils. Atomic force microscopy analysis of 1.0 mg/mL samples diluted to 0.1 mg/mL in dH₂O, mounted on freshly cleaved mica, washed, dried and analyzed with tapping mode. Representative images are 10 x 10 μm x-y (left) and 2 x 2 μm x-y (right) both with a z-range of 6 nm. Note: AFM images display significant twisting and curvature not observed under TEM.



Fibril formation activity of Fetal Tau ON3R monomers seeded by pre-formed fibrils in ThT seeding assay. Tau ON3R pre-formed fibrils seed fibril formation in Tau ON3R monomers. The graph shows an increased ThT signal in fibrils with 5 cycles of sonication prior to seeding. 10uM heparin and 1mM DTT was added to each well.



Tris-glycine SDS-PAGE (12%) of Fetal Tau ON3R fibrils. MW ladder = Precision Plus Protein All Blue prestained standards.


Product Citations

94/100 | 1 CITATIONS

Export

Flow cytometric isolation of drug-like conformational antibodies specific for amyloid fibrils

Desai Alec A., Zupancic Jennifer M., ..., Tessier Peter M.

bioRxiv | 2023 Jul 04 | [Read Article](#) 

"PrePrint: Human HT40 fibrils (Stressmarq, SPR-329), **human 0N3R fibrils (Stressmarq, SPR-491)**, human K18 P301L fibrils (Stressmarq, SPR-330), mouse 2N4R fibrils (Stressmarq, SPR-475), human α -synuclein fibrils (Stressmarq, SPR-317), human N-acetylated α -synuclein fibrils (Stressmarq, SPR-332), and mouse α -synuclein fibrils (Stressmarq, SPR-324) were first sonicated for 5 min (30 s on, 30 s off) before loading onto the nitrocellulose membrane." [More...](#) | [Share Article](#)

Reviews

Based on validation through cited publications.

**StressMarq Biosciences**

July 12, 2023: