



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

5-fluoro 203

Chemical Properties


CAS No. : 260443-89-8

Formula: C₁₄H₁₁FN₂S

Molecular Weight: 258.31

Appearance: no data available

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year



Biological Description

Description	5-fluoro 203 (NSC-703786) is a cytotoxic molecule leading to cell death by forming DNA adducts. 5-fluoro 203 induces aryl hydrocarbon receptor signaling, and elevates expression of CYP1A1. 5-fluoro 203 treatment of cells also leads to elevation of reactive oxygen species and activation of p38, JNK and ERK.
Targets(IC50)	Others
In vitro	Estrogen receptor positive (ER+; MCF-7 and T47D) breast cancer cells, estrogen receptor negative (ER-; CRL2335, MDA-MB-231, and MDA-MB-468) breast cancer cells, and nonmalignant MCF-10A cells are treated with 5F 203 or vehicle control (0.1% DMSO) for 72 h. Nonmalignant MCF-10A breast epithelial cells and MDA-MB-231 breast cancer cells were resistant to 5F 203 treatment, whereas the other cell lines showed varying sensitivity to 5F 203.

Solubility Information

Solubility	DMSO: 25 mg/mL (96.78 mM), (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	3.8713 mL	19.3566 mL	38.7132 mL
5 mM	0.7743 mL	3.8713 mL	7.7426 mL
10 mM	0.3871 mL	1.9357 mL	3.8713 mL
50 mM	0.0774 mL	0.3871 mL	0.7743 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

McLean L S , Watkins C N , Campbell P , et al. Aryl Hydrocarbon Receptor Ligand 5F 203 Induces Oxidative Stress That Triggers DNA Damage in Human Breast Cancer Cells[J]. Chemical Research in Toxicology, 2015, 28(5):855-71.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481