



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

N-tert-butyl- α -Phenylnitrone

Chemical Properties

CAS No. :	3376-24-7
Formula:	C ₁₁ H ₁₅ NO
Molecular Weight:	177.24
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	N-tert-butyl- α -Phenylnitrone ((Z)-N-benzylidene-2-Methylpropan-2-aMine oxide) inhibits COX2 catalytic activity. N-tert-butyl- α -Phenylnitrone((Z)-N-benzylidene-2-Methylpropan-2-aMine oxide) possesses potent reactive oxygen species scavenging, anti-inflammatory, neuroprotective, anti-aging, and anti-diabetic activities, and can penetrate the blood-brain barrier.
Targets(IC50)	ROS,COX
In vitro	Treatment of 25-100 μ M N-tert-butyl- α -Phenylnitrone significantly reduces 2,2'-azobis (2-amidinopropane) dihydrochloride (AAPH)-induced intracellular ROS accumulation. N-tert-butyl- α -Phenylnitrone also attenuates AAPH-induced cytotoxicity, matrix degradation, and apoptosis, inhibiting AAPH-induced ERK/MAPK pathway activation[1].
In vivo	In C57Bl/6 mice induced by lipopolysaccharide (LPS), intraperitoneal injection of 100 mg/kg N-tert-butyl- α -Phenylnitrone twice a day (on gestational day 8) abolishes LPS-induced lipid peroxidation, nitrate tyrosine residue levels and GSH depletion, and reduces the incidence of external malformations[2].

Solubility Information

Solubility	DMSO: 50 mg/mL (282.10 mM) (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	5.6421 mL	28.2103 mL	56.4207 mL
5 mM	1.1284 mL	5.6421 mL	11.2841 mL
10 mM	0.5642 mL	2.821 mL	5.6421 mL
50 mM	0.1128 mL	0.5642 mL	1.1284 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Zhenggang Zhou, et al. PBN Protects NP Cells From AAPH-induced Degenerative Changes by Inhibiting the ERK1/2 Pathway. Connect Tissue Res. 2020 Mar 30;1-10.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 36 Washington Street, Wellesley Hills, MA 02481