



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



5,7-Dihydroxychromone

Chemical Properties

CAS No. :	31721-94-5
Formula:	C ₉ H ₆ O ₄
Molecular Weight:	178.14
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	1. 5,7-Dihydroxychromone (5,7-Dihydroxy-4H-Chromen-4-One) isolated from DME is one of the active compounds that may contribute to regulate blood glucose levels. 2. 5,7-Dihydroxychromone exerts neuroprotective effect against 6-OHDA-induced oxidative stress and apoptosis by activating Nrf2/ARE signal. 3. 5,7-Dihydroxychromone induces the translocation of Nrf2 to the nucleus and increases Nrf2/ARE binding activity which results in the up-regulation of the expression of Nrf2-dependent antioxidant genes, including HO-1, NQO1, and GCLC.
Targets(IC50)	Others,Virus Protease,PARP,Caspase,Nrf2

Solubility Information

Solubility	DMSO: 50 mg/mL (280.67 mM), (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	5.6136 mL	28.0678 mL	56.1356 mL
5 mM	1.1227 mL	5.6136 mL	11.2271 mL
10 mM	0.5614 mL	2.8068 mL	5.6136 mL
50 mM	0.1123 mL	0.5614 mL	1.1227 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Kim D W , Lee K T , Kwon J , et al. Neuroprotection against 6-OHDA-induced oxidative stress and apoptosis in SH-SY5Y cells by 5,7-Dihydroxychromone: Activation of the Nrf2/ARE pathway[J]. Life Sciences, 2015, 130:25-30.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481