



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

1,3,5,8-Tetrahydroxyxanthone

Chemical Properties

CAS No. :	2980-32-7
Formula:	C ₁₃ H ₈ O ₆
Molecular Weight:	260.2
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	1,3,5,8-Tetrahydroxyxanthone (Desmethybellidifolin) is a natural xanthone extracted from <i>Gentianella acuta</i> . 1,3,5,8-Tetrahydroxyxanthone has antispasmodic effect and anti-inflammatory activity. Dimethylbellidifolin shows mutagenicity in <i>Salmonella typhimurium</i> TA100, TA98, TA97, and TA2637 by the preincubation method; it also exhibits at the dose of 200 ug/disk a significant inhibition of the growth of <i>Staphylococcus aureus</i> .
Targets(IC50)	Anti-infection
In vitro	The mutagenicities of naturally occurring xanthones were tested in <i>Salmonella typhimurium</i> TA100, TA98, TA97, and TA2637 by the preincubation method. Xanthidrol, gentisein, gentisin, isogentisin, 1-hydroxy-3,7-dimethoxyxanthone, 1,3,7-trimethoxyxanthone, Desmethybellidifolin, bellidifolin and dimethylbellidifolin were mutagenic, but unsubstituted xanthone was not mutagenic to TA100, TA98, TA97 and TA2637 with or without a metabolic activation system[1]

Solubility Information

Solubility	DMSO: 10 mg/mL (38.43 mM), (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	3.8432 mL	19.216 mL	38.432 mL
5 mM	0.7686 mL	3.8432 mL	7.6864 mL
10 mM	0.3843 mL	1.9216 mL	3.8432 mL
50 mM	0.0769 mL	0.3843 mL	0.7686 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Mutagenicities of xanthone derivatives in Salmonella typhimurium TA100, TA98, TA97, and TA2637. Mutat Res. 1985 Jun-Jul;150(1-2):141-6.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only. Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 36 Washington Street, Wellesley Hills, MA 02481