



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Hsp70-derived octapeptide acetate

Chemical Properties


CAS No. :

Formula: C₃₈H₆₂N₈O₁₈

Molecular Weight: 918.94

Appearance: no data available

Storage: keep away from moisture
Powder: -20°C for 3 years | In solvent: -80°C for 1 year



Biological Description

Description	Hsp70-derived octapeptide acetate (Hsp70-derived octapeptide acetate) is a group of tetratricopeptide repeat (TPR)-containing proteins has been shown to interact with the C-terminal domain of the 70 kDa heat-shock cognate protein (hsc70). In the present study, the effect of the TPR-containing proteins, including the C-terminus of hsc70-interacting protein (CHIP), TPR1 and human glutamine-rich TPR-containing protein (hSGT), on refolding of luciferase by DnaJ and hsc70 was investigated.
Targets(IC ₅₀)	Others

Solubility Information

Solubility	DMSO: Insoluble, H ₂ O: Insoluble, (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	1.0882 mL	5.4411 mL	10.8821 mL
5 mM	0.2176 mL	1.0882 mL	2.1764 mL
10 mM	0.1088 mL	0.5441 mL	1.0882 mL
50 mM	0.0218 mL	0.1088 mL	0.2176 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Tutar Y, et al. Primate chaperones Hsc70 (constitutive) and Hsp70 (induced) differ functionally in supporting growth and prion propagation in *Saccharomyces cerevisiae*. *Genetics*. 2006 Feb;172(2):851-61.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481