



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Camstatin acetate

Chemical Properties

CAS No. :


Formula: C₁₂₄H₂₀₇N₃O₃₆

Molecular Weight: 2820.21

Appearance: no data available

Storage: keep away from moisture

Powder: -20°C for 3 years | In solvent: -80°C for 1 year



Biological Description

Description	Camstatin acetate binds calmodulin and inhibits neuronal nitric oxide synthase. Camstatin acetate is a functionally active 25-residue fragment of the single calmodulin-binding IQ motif of PEP-19.
Targets(IC50)	NO Synthase
In vitro	A truncated Camstatin acetate-in which the IQ motif serine is the only phosphorylatable residue-was screened against 42 different kinases. Truncated Camstatin acetate is selectively phosphorylated by four isoforms of protein kinase C. Treatment of full-length PEP-19 with PKCgamma catalyzes phosphorylation of the same serine residue. Phosphorylation of Camstatin acetate inhibits its binding to calmodulin. Both Camstatin acetate and phospho-Camstatin acetate exist in similar dynamic turn-like conformations [1].

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	0.3546 mL	1.7729 mL	3.5458 mL
5 mM	0.0709 mL	0.3546 mL	0.7092 mL
10 mM	0.0355 mL	0.1773 mL	0.3546 mL
50 mM	0.0071 mL	0.0355 mL	0.0709 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

J Bradley Dickerson, et al. The influence of phosphorylation on the activity and structure of the neuronal IQ motif protein, PEP-19. Brain Res. 2006 May 30;1092(1):16-27.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481