

Page 1/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2021

Revision date 08/02/2021

#### 1 Identification

· Product identifier

· Trade name: (+)-MK 801 (hydrogen maleate)

· Synonym Dizocilpine

· Article number: 10009019

· CAS Number: 77086-22-7 · EC number: 278-614-5

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 1 H330 Fatal if inhaled.



STOT SE 1 H370 Causes damage to organs.

(Contd. on page 2)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

(Contd. from page 1)



Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS06 GHS07 GHS08

- · Signal word Danger
- · Hazard statements

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H319 Causes serious eye irritation. H370 Causes damage to organs.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.

P312 Call a poison center/doctor if you feel unwell.
P320 Specific treatment is urgent (see on this label).

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 4 Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = \*4 Fire = 0 Reactivity = 0

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. from page 2)

### 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

77086-22-7 (+)-MK 801 (hydrogen maleate)

· Identification number(s) · EC number: 278-614-5

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

(Contd. from page 3)

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

· PAC-1: Substance is not listed.

· PAC-2: Substance is not listed.

· PAC-3: Substance is not listed.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

#### · Protection of hands:

(Contd. from page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

· Information on basic physical and chemical	properties
--	------------

· General Information

· Appearance:

Form: Solid

Color: Not determined.

Odor: Characteristic

• Structural Formula C16H15N • C4H4O4 • Molecular Weight 337.4 g/mol

· Molecular Weight 337.4 g/mol · Odor threshold: Not determined.

· pH-value: Not applicable.

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

• Flammability (solid, gaseous): Product is not flammable.

Decomposition temperature: Not determined.

· Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 6)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

(Contd. from page 5)

Density: Not determined.
 Relative density Not determined.
 Vapor density Not applicable.
 Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Not determined.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:Not applicable.Kinematic:Not applicable.SOLUBILITYDMSO, ETOH, DMF

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong acids, strong bases, strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Intraperitoneal TDLO | 0.05 mg/kg (mouse) Subcutaneous TDLO | 20 µg/kg (rat)

Intraperitoneal LD40 10 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

(Contd. from page 6)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN2811
UN proper shipping name	
DOT	Toxic solids, organic, n.o.s. ((+)-MK 801 (hydroge maleate))
· IMDG	TOXIC SOLID, ORGANIC, N.O.S. ((+)-MK 801 (hydroge maleate))
IATA	Toxic solid, organic, n.o.s. ((+)-MK 801 (hydroge maleate))
Transport hazard class(es)	
DOT	
TOXIC	
Class	6.1 Toxic substances
· Label	6.1

- US

(Contd. on page 8)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

	(Contd. from page
· IMDG, IATA	
( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Toxic substances
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. ((+)-MK 80 (HYDROGEN MALEATE)), 6.1, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

(Contd. on page 9)

Printing date 08/02/2021 Revision date 08/02/2021

Trade name: (+)-MK 801 (hydrogen maleate)

(Contd. from page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency) Substance is not listed.

· TLV (Threshold Limit Value) Substance is not listed.

- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 08/02/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 1: Acute toxicity - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

\* \* Data compared to the previous version altered.