

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/26/2025

Revision date 03/26/2025

Page 1/11

1 Identification Product identifier · Trade name: JWH 116 · Synonym (2-ethyl-1-pentyl-1H-indol-3-yl)-1-naphthalenyl-methanone · Other means of identification · Article number: 13977 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones H301 Toxic if swallowed. Acute toxicity - oral 3 Acute toxicity - dermal 3 H311 Toxic in contact with skin. Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Specific target organ toxicity (single exposure) 1 H370 Causes damage to the central nervous system and the visual organs. (Contd. on page 2)

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

	(Contd. from page 1)
• Label elements	
· GHS label element	
The product is cla • Hazard pictogra r	ssified and labeled according to the Globally Harmonized System (GHS). ns
▲ ▲	
<u> 73</u> 235	
GHS02 GHS06	GHS08
• Signal word Dang	-
	ing components of labeling:
Methanol	4-
 Hazard statemen H225 	
	Highly flammable liquid and vapor. 1 Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to the central nervous system and the visual organs.
· Precautionary st	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
1210	No smoking.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P353	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a poison center/doctor.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233 P403+P235	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
P405+P255	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	aining to particular dangers for man and environment:
 Classification system 	
 NFPA ratings (sc 	cale 0 - 4)
	th = 2
Fire	
	- S ctivity = 0
	Savey S
	(Contd. on page 3)
	US

Date of issue: 03/26/2025

Revision date 03/26/2025

(Contd. from page 2)

99.0%

1.0%

Trade name: JWH 116

· HMIS-ratings (scale 0 - 4)

HEALTH *2	Health = *2
FIRE 3	Fire = 3
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000

· Other ingredients

619294-64-3 JWH 116

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

Special hazards arising from the substance or mixture	(Contd. from page 3
67-56-1During heating or in case of fire poisonous gases are produced.	
Advice for firefighters	
Protective equipment: Mouth respiratory protective device.	
Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand diatomite acid binders universal bin	nders sawdust)
Absorb with liquid-binding material (sand, diatomite, acid binders, universal bir Dispose contaminated material as waste according to section 13.	nders, sawdust).
Absorb with liquid-binding material (sand, diatomite, acid binders, universal bir Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.	nders, sawdust).
Dispose contaminated material as waste according to section 13.	nders, sawdust).
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.	nders, sawdust).
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals	nders, sawdust). 530 ppm
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1:	
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol	
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol PAC-2:	530 ppm
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol PAC-2: 67-56-1 Methanol PAC-3: 67-56-1 Methanol	530 ppm
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol PAC-2: 67-56-1 Methanol PAC-3: 67-56-1 Methanol Reference to other sections	530 ppm 2,100 ppm
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol PAC-2: 67-56-1 Methanol PAC-3: 67-56-1 Methanol Reference to other sections See Section 7 for information on safe handling.	530 ppm 2,100 ppm
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals PAC-1: 67-56-1 Methanol PAC-2: 67-56-1 Methanol PAC-3: 67-56-1 Methanol Reference to other sections	530 ppm 2,100 ppm

Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

115

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

(Contd. from page 4)

· Com	ponents with limit values that require monitoring at the workplace:
	6-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
·Ingr	edients with biological limit values:
67-5	6-1 Methanol
BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
· Add	tional information: The lists that were valid during the creation were used as basis.
Was Store Avoi • Brea In ca expo	ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. protective clothing separately. d contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use respiratory protective device that is independent of circulating air. ection of hands:
111	
	Protective gloves
Due prep Sele degr	

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Date of issue: 03/26/2025

Revision date 03/26/2025

(Contd. from page 5)

Trade name: JWH 116

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemica	al properties
· General Information	
 Physical state 	Liquid
· Color:	Colorless
· Odor:	Alcohol-like
· Structural Formula	C26H27NO
· Molecular Weight	369.5 g/mol
· Storage Buffer	·
· Odor threshold:	Not determined.
· Formulation	A solution in methanol
 Melting point/Melting range: 	-98 °C (-144.4 °F)
· Boiling point/Boiling range:	64.7 °C (148.5 °F)
· Flammability:	Highly flammable.
· Explosion limits:	5 7
Lower:	5.5 Vol %
· Upper:	44 Vol %
· Flash point:	11 °C (51.8 °F)
Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
·SOLUBILITY	DMF: 16 mg/ml; DMSO: 11 mg/ml; Ethanol: 10 mg/ml
· Dynamic:	Not determined.
 Solubility in / Miscibility with 	
· Water at 20 °C (68 °F):	1000 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Vapor pressure:	
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
Particle characteristics	Not applicable.
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of hea	
and environment, and on safety.	
· Ignition temperature:	Droduct is not solfigniting
• Danger of explosion:	Product is not selfigniting. Product is not explosive. However, formation of
Daliger of explosion.	explosive air/vapor mixtures are possible.
	(Contd. on page 7)

US

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

	(Contd. from page	6)
· Solvent content:		
· Organic solvents:	99.0 %	
· VOC content:	99.00 %	
	990.0 g/l / 8.26 lb/gal	
 Solids content: 	0.0 %	
Change in condition		
• Evaporation rate	Not determined.	
		_

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: oxidizing agents; reducing agents
- Hazardous decomposition products: carbon dioxide; carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)			
Oral	LD50	101 mg/kg (rat)	
Dermal	LD50	101 mg/kg (rat) 303 mg/kg (rabbit)	
Inhalative	LC50/4 h	3.13 mg/l (rat)	

67-56-1 M	ethanol	
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Inhalative	LC50/4 h	 3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.
 Primary in on the ski on the eye 	i n: No irrita	ant effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 8)

US

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1230

(Contd. on page 9)

(Contd. from page 7)

US

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

	(Contd. from pa
UN proper shipping name DOT, IATA	Methanol
IMDG	METHANOL
Transport hazard class(es)	
DOT	
RAMMARE LOUDO	
Class	3 Flammable liquids
Label	3, 6.1
IMDG	
Class	3 Flammable liquids 3/6.1
Label IATA	3/0.1
Class	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
	(Contd. on pag

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

	(Contd. from page 9)
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
 Special precautions for user 	Warning: Flammable liquids
 Hazard identification number (Kemler cod 	le): 336
EMS Number:	F-E,S-D
Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

•	Sar	а
	Sar	а

None of	the ingredients is listed.	
Section	313 (Specific toxic chemical listings):	
67-56-1	Methanol	
TSCA (T	oxic Substances Control Act):	
67-56-1	Methanol	ACTI\
Hazardo	us Air Pollutants	
67-56-1	Methanol	
Chemica	als known to cause cancer:	
None of	the ingredients is listed.	
Chemica	als known to cause reproductive toxicity for females:	
None of	the ingredients is listed.	
Chemica	als known to cause reproductive toxicity for males:	
None of	the ingredients is listed.	
Chemica	als known to cause developmental toxicity:	
67-56-1	Methanol	
Carcino	genic categories	
EPA (En	vironmental Protection Agency)	
None of	the ingredients is listed.	
•	reshold Limit Value)	
None of	the ingredients is listed.	
NIOSH-0	Ca (National Institute for Occupational Safety and Health)	
None of	the ingredients is listed.	

(Contd. on page 11)

Date of issue: 03/26/2025

Revision date 03/26/2025

Trade name: JWH 116

(Contd. from page 10)

	Other information All chemicals may pose unknown hazards and should be used with caution. This SDS applies only
	he material as packaged. If this product is combined with other materials, deteriorates, or becom
	contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assur
	no responsibility for incidental or consequential damages, including lost profits, arising from the use
	hese data. It shall be the user's responsibility to develop proper methods of handling and perso
	protection based on the actual conditions of use. While this SDS is based on technical data judged
	be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy
	he information contained herein.
	Department issuing SDS: Environment protection department.
	Contact: -
	Date of previous version 10/18/2022
٠D	Date of preparation 03/26/2025
	Abbreviations and acronyms:
	MDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	ATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	NFPA: National Fire Protection Association (USA)
	HMIS: Hazardous Materials Identification System (USA)
	/OC: Volatile Organic Compounds (USA, EU) .C50: Lethal concentration, 50 percent
	.D50: Lethal dose, 50 percent
	BT: Persistent, Bioaccumulative and Toxic
	/PvB: very Persistent and very Bioaccumulative
	NOSH: National Institute for Occupational Safety
	DSHA: Occupational Safety & Health
	FLV: Threshold Limit Value PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	3EI: Biological Exposure Limit
	Flammable liquids 2: Flammable liquids – Category 2
	Acute toxicity - oral 3: Acute toxicity – Category 3
	Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1
. *	[•] Data compared to the previous version altered.