

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

### 1 Identification

- **Product identifier**
- **Trade name:** 1,2-Diphytanoyl-sn-glycero-3-PE
- **Synonym** 1,2-diphytanoyl-sn-glycero-3-phosphatidylethanolamine
- **Other means of identification**
- **Article number:** 15094
- **Application of the substance / the mixture**  
This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Cayman Chemical Co.  
1180 E. Ellsworth Rd.  
Ann Arbor, MI 48108  
USA
- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (734) 971-3335  
US/CANADA: 800-424-9300  
Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute toxicity - inhalation 3

H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Reproductive toxicity 2

H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 1)

Specific target organ toxicity (single exposure) 1 H370 Causes damage to the central nervous system and the visual organs.

Specific target organ toxicity (repeated exposure) 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.



GHS07

Acute toxicity - oral 4

H302 Harmful if swallowed.

Acute toxicity - dermal 4

H312 Harmful in contact with skin.

Skin irritation 2

H315 Causes skin irritation.

Eye irritation 2A

H319 Causes serious eye irritation.

Specific target organ toxicity (single exposure) 3

H336 May cause drowsiness or dizziness.

## Label elements

### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

### Hazard pictograms



GHS02



GHS06



GHS07



GHS08

### Signal word Danger

### Hazard-determining components of labeling:

Chloroform

Methanol

### Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to the central nervous system and the visual organs.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharge.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 2)

P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P321	Specific treatment (see on this label).
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO <sub>2</sub> , powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 3)

· <b>Dangerous components:</b>		
CAS: 67-66-3 RTECS: FS9100000	Chloroform	79.2%
CAS: 67-56-1 RTECS: PC1400000	Methanol	19.8%
· <b>Other ingredients</b>		
201036-16-0	1,2-Diphytanoyl-sn-glycero-3-PE	1.0%

## 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Immediately call a doctor.

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture**

67-56-1 During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 4)

Ensure adequate ventilation.

## · Protective Action Criteria for Chemicals

### · PAC-1:

67-66-3	Chloroform	2.0 ppm
67-56-1	Methanol	530 ppm

### · PAC-2:

67-66-3	Chloroform	64 ppm
67-56-1	Methanol	2,100 ppm

### · PAC-3:

67-66-3	Chloroform	3200 ppm
67-56-1	Methanol	7200* ppm

## · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

### · Conditions for safe storage, including any incompatibilities

- **Storage:** Store in accordance with information listed on the product insert.

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

### · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

### · Components with limit values that require monitoring at the workplace:

#### 67-66-3 Chloroform

PEL	Ceiling limit value: 240 mg/m <sup>3</sup> , 50 ppm
REL	Short-term value: 9.78* mg/m <sup>3</sup> , 2* ppm
	*60-min; See Pocket Guide App. A
TLV	Long-term value: 49 mg/m <sup>3</sup> , 10 ppm
	A3

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 5)

**67-56-1 Methanol**

PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin
TLV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm Long-term value: 262 mg/m <sup>3</sup> , 200 ppm Skin; BEI

· **Ingredients with biological limit values:****67-56-1 Methanol**

BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 6)

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

## · General Information

## · Physical state

Liquid

## · Color:

According to product specification

## · Odor:

Characteristic

## · Structural Formula

C45H90NO8P

## · Molecular Weight

804.2 g/mol

## · Storage Buffer

## · Odor threshold:

Not determined.

## · Formulation

An 80:20 solution in chloroform:methanol

## · Melting point/Melting range:

Undetermined.

## · Boiling point/Boiling range:

62 °C (143.6 °F)

## · Flammability:

Highly flammable.

## · Explosion limits:

## · Lower:

5.5 Vol %

## · Upper:

44 Vol %

## · Flash point:

11 °C (51.8 °F)

## · Auto igniting:

455 °C (851 °F)

## · Decomposition temperature:

Not determined.

## · pH-value:

Not determined.

## · Viscosity:

## · Kinematic:

Not determined.

## · SOLUBILITY

Chloroform: 3 mg/ml

## · Dynamic:

Not determined.

## · Solubility in / Miscibility with

## · Water:

Fully miscible.

## · Partition coefficient (n-octanol/water):

Not determined.

## · Vapor pressure at 20 °C (68 °F):

210 hPa (157.5 mm Hg)

## · Vapor pressure:

## · Density:

Not determined.

## · Relative density

Not determined.

## · Vapor density

Not determined.

## · Particle characteristics

Not applicable.

## · Other information

## · Appearance:

## · Form:

Liquid

## · Important information on protection of health and environment, and on safety.

## · Ignition temperature:

Product is not selfigniting.

## · Danger of explosion:

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 7)

- **Solvent content:**
- **Organic solvents:** 19.8 %
- **VOC content:** 19.80 %  
198.0 g/l / 1.65 lb/gal
- **Solids content:** 1.0 %
- **Change in condition**
- **Evaporation rate** Not determined.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

Oral	LD50	351 mg/kg (rat)
Dermal	LD50	1,516 mg/kg (rabbit)
Inhalative	LC50/4 h	3.13 mg/l (rat)

### 67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment

### 67-56-1 Methanol

Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Inhalative	LC50/4 h	3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 8)

- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
  - **Sensitization:** No sensitizing effects known.
  - **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Toxic  
Harmful  
Irritant
  - **Interactive effects** No interactive effects between components are known.
  - **Carcinogenic categories**
- |  |            |    |
|--|------------|----|
| · <b>IARC (International Agency for Research on Cancer)</b>        |            |    |
| 67-66-3  | Chloroform | 2B |
| · <b>NTP (National Toxicology Program)</b>                         |            |    |
| 67-66-3  | Chloroform | R  |
| · <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b> |            |    |
| None of the ingredients is listed.                                 |            |    |
- **Alternative sources for toxicological information**  
No non-standard sources for toxicological information where used.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 9)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

· UN-Number

· DOT, IMDG, IATA

UN1992

· UN proper shipping name

· DOT

· IMDG

· IATA

Flammable liquids, toxic, n.o.s. (Methanol, Chloroform)

FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, CHLOROFORM)

Flammable liquid, toxic, n.o.s. (Methanol, CHLOROFORM)

· Transport hazard class(es)

· DOT



· Class

3 Flammable liquids

· Label

3, 6.1

· IMDG



· Class

3 Flammable liquids

· Label

3/6.1

· IATA



· Class

3 Flammable liquids

· Label

3 (6.1)

· Packing group

· DOT, IMDG, IATA

II

· Environmental hazards:

Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 1 L

On cargo aircraft only: 60 L

(Contd. on page 11)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 10)

<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> <li>· <b>Remarks:</b></li> </ul>	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Segregation groups</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> </ul>	Warning: Flammable liquids 336 F-E,S-D (SGG10) Liquid halogenated hydrocarbons B SW2 Clear of living quarters.
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, CHLOROFORM), 3 (6.1), II

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

67-66-3	Chloroform
---------	------------

- **Section 313 (Specific toxic chemical listings):**

67-66-3	Chloroform
---------	------------

67-56-1	Methanol
---------	----------

- **TSCA (Toxic Substances Control Act):**

67-66-3	Chloroform	ACTIVE
---------	------------	--------

67-56-1	Methanol	ACTIVE
---------	----------	--------

- **Hazardous Air Pollutants**

67-66-3	Chloroform
---------	------------

67-56-1	Methanol
---------	----------

- **Chemicals known to cause cancer:**

67-66-3	Chloroform
---------	------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.	
------------------------------------	--

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.	
------------------------------------	--

- **Chemicals known to cause developmental toxicity:**

67-66-3	Chloroform
---------	------------

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/27/2025

Revision date 03/27/2025

Trade name: 1,2-Diphytanoyl-sn-glycero-3-PE

(Contd. from page 11)

67-56-1 Methanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

67-66-3 Chloroform

B2, L, NL

· **TLV (Threshold Limit Value)**

67-66-3 Chloroform

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

67-66-3 Chloroform

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· **Department issuing SDS:** Environment protection department.

· **Contact:** -

· **Date of previous version** 10/19/2022

· **Date of preparation** 03/27/2025

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Acute toxicity - oral 4: Acute toxicity – Category 4

Acute toxicity - inhalation 3: Acute toxicity – Category 3

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2

Reproductive toxicity 2: Reproductive toxicity – Category 2

Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1

Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1

· **\* Data compared to the previous version altered.**

US