

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/10/2025

Revision date 02/10/2025

1 Identification · Product identifier Trade name: Acetaminophen-d4 (CRM) · Synonym N-(4-hydroxyphenyl-2,3,5,6-d4)-acetamide; 4-Acetamidophenol-d4; APAP-d4;4'-Hydroxyacetanilide-d4 • Other means of identification · Article number: 22646 · Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA · Information department: Product safety department · Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable liquids 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute toxicity - oral 3 H301 Toxic if swallowed. Acute toxicity - dermal 3 H311 Toxic in contact with skin. Acute toxicity - inhalation 3 H331 Toxic if inhaled. GHS08 Health hazard Specific target organ toxicity (single exposure) 1 H370 Causes damage to the central nervous system and the visual organs. (Contd. on page 2)

Page 1/11

US

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

lahalat é	(Contd. from page 1
Label elements GHS label elem	
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictogr	
GHS02 GHS0	06 GHS08
Signal word Da	anger
	ining components of labeling:
Methanol	
Hazard statem	
H225	Highly flammable liquid and vapor.
H370	331 Toxic if swallowed, in contact with skin or if inhaled.
Precautionary	Causes damage to the central nervous system and the visual organs.
Precautionary P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
1210	No smoking.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearin
	protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit
	water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a poison center/doctor.
P312	Call a poison center/doctor if you feel unwell.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	rtaining to particular dangers for man and environment:
Classification	
NFPA ratings (scale U - 4)
	ealth = 2
	e = 3
	e = 5 eactivity = 0
	(Contd. on page 3

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

(Contd. from page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH	*2	Health = *2
FIRE		Fire = 3
REACTIVITY	0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol RTECS: PC1400000

99.99%

0.01%

· Other ingredients

64315-36-2 Acetaminophen-d4

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

• Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.	
 Advice for firefighters Protective equipment: Mouth respiratory protective device. 	
Accidental release measures	
· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	dava aquiduat)
Absorb with liquid-binding material (sand, diatomite, acid binders, universal bind Dispose contaminated material as waste according to section 13.	ders, sawdust).
Ensure adequate ventilation.	
[•] Protective Action Criteria for Chemicals	
PAC-1:	
67-56-1 Methanol	530 p
PAC-2:	
67-56-1 Methanol	2,100 p
PAC-3:	
67-56-1 Methanol	7200* p
Reference to other sections	I

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

115

⁽Contd. from page 3)

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

(Contd. from page 4)

67-56	oonents with limit values that require monitoring at the workplace:
PEI	-1 Methanol
1 6 6	Long-term value: 260 mg/m³, 200 ppm
	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m³, 200 ppm
	Skin
	Short-term value: 250 ppm
	Long-term value: 200 ppm Skin; BEIc
	dients with biological limit values:
-	-1 Methanol
	5 mg/L
	Aedium: urine
	ime: end of shift
F	Parameter: Methanol (background, nonspecific)
Addit	ional information: The lists that were valid during the creation were used as basis.
	hands before breaks and at the end of work.
Avoid Breat In cas expos	hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. hing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long ure use respiratory protective device that is independent of circulating air. ction of hands:
Avoid Breat In cas expos	protective clothing separately. contact with the eyes and skin. hing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long ure use respiratory protective device that is independent of circulating air.
Avoid Breat In case expose Prote	protective clothing separately. contact with the eyes and skin. hing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long ure use respiratory protective device that is independent of circulating air. ction of hands: Protective gloves love material has to be impermeable and resistant to the product/ the substance/ the preparation o missing tests no recommendation to the glove material can be given for the product/ the ration/ the chemical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the dation
Avoid Breat In case expose Prote Prote The g Due t prepa Selec degra Mater The s qualit substa be cho	protective clothing separately. contact with the eyes and skin. hing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long ure use respiratory protective device that is independent of circulating air. ction of hands: Protective gloves love material has to be impermeable and resistant to the product/ the substance/ the preparation o missing tests no recommendation to the glove material can be given for the product/ the ration/ the chemical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the protective glove material on consideration of the penetration times, rates of diffusion and the penetration times, rates of diffusion and the penetration times are provided to the penetration times are provided to the penetration times are penetration to the penetration to the penetration times are penetration to the penetration times are penetration to the penetration to the penetration to the penetration times are penetration to the penetration to the penetration to the penetration to the penetration times are penetration to the penetration t

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

⁻US

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

	I
Information on basic physical and chemica	il properties
General Information	
· Physical state	Liquid
Color:	According to product specification
Odor:	Alcohol-like
Structural Formula	C8H5D4NO2
· Molecular Weight	155.2 g/mol
Storage Buffer	
· Odor threshold:	Not determined.
· Formulation	A 100 µg/ml solution in methanol
 Melting point/Melting range: 	-98 °C (-144.4 °F)
 Boiling point/Boiling range: 	64.7 °C (148.5 °F)
· Flammability:	Highly flammable.
 Explosion limits: 	
· Lower:	5.5 Vol %
· Upper:	44 Vol %
[·] Flash point:	9.7 °C (49.5 °F)
· Auto igniting:	455 °C (851 °F)
 Decomposition temperature: 	Not determined.
· pH-value:	Not determined.
· Viscosity:	
Kinematic:	Not determined.
SOLUBILITY	
[·] Dynamic:	Not determined.
Solubility in / Miscibility with	
· Water at 20 °C (68 °F):	1000 g/l
 Partition coefficient (n-octanol/water): 	Not determined.
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Vapor pressure:	
[·] Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
 Particle characteristics 	Not applicable.
· Other information	
Appearance:	
· Form:	Liquid
Important information on protection of hea	
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of
. .	explosive air/vapor mixtures are possible.
	(Contd. on page 7)

(Contd. from page 5)

US

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

 Solvent content: 	
 Organic solvents: 	100.0 %
· VOC content:	99.99 %
	999.9 g/l / 8.34 lb/gal
· Solids content:	0.0 %
Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:
--

ATE (Acute Toxicity Estimate)			
Oral	LD50	100 mg/kg (rat)	
Dermal	LD50	100 mg/kg (rat) 300 mg/kg (rabbit)	
Inhalative	LC50/4 h	3.1 mg/l (rat)	

67-56-1 M	67-56-1 Methanol		
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting	
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)	
Inhalative	LC50/4 h	 3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract. 	
-	Primary irritant effect:		
on the ski			
[·] on the eye	· on the eye: No irritating effect.		

• Sensitization: No sensitizing effects known.

(Contd. on page 8)

US

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1230

(Contd. on page 9)

(Contd. from page 7)

US

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

	(Contd. from pag
UN proper shipping name DOT, IATA IMDG	Methanol METHANOL
Transport hazard class(es)	
Class Label	3 Flammable liquids 3, 6.1
IMDG	0,0.1
Class Label	3 Flammable liquids 3/6.1
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
ΙΑΤΑ	
	(Contd. on page

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

	(Contd. from page 9)
· Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
 Special precautions for user 	Warning: Flammable liquids
 Hazard identification number (Kemler code); 	: 336
EMS Number:	F-E,S-D
Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

	355 (extremely hazardous substances): he ingredients is listed.	
	-	
	313 (Specific toxic chemical listings):	
67-56-1	vlethanol	
•	oxic Substances Control Act):	
67-56-1	Vlethanol	ACTI
Hazardo	us Air Pollutants	
67-56-1	Vethanol	
	Is known to cause cancer:	
None of t	he ingredients is listed.	
Chemica	Is known to cause reproductive toxicity for females:	
None of t	he ingredients is listed.	
Chemica	Is known to cause reproductive toxicity for males:	
None of t	he ingredients is listed.	
Chemica	Is known to cause developmental toxicity:	
67-56-1	Vethanol	
Carcinog	enic categories	
•	vironmental Protection Agency)	
None of t	he ingredients is listed.	
TLV (Thr	eshold Limit Value)	
None of t	he ingredients is listed.	
NIOSH-C	a (National Institute for Occupational Safety and Health)	
None of t	he ingredients is listed.	
Chemica	I safety assessment: A Chemical Safety Assessment has not been carried out.	

(Contd. on page 11)

Date of issue: 02/10/2025

Revision date 02/10/2025

Trade name: Acetaminophen-d4 (CRM)

(Contd. from page 10)

16 Other information
All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.
 Department issuing SDS: Environment protection department. Contact: -
· Date of previous version 07/15/2024
Date of preparation 02/10/2025
· Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit Flammable liguids 2: Flammable liguids – Category 2
Acute toxicity - oral 3: Acute toxicity – Category 3
Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1
* Data compared to the previous version altered.
· · · ·