

Page: 1 of 5

	according Section 1 Ic	dentification of the Substance/Mixture and of th	he Company/I Indertaking					
			ne company/ondertaking					
1	Product Code:	29154						
	Product Name:	Zinc Pyrithione						
	Synonyms:	(T-4)-bis[1-(hydroxy-?O)-2(1H)-pyridinethionat						
2		the substance or mixture and uses advised ag						
	<b>Relevant identified uses:</b> For research use only, not for human or veterinary use.							
3	Details of the Supplier of the Safety Data Sheet:							
	Company Name:	Cayman Chemical Company						
		1180 E. Ellsworth Rd. Ann Arbor, MI 48108						
	Web site address:	www.caymanchem.com						
	Information:	Cayman Chemical Company	+1 (734)971-3335					
4	Emergency telephone num							
-	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300					
	<b>U U U U</b>	CHEMTREC Outside USA and Canada:	+1 (703)527-3887					
_		Section 2. Hazards Identification	ation					
1	Classification of the Substa							
	Acute Toxicity: Inhalatior	n. Category 3						
	Acute Toxicity: Oral, Cate							
	Acute Toxicity. Oral, Oate	Sydiy J						
	Sorious Evo Damago/Evo							
	Serious Eye Damage/Eye	Irritation, Category 1						
	Aquatic Toxicity (Acute),	Irritation, Category 1 Category 1						
.2		Irritation, Category 1 Category 1						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic	Irritation, Category 1 Category 1						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word:	Irritation, Category 1 Category 1						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases:	e Irritation, Category 1 Category 1 c), Category 1						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed.	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b>						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b>						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled.	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage.						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage.						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage. e life. e life with long lasting effects.						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phras	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage. e life. e life with long lasting effects. <b>Ses:</b>						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phras P261: Avoid breathing {dustices	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage. e life. e life with long lasting effects. <b>ses:</b> st/fume/gas/mist/vapors/spray}.						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phras	e Irritation, Category 1 Category 1 c), Category 1						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phras P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the	e Irritation, Category 1 Category 1 c), Category 1	ion}.					
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorow P273: Avoid release to the P280: Wear {protective glo	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage. damage. e life. e life with long lasting effects. <b>ses:</b> st/fume/gas/mist/vapors/spray}. ughly after handling. environment.	ion}.					
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the P280: Wear {protective glo GHS Response Phrases:	<pre>e Irritation, Category 1 Category 1 c), Category 1 Danger</pre>						
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the P280: Wear {protective glo GHS Response Phrases: P301+310: IF SWALLOWE	e Irritation, Category 1 Category 1 c), Category 1 <b>Danger</b> damage. e life. e life with long lasting effects. <b>ses:</b> st/fume/gas/mist/vapors/spray}. ughly after handling. environment. ves/protective clothing/eye protection/face protecti	doctor/physician.					
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the P280: Wear {protective glo GHS Response Phrases: P301+310: IF SWALLOWE P304+340: IF INHALED: R	<pre>e Irritation, Category 1 Category 1 c), Category 1 Danger</pre>	doctor/physician. ition comfortable for breathing.					
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the P280: Wear {protective glo GHS Response Phrases: P301+310: IF SWALLOWE P304+340: IF INHALED: R	<pre>e Irritation, Category 1 Category 1 c), Category 1</pre>	doctor/physician. ition comfortable for breathing.					
2	Aquatic Toxicity (Acute), Aquatic Toxicity (Chronic Label Elements: GHS Signal Word: GHS Hazard Phrases: H301: Toxic if swallowed. H318: Causes serious eye H331: Toxic if swallowed. H318: Causes serious eye H331: Toxic if inhaled. H400: Very toxic to aquatic H410: Very toxic to aquatic GHS Precautionary Phrase P261: Avoid breathing {dus P264: Wash {hands} thorou P273: Avoid release to the P280: Wear {protective glo GHS Response Phrases: P301+310: IF SWALLOWE P304+340: IF INHALED: R P305+351+338: IF IN EYE	<pre>e Irritation, Category 1 Category 1 c), Category 1 i, Cate</pre>	doctor/physician. ition comfortable for breathing.					

Multi-region format



Multi-region format

	P391:	Collect spillage.							
			sal Phrases:						
	GHS Storage and Disposal Phrases: Please refer to Section 7 for Storage and Section 13 for Disposal information.								
	UFI:								
2.3	-	e Human Health	Causes serious eye damage						
2.5		and Symptoms:	Material may be irritating to t		nes and upper re	spiratory tract			
	Lifects	and Symptoms.	May be harmful by skin abso						
			May cause eye, skin, or resp	-	ion.				
			Toxic if inhaled or swallowed.						
			Very toxic to aquatic life with	oxic to aquatic life with long lasting effects.					
			To the best of our knowledge	e, the toxicological p	roperties have no	t been thoroughly investigated.			
		Sect	tion 3. Composition	/Information	on Ingredie	ents			
CAS	#/	Hazardous Comr	oonents (Chemical Name)/	Concentration	EC No./	GHS Classification			
RTE		REACH Registra	· · · ·	Concentration	EC Index No.				
1346	63-41-7	Zinc, Bis(1-hydroxy-	2(1h)-pyridinethionato-o,s)-,	100.0 %	236-671-3	Acute Tox.(O) 3: H301			
ZH09	50000	(t-4)-			NA	Eye Damage 1: H318			
		01-2119511196-46				Acute Tox.(I) 3: H331			
						Aquatic (A) 1: H400 Aquatic (C) 1: H410			
			Section 4. Fi	rst Aid Meas	ures				
4.1	Descrij	otion of First Aid							
	Measu	res:							
	In Case	e of Inhalation:	Remove to fresh air. If not br	eathing, give artificia	al respiration or gi	ve oxygen by trained personnel.			
			Get immediate medical atten	immediate medical attention.					
	In Case	of Skin Contact:							
			clothing. Get medical attention	on if symptoms occu	r. Wash clothing b	pefore reuse.			
In Case of Eye Contact:			Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.						
In Case of Ingestion:		e of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an						
			unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by						
			medical personnel.						
			Section 5. Fire	Fighting Me	asures				
5.1	Suitabl	e Extinguishing	Use alcohol-resistant foam,	carbon dioxide, wate	er, or dry chemica	l spray.			
	Media: Use water spray to cool fire-exposed containers.								
	Unsuita Media:	able Extinguishing	A solid water stream may be	inefficient.					
5.2	Flamm	able Properties an	<b>d</b> No data available.						
Hazards:									
			No data available.						
	Flash F	Pt:	No data.						
	Explos	ive Limits:	LEL: No data.	UEL: No d	ata.				
	-	nition Pt:	No data.						
5.3	-		: As in any fire, wear self-cont	ained breathing app	aratus pressure-d	lemand (NIOSH approved or			
equivalent), and full protective gear to prevent contact with skin and eyes.									



Page: 3 of 5

Revision: 01/11/2020

		Section 6. Accidental Release Measures					
6.1	Protective Precautions,	Avoid raising and breathing dust, and provide adequate ventilation.					
	Protective Equipment and	As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,					
	Emergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).					
6.2	Environmental	Take steps to avoid release into the environment, if safe to do so.					
	Precautions:						
6.3	<b>Methods and Material For</b> Contain spill and collect, as appropriate. <b>Containment and Cleaning</b> Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:						
		Section 7. Handling and Storage					
7.1	Precautions To Be Taken	Avoid breathing dust/fume/gas/mist/vapours/spray.					
	in Handling:	Avoid prolonged or repeated exposure.					
7.2	Precautions To Be Taken	Keep container tightly closed.					
	in Storing:	Store in accordance with information listed on the product insert.					
	Secti	on 8. Exposure Controls/Personal Protection					
8.1	Exposure Parameters:						
8.2	Exposure Controls:						
8.2.1	Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne					
	(Ventilation etc.):	levels below recommended exposure limits.					
8.2.2	Personal protection equip	ment:					
	Eye Protection: Safety glasses						
	Protective Gloves:	Compatible chemical-resistant gloves					
	Other Protective Clothing:Lab coat						
	<b>Respiratory Equipment</b>	NIOSH approved respirator, as conditions warrant.					
	(Specify Type):						
	Work/Hygienic/Maintenan	Do not take internally.					
	ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower					
		Wash thoroughly after handling.					
		No data available.					
	Se	ection 9. Physical and Chemical Properties					
9.1	Information on Basic Physic	ical and Chemical Properties					
	Physical States:	[]Gas []Liquid [X]Solid					
	Appearance and Odor:	A solid					
	pH:	No data.					
	Melting Point:	No data.					
	Boiling Point:	No data.					
	Flash Pt:	No data.					
	Evaporation Rate:	No data.					
	Flammability (solid, gas):	No data available.					
	Explosive Limits:	LEL: No data. UEL: No data.					
	Vapor Pressure (vs. Air or	mm No data.					
	Hg):						
	Vapor Density (vs. Air = 1)	: No data.					
		Multi-region forma					



Page: 4 of 5

	Specific Gravity (Water = 1): Solubility in Water:			No data.						
				No data.						
	Solubility Notes: Octanol/Water Partition		-	~30 mg/ml in DMSO; ~2.5 mg/ml in DMF;						
			1	No data.						
	Coefficient:									
	Autoigni	tion Pt:	1	No data.						
	-	osition Temperat	ure: N	No data.						
	Viscosity	-		No data.						
9.2	-									
	Percent Volatile: Molecular Formula & Weight:		1	No data.						
	meneoune									
			Se	ction 10. Stab	ility and	Reacti	vity			
10.1	Reactivity: No dat			available.						
10.2	Stability:		Unstable	e [ ] Stable [ X ]						
10.3	Stability	Note(s):	Stable if	stored in accordance	with informa	ation listed	on the product	insert.		
	Polymeri	zation:	Will occ	ur [ ] Will not occ	ur [ X ]					
10.4	Conditio	ns To Avoid:	No data	available.						
10.5	Incompa	tibility - Materials	heavy m	etals						
	To Avoid	:	oxidizing agents							
			reducing agents							
10.6	Hazardo	us	carbon dioxide							
	Decomp	osition or	carbon monoxide							
	Byprodu	cts:	nitrogen	itrogen oxides						
			sulfur ox	ulfur oxides						
			zinc/ zin	nc/ zinc oxides						
			Sec	tion 11. Toxico	ological	Informa	ation			
11.1	Informat	ion on						udied.		
		gical Effects:	The toxicological effects of this product have not been thoroughly studied. Zinc Pyrithione - Toxicity Data: Oral LD50 (rat): 177 mg/kg; OralLD50 (mouse): 160 mg/kg;							
	. exicere	9.04. 2.100101	Intraperitoneal LD50 (mouse): 26800 ug/kg; Subcutaneous LD50 (mouse): 730 mg/kg;							
	Chronic	Toxicological	Zinc Pyrithione - Investigated as a primary irritant and reproductive effector. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.							
	Effects:	rexidencegical								
	Lineoto.		•	ee actual entry in RTECS for complete information.						
				ithione RTECS Numb	•					
CAS	#	Hazardous Com	ponents	(Chemical Name)		NTP	IARC	ACGIH	OSHA	
1346	63-41-7			oyridinethionato-o,s)-,	(t-4)-	n.a.	n.a.	n.a.	n.a.	
		, ( <b>)</b>		ection 12. Ecol	. ,					
	Tanialta					normat	.1011			
12.1	•			bid release into the environment.						
				unoff from fire control or dilution water may cause pollution.						
12.2				available.						
Degradability:										
12.3 Bioaccumulative		No data available.								
	Potentia	:								
12.4	I2.4 Mobility in Soil: No dat			o data available.						
12.5	Results of	of PBT and vPvB	No data	o data available.						
	assessment:									
									lulti rogion format	
								IV	lulti-region format	



Page: 5 of 5

CHEMICAL							
12.6 Other a	dverse effects: No data available.						
Section 13. Disposal Considerations							
<b>3.1 Waste Disposal Method:</b> Dispose in accordance with local, state, and federal regulations.							
		Section 14. Trans	sport Informat	ion			
14.1 LAND T	RANSPORT (US I	DOT):					
DOT Prope	r Shipping Name:	Toxic solid, organic, n.o.s. (	Pyrithione zinc)				
DOT Hazar	d Class:	6.1 POISON					
UN/NA Nun	nber:	UN2811	Packing Grou	III			
		POISON 6					
14.1 LAND T	RANSPORT (Euro	opean ADR/RID):					
ADR/RID S	hipping Name:	Toxic solid, organic, n.o.s.	(Pyrithione zinc)				
UN Numbe	r:	2811	Packing Grou	ıp:	III		
Hazard Cla	ss:	6.1 - POISON					
14.3 AIR TR/	ANSPORT (ICAO/I	ATA):					
ICAO/IATA	Shipping Name:	Toxic solid, organic, n.o.s.	(Pyrithione zinc)				
UN Numbe	r:	2811	Packing Grou	ıp:	III		
Hazard Cla	ss:	6.1 - POISON	6.1 - POISON IATA Classification:				
Additional Tra	nsport	Transport in accordance with lo		-			
Information:		When sold in quantities of less		-	•		
		E1, E2, E4, or E5, this item mee					
		Therefore packaging does not h		•	Excepted Quantity.		
		Section 15. Regul	atory Informa	tion			
EPA SARA (Sı	perfund Amendn	nents and Reauthorization Act of	of 1986) Lists				
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
13463-41-7	Zinc, Bis(1-hydro (t-4)-	xy-2(1h)-pyridinethionato-o,s)-,	No	No	Yes-Cat. N982		
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or S	State Lists	•		
13463-41-7				CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
Regulatory Information Statement:		This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.					
		Section 16. Oth	ner Information	า			
Revision Date:		01/11/2020					
Additional Information About No da		No data available.					
express or implied, with			er, we make no warra to such information, a	anty of merchantab and we assume no	is the best information ility or any other warranty, liability resulting from its bility of the information for		

Multi-region format