



Printing date 01/06/2021 Revision date 01/06/2021

#### 1 Identification

· Product identifier

· Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

· Synonym (9E,11E)-9-nitro-9,11-octadecadienoic acid; 9E,11E-9-nitro CLA

· Article number: 30160

· Application of the substance / the mixture For research use only, not for human or veterinary use.

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd.

Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CĂNADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapor.

**Precautionary statements** 

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

(Contd. on page 2)

(Contd. from page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 3 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 64-17-5 Ethyl alcohol 99% RTECS: KQ6300000

Other ingredients

1417651-32-1 9(E),11(E)-9-nitro Conjugated Linoleic Acid

#### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

on page 3

1%

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 2)

#### · Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **Protective Action Criteria for Chemicals**

PAC-1:		
64-17-5 Ethyl alcohol	1,800 ppm	
· PAC-2:		
64-17-5 Ethyl alcohol	3300* ppm	
· PAC-3:		
64-17-5 Ethyl alcohol	15000* ppm	

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

This product is hygroscopic.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 64-17-5 Ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- 115

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 4)

Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	9 Physical and chemical prope	rties
General Information  Appearance: Form: Color: Not determined. Alcohol-like Structural Formula C18H31N04  Molecular Weight Molecular Weight Moleting point/Boiling range: Boiling point/Boiling range: Formability (solid, gaseous): Not applicable.  Ignition temperature: Auto igniting: Product is not explosive. Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Upper: Solvent 20 °C (68 °F): Relative density Vapor density Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Not determined.	Information on basic physical and	chemical properties
Form: A solution in ethanol Color: Not determined. Odor: Alcohol-like Structural Formula C H3 - C H2 - O H C1813/NO4  Molecular Weight 114.1 g/mol 325.4  Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: 78 °C (172.4 °F)  Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not selfigniting.  Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1,2 mPas Kinematic: Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Organic solvents: 99.0 % 99.0 % 99.0 % 99.0 9/l / 8.26 lb/gal  Solids content: Organic solvents: 99.0 % 99.0 9/l / 8.26 lb/gal	General Information	• •
Color: Not determined. Alcohol-like Structural Formula CH3-C H2 - O H C18H31NO4  *Molecular Weight 114.1 g/mol 325.4  Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: 714.5 °C (-174.1 °F) Boiling point/Boiling range: 78 °C (172.4 °F)  Flash point: 13 °C (55.4 °F)  Flammability (solld, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  *Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not selfigniting.  *Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  *Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  *Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm² (6.59255 lbs/gal) Not determined.  *Vapor density Not determined.  *Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  *Viscosity: Dynamic at 20 °C (68 °F): Not determined.  *Viscosity: Dynamic at 20 °C (68 °F): Not determined.  *Viscosity: Not determined.  *Viscosity: Dynamic at 20 °C (68 °F): Not determined.  *Solvent content: Organic solvents: Not determined.  *Solvent content: Organic solvents: 99.0 %  *YOC content: 99.0 %  *YOC content: 0.0 %		
Odor: Structural Formula CH3 - CH2 - O H CH813NO4 - Molecular Weight H14.1 g/mol 325.4 Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flash point: H25 °C (172.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Vato igniting: Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  Explosion limits: Lower: Upper: H25 °C (68 °F): Density at 20 °C (68 °F): Peratition coefficient (n-octanol/water): Not determined. Not determined.  Not determined.  Vapor density Vapor density Vapor density Vapor density Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined. Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined. Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Solivent content: Organic solvents: Organi		
Structural Formula  C H3 - C H2 - O H C (28H31NO4  Molecular Weight  114.1 g/mol 325.4  Not determined.  • pH-value: Not determined.  • Change in condition Melting point/Boiling range: Boiling point/Boiling range: 114.5 °C (-174.1 °F) Boiling point/Boiling range: 78 °C (172.4 °F)  • Flash point: 13 °C (55.4 °F)  • Flammability (solid, gaseous): Not applicable.  • Ignition temperature: Not determined.  • Auto igniting: Product is not selfigniting.  • Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  • Explosion limits: Lower: Upper: 15 Vol %  • Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Not determined. Not determined.  • Out determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined.  • Viscosity: Dynamic at 20 °C (68 °F): Not determined.  • Viscosity: Dynamic at 20 °C (68 °F): Not determined.  • Viscosity: Dynamic at 20 °C (68 °F): Not determined.  • Viscosity: Dynamic at 20 °C (68 °F): Not determined.  • Viscosity: Dynamic at 20 °C (68 °F): Not determined.  • Soliub content: Organic solvents:		
Molecular Weight 114.1 g/mol 325.4  Odor threshold: Not determined.  pH-value: Not determined.  Change in condition Melting point/Melting range: 78 °C (174.1 °F) 78 °C (172.4 °F)  Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not selfigniting.  Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Solids content: 99.0 % 99.00 % 99.00 % 99.00 g/l / 8.26 lb/gal  Solids content: 0.0 %		
. Molecular Weight . Odor threshold: . Not determined Ph-value: . Not determined Change in condition Melting point/Melting range: Boiling point/Boiling range: . 78 °C (174.1 °F) . 78 °C (172.4 °F) . Flash point: . 13 °C (55.4 °F) . Flammability (solid, gaseous): . Not applicable Ignition temperature: . Auto igniting: . Decomposition temperature: . Not determined Auto igniting: . Danger of explosion: . Product is not selfigniting Danger of explosion: . Product is not explosive. However, formation of explosive al vapor mixtures are possible Explosion limits: . Lower: . Upper: . 15 Vol % . Vapor pressure at 20 °C (68 °F): . 9 hPa (44.3 mm Hg) . Density at 20 °C (68 °F): . 9 hPa (44.3 mm Hg) . Density at 20 °C (68 °F): . 10 yog density . Not determined Viscosity: . Partition coefficient (n-octanol/water): Not determined Viscosity: . Dynamic at 20 °C (68 °F): . 1.2 mPas . Not determined Soliubility in / Miscibility with . Water at 20 °C (68 °F): . 1.2 mPas . Not determined Solivent content: . Organic solvents: . Organic solvents: . 99.0 % . 99.0 % . 99.0 g/l / 8.26 b/gal . Solids content: . 0.0 %	Structural i Officia	
Odor threshold: Not determined.  pH-value: Not determined.  Change in condition Melting point/Melting range: 78 °C (172.4 °F)  Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  Explosion limits: Lower: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: 1,2 mPas Not determined.  Solvent content: Organic solvents: 99.0 %	· Molecular Weight	
ryH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Plash point: Boiling point/Boiling range: Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive aid vapor mixtures are possible.  Explosion limits: Lower: Upper: Solvent can at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Solvent content: Organic solvents: Organi		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable. Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  Explosion limits: Lower: Upper: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): Paelitive density Vapor density Vapor density Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Not determined. Solvent content: Organic solvents: 99.0 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		
Melting point/Melting range: Boiling point/Boiling range: Flash point:  13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible.  Explosion limits: Lower: Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): Relative density Vapor density Vapor density Evaporation rate Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % 99.0 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· pH-value:	Not determined.
Boiling point/Boiling range: 78 °C (172.4 °F)  Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive at vapor mixtures are possible.  Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: 99.0 % 99.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		444.5.00 ( 454.4.05)
Flash point: 13 °C (55.4 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible.  Explosion limits:  Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1,2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		
Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  425 °C (797 °F)  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  Explosion limits:  Lower:  Upper:  15 Vol %  Vapor pressure at 20 °C (68 °F):  59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F):  79 g/cm³ (6.59255 lbs/gal)  Not determined.  Not determined.  Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F):  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic at 20 °C (68 °F):  1.2 mPas  Kinematic:  Not determined.  Solvent content:  Organic solvents:  99.0 %  99.00 %  990.0 g/l / 8.26 lb/gal  Solids content:  0.0 %	<u> </u>	,
Ignition temperature: 425 °C (797 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive are vapor mixtures are possible.  Explosion limits:  Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	<u> </u>	
Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product is not explosive. However, formation of explosive ai vapor mixtures are possible.  Explosion limits: Lower: Upper:  15 Vol %  Vapor pressure at 20 °C (68 °F):  59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F):  Relative density Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F):  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Solvent content: Organic solvents:  99.0 % 99.00 % 99.00 g/l / 8.26 lb/gal  Solids content:  0.0 %	<u> </u>	• • • • • • • • • • • • • • • • • • • •
Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive all vapor mixtures are possible.  Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Not determined.  Solvent content: 99.0 % VOC content: 99.0 % VOC content: 99.0 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	<u> </u>	
Danger of explosion:  Product is not explosive. However, formation of explosive al vapor mixtures are possible.  Explosion limits: Lower: Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % 99.0 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	Decomposition temperature:	Not determined.
Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· Auto igniting:	Product is not selfigniting.
Lower: Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Upper: 15 Vol %  Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· Explosion limits:	
Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)  Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		
Density at 20 °C (68 °F): Relative density Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	Upper:	15 Vol %
Relative density Vapor density Not determined. Pevaporation rate Not determined. Not determined. Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Not determined.  Viscosity: Organic at 20 °C (68 °F): Not determined.  Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor density Evaporation rate Not determined.  Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): Kinematic: Not determined.  Solvent content: Organic solvents: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		
<ul> <li>Evaporation rate Not determined.</li> <li>Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l</li> <li>Partition coefficient (n-octanol/water): Not determined.</li> <li>Viscosity:     Dynamic at 20 °C (68 °F): 1.2 mPas     Kinematic: Not determined.</li> <li>Solvent content:     Organic solvents: 99.0 %     VOC content: 99.00 %     990.0 g/l / 8.26 lb/gal</li> <li>Solids content: 0.0 %</li> </ul>		
· Solubility in / Miscibility with Water at 20 °C (68 °F): 1,000 g/l  · Partition coefficient (n-octanol/water): Not determined.  · Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  · Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %		
Water at 20 °C (68 °F): 1,000 g/l  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic at 20 °C (68 °F): 1.2 mPas Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	•	Not determined.
Viscosity:       Dynamic at 20 °C (68 °F):       1.2 mPas         Kinematic:       Not determined.         Solvent content:       99.0 %         Organic solvents:       99.0 %         VOC content:       99.00 %         990.0 g/l / 8.26 lb/gal         Solids content:       0.0 %		1,000 g/l
Dynamic at 20 °C (68 °F): Kinematic: Not determined.  Solvent content: Organic solvents: 99.0 % VOC content: 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content: 0.0 %	· Partition coefficient (n-octanol/wate	er): Not determined.
Dynamic at 20 °C (68 °F):       1.2 mPas         Kinematic:       Not determined.         • Solvent content:       99.0 %         Organic solvents:       99.00 %         VOC content:       99.00 %         990.0 g/l / 8.26 lb/gal         Solids content:       0.0 %	· Viscosity:	
Solvent content:  Organic solvents:  VOC content:  99.0 % 99.00 % 990.0 g/l / 8.26 lb/gal  Solids content:  0.0 %	Dynamic at 20 °C (68 °F):	1.2 mPas
Organic solvents:         99.0 %           VOC content:         99.00 %           990.0 g/l / 8.26 lb/gal           Solids content:         0.0 %	Kinematic:	Not determined.
VOC content:         99.00 %           990.0 g/l / 8.26 lb/gal           Solids content:         0.0 %		
990.0 g/l / 8.26 lb/gal <b>Solids content:</b> 0.0 %		
Solids content: 0.0 %	VOC content:	
	On Palla and and	
(Contd. on page	Solids content:	

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · RTECS Number NX8944000
- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:
64-17-5 Ethyl alcohol

64-17-5 ⊑thyl al	COHOI	
Oral	TDLO	1.14 ml/kg (man)
	LD50	7,060 mg/kg (rat)
	TDLO	650 (man)
Dermal	LD50	40,000 mg/kg (rat)
Inhalative	LC50/4 h	5,900 mg/m³ (rat)
	LC50	20,000 mg/m³/10h (rat)
	TCLO	1,800 mg/m³/30m (hmn)
	LCLO	29,300 mg/m³/7h (mouse)
	TCLO	1,800 (hmn)
	LC50	10 h - 20,000 mg/m³ (rat)
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)
	LC50/4 h	20,000 mg/l (rat)
Irritation of skin	Irritation	20 mg/24h (rabbit)
	TDLO	1,800 mg/kg (wmn)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	280 mg/kg (rat)
	Data	500 mg/24h (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect. · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

(Contd. from page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 Ethyl alcohol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number		
DOT, IMDG, IATA	UN1170	
UN proper shipping name		
DOT	Ethanol solutions	
IMDG	ETHANOL SOLUTION (ETHYL ALCOHO	
	SOLUTION)	
·IATA	Ethanol solution	

(Contd. on page 8)

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 7) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group DOT, IMDG, IATA Ш Not applicable. · Environmental hazards: · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IATA · Remarks: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. · UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

(Contd. from page 8)

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

64-17-5 Ethyl alcohol

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

- Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 Ethyl alcohol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/06/2021 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

Printing date 01/06/2021 Revision date 01/06/2021

Trade name: 9(E),11(E)-9-nitro Conjugated Linoleic Acid

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2

\* Data compared to the previous version altered.

(Contd. from page 9)