

Printing date 12/01/2023

Revision date 12/01/2023

Page 1/9

Product identifie	r
Trade name: WS	
Synonym Cooling	-
Article number: 3	38763
CAS Number: 68489-14-5	
EC number:	
695-735-2	
	e substance / the mixture research use - Not for human or veterinary diagnostic or therapeutic use.
	oplier of the safety data sheet
Manufacturer/Su	pplier:
Cayman Chemica 1180 E. Ellsworth	
Ann Arbor, MI 481	
USA	
	rtment: Product safety department
Emergency telep	hone number:
	ening times: +1 (734) 971-3335
US/CANADA 800	
US/CANADA: 800 Outside US/CANA	
	-424-9300
Outside US/CANA	-424-9300 DA: 703-741-5970
Outside US/CANA Hazard(s) ider	-424-9300 DA: 703-741-5970
Outside US/CANA Hazard(s) ider	-424-9300 DA: 703-741-5970 ntification
Outside US/CANA Hazard(s) ider Classification of	-424-9300 DA: 703-741-5970 ntification
Outside US/CANA Hazard(s) ider Classification of GHS09 I	-424-9300 DA: 703-741-5970 tification the substance or mixture Environment
Outside US/CANA Hazard(s) ider Classification of GHS09 I	-424-9300 DA: 703-741-5970 ntification the substance or mixture
Outside US/CANA Hazard(s) ider Classification of GHS09 I Aquatic Chronic 2	-424-9300 DA: 703-741-5970 tification the substance or mixture Environment
Outside US/CANA Hazard(s) ider Classification of GHS09 I	-424-9300 DA: 703-741-5970 tification the substance or mixture Environment
Outside US/CANA Hazard(s) ider Classification of GHS09 I Aquatic Chronic 2	-424-9300 DA: 703-741-5970 tification the substance or mixture Environment
Outside US/CANA Hazard(s) ider Classification of GHS09 I Aquatic Chronic 2	A24-9300 ADA: 703-741-5970 Itification the substance or mixture Environment H411 Toxic to aquatic life with long lasting effects.
Outside US/CANA Hazard(s) ider Classification of GHS09 I Aquatic Chronic 2 GHS07 Eye Irritation 2A	-424-9300 DA: 703-741-5970 Intification the substance or mixture Environment H411 Toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation. H401 Toxic to aquatic life.

Printing date 12/01/2023

Revision date 12/01/2023

Trade name: WS5

· Hazard pictograms
GHS07 GHS09
 Signal word Warning Hazard statements H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P264 Wash thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P391 Collect spillage. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2 Fire = 1 Reactivity = 0
• HMIS-ratings (scale 0 - 4)
HEALTH2FIRE1Fire = 1REACTIVITY0
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
2 Composition //information on insurationta
3 Composition/information on ingredients • Chemical characterization: Substances • CAS No. Description 68489-14-5 WS5 • Identification number(s) • EC number: 695-735-2
4 First-aid measures

- Description of first aid measures
 After inhalation: Supply fresh air; consult doctor in case of complaints.
 After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3) US

Printing date 12/01/2023

Revision date 12/01/2023

(Contd. from page 2)

Trade name: WS5

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

115

Printing date 12/01/2023

Revision date 12/01/2023

(Contd. from page 3)

Trade name: WS5

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

 Information on basic physical and chemical properties General Information 				
Appearance:				
Form:	Solid			
Color:	Not determined.			
Odor:	Characteristic			
Structural Formula	C15H27NO3			
Molecular Weight	269.4 g/mol			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	80.5–81.4 °C (176.9–178.5 °F)			

Printing date 12/01/2023

Revision date 12/01/2023

Trade name: WS5

	(Contd. from page 4)
Boiling point/Boiling range:	151 °C (303.8 °F)
· Flash point:	100 °C (212 °F)
 Flammability (solid, gaseous): 	Product is not flammable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.991 g/cm³ (8.2699 lbs/gal) Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Not determined.
 Partition coefficient (n-octanol/water): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 2,500 mg/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 6)

⁻ US

Printing date 12/01/2023

Revision date 12/01/2023

(Contd. from page 5)

Trade name: WS5

- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN3077
UN proper shipping name	
DOT, IATA	Environmentally hazardous substance, solid, n.o. (WS5)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCI SOLID, N.O.S. (WS5)

Printing date 12/01/2023

Revision date 12/01/2023

Trade name: WS5

	(Contd. from page
Transport hazard class(es)	
DOT	
Class Label	9 Miscellaneous dangerous substances and articles 9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant: Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances an
Hazard identification number (Kemler cod EMS Number: Stowage Category Stowage Code	F-A,S-F A SW23 When transported in BK3 bulk container, se
	7.6.2.12 and 7.7.3.9.
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 400 kg On cargo aircraft only: 400 kg
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.

Printing date 12/01/2023

Revision date 12/01/2023

Trade name: WS5

(Contd. from page 7)

· UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (WS5), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is not listed.
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 12/01/2023
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Eye Irritation 2A: Serious eye damage/eye irritation Category 2A

(Contd. on page 9)

US

Printing date 12/01/2023

Revision date 12/01/2023

Trade name: WS5

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 (Contd. from page 8)

US -