

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 12/02/2024

Revision date 12/02/2024


Page 1/10

1 Identification

- · Product identifier
- · Trade name: Sodium Hydroxide (2.8 M)
- · Other means of identification
- · Article number: 780068
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



Skin corrosion 1A H314 Causes severe skin burns and eye damage.

Eye damage 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Danger
- **Hazard-determining components of labeling:** Sodium hydroxide
- · Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

| (Contd. from pa | je 1) |
|---|-------|
| · Precautionary statements | |
| P260 Do not breathe dusts or mists. | |
| P264 Wash thoroughly after handling. | |
| P280 Wear eye protection / face protection. | |
| P280 Wear protective gloves/protective clothing/eye protection/face protection. | |
| P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. | |
| P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin | with |
| water [or shower]. | |
| P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. | |
| P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense | s, if |
| present and easy to do. Continue rinsing. | |
| P310 Immediately call a poison center/doctor. | |
| P321 Specific treatment (see on this label). | |
| P363 Wash contaminated clothing before reuse. | |
| P405 Store locked up. | |
| P501 Dispose of contents/container in accordance with local/regional/national/internati | onal |
| regulations. | |
| Information pertaining to particular dangers for man and environment: | |
| Classification system: | |
| NFPA ratings (scale 0 - 4) | |
| | |
| Health = 3 | |
| Fire = 0 | |
| 3 0 Reactivity = 0 | |
| · HMIS-ratings (scale 0 - 4) | |
| | |
| | |
| FIRE 0 Fire = 0 | |
| REACTIVITY 0 Reactivity = 0 | |
| · Other hazards | |
| | |
| · Results of PBT and vPvB assessment | |
| PBT: Not applicable. | |
| • vPvB: Not applicable. | |
| Classification according to (d)(1)(ii) of § 1910.12000 | |
| The SDS issuer does not object to the classifications provided by importers or manufacturer | s of |
| precursor products. | |
| Hazards not otherwise classified | |
| There are no adverse physical or health effects known that are not covered by the hazard classes of | the |
| Hazard Communications Standard. | |
| | |
| 3 Composition/information on ingredients | |
| | |
| · Chemical characterization: Mixtures | |
| • Description: Mixture of the substances listed below with nonhazardous additions. | |
| Dangerous components: | |
| | |
| CAS: 1310-73-2 Sodium hydroxide 11. | 2% |

(Contd. on page 3) US

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

(Contd. from page 2)

88.8%

· Other ingredients

CAS: 7732-18-5 Water RTECS: ZC0110000

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- **Special hazards arising from the substance or mixture** 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

| Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Protective Action Criteria for Chemicals | sawdust). |
|--|--------------------|
| · PAC-1: | |
| 1310-73-2 Sodium hydroxide | 0.5 mg/m³ |
| PAC-2: | |
| 1310-73-2 Sodium hydroxide | 5 mg/m³ |
| · PAC-3: | |
| 1310-73-2 Sodium hydroxide | 50 mg/m³ |
| · · · | (Contd. on page 4) |
| | US |

Date of issue: 12/02/2024

Revision date 12/02/2024

(Contd. from page 3)

Trade name: Sodium Hydroxide (2.8 M)

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

1310-73-2 Sodium hydroxide

PEL Long-term value: 2 mg/m³

- REL Ceiling limit value: 2 mg/m³
- TLV Ceiling limit value: 2 mg/m³
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| Information on basic physical and chemical General Information | properties |
|---|--|
| · Physical state | Fluid |
| · Color: | |
| · Odor: | According to product specification Characteristic |
| | Characteristic |
| Storage Buffer Odor threshold: | Not determined. |
| Formulation | Not determined. |
| | Undetermined. |
| • Melting point/Melting range: | |
| · Boiling point/Boiling range: | 100 °C (212 °F) |
| · Flammability: | Not applicable. |
| · Explosion limits: · Lower: | Net determined |
| | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | Not applicable. |
| • Decomposition temperature: | Not determined. |
| · pH-value: | Not determined. |
| · Viscosity: | |
| · Kinematic: | Not determined. |
| SOLUBILITY | |
| Dynamic: | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| • Partition coefficient (n-octanol/water): | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Vapor pressure: | |
| Density at 20 °C (68 °F): | 1.12656 g/cm³ (9.40114 lbs/gal) |
| Relative density | Not determined. |
| Bulk density: | 1,127 kg/m ³ |
| Vapor density | Not determined. |
| · Particle characteristics | Not applicable. |
| | (Contd. on page 6) |

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

| | (Contd. from page 5) |
|---------------------------------------|---|
| · Other information | |
| · Appearance: | |
| · Form: | Liquid |
| · Important information on protection | n of health |
| and environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Solvent content: | |
| · Water: | 88.8 % |
| · VOC content: | 0.00 % |
| | 0.0 g/l / 0.00 lb/gal |
| · Solids content: | 11.2 % |
| Change in condition | |
| • Evaporation rate | Not determined. |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

| | 1310-73-2 | Sodium | hydroxide |
|--|-----------|--------|-----------|
|--|-----------|--------|-----------|

| | | | (· · · | |
|------|----------------------|--------------------|---------|-------|
| Oral | LDLO | 1.57 mg/kg (human) | | |
| | LD50 | 2,000 mg/kg (rat) | | |
| | | TDLO 44 mg/l | kg | (rat) |
| | | LDLO 1.57 mg/kg | g (ł | uman) |
| | Intraperitoneal LD50 | 40 mg/kg (mouse) | | |

Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Corrosive
- Irritant

(Contd. on page 7)

⁻US

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

(Contd. from page 6) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Interactive effects No interactive effects between components are known.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| · UN-Number · DOT, IMDG, IATA | UN1824 | |
|----------------------------------|---------------------------|--|
| · UN proper shipping name | | |
| | Sodium hydroxide solution | |

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

| Label 8 IMDG, IATA IMDG, IATA Image: Class 8 Corrosive substances Label 8 Packing group 8 DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT ODT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L Code: E2 Maximum net quantities (EQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Special precautions for user Warning: Corrosive substances | INDO | |
|--|--|---|
| DOT Class 8 8 Corrosive substances 8 IMDG, IATA Class 8 8 Corrosive substances 8 IMDG, IATA Class 8 8 Corrosive substances 8 Label 8 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L IATA Remarks: When sold in quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: 50 Segregation groups (SGG18) Alkalis Stowage Category A | | SODIUM HYDROXIDE SOLUTION |
| Class 8 Corrosive substances Label 8 IMDG, IATA 8 Class 8 Corrosive substances Label 8 Class 8 Corrosive substances Label 8 Packing group 8 DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: 00 OOT Ouantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging des not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 Sof(SG 8) Alkalis EMS Number: F-A,S-B | | |
| Class 8 Corrosive substances Label 8 IMDG, IATA 8 Immodeling 8 Class 8 Corrosive substances Label 8 Packing group 8 DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: 0n passenger aircraft/rail: 1 L on cargo aircraft only: 30 L IMDG IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | DOT | |
| Class 8 Corrosive substances Label 8 IMDG, IATA 8 IMDG, IATA Image: Straight of the substances Label 8 • Class 8 Corrosive substances Label 8 • Packing group 00T, IMDG, IATA • DOT, IMDG, IATA II • Environmental hazards: Not applicable. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: 0n passenger aircraft/rail: 1 L on cargo aircraft only: 30 L • IMDG 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 26.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. • Special precautions for user Warning: Corrosive substances • Hazard identification number (Kemler code): 80 F-A,S-B • Segregation groups (SGG18) Alkalis • Stowage Category A | PE | |
| Label 8 IMDG, IATA IMDG, IATA Impose 8 Class 8 Corrosive substances Label 8 Packing group 1 DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: 00 DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | CORROSIVE | |
| Label 8 IMDG, IATA IMDG, IATA Impose 8 Class 8 Corrosive substances Label 8 Packing group 1 DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: 0 DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L Code: E2 Quantity limitations 1 Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml HATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled at Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | |
| IMDG, IATA • Class 8 Corrosive substances • Label 8 • Packing group 1 • DOT, IMDG, IATA II • Environmental hazards: Not applicable. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT • DOT • Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L • IMDG • Limited quantities (LQ) 1L • Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Cod of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled and code of E1, E2, E4, or E5, this item De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled and code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled and code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled and code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled and code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per | | 8 Corrosive substances |
| Class S Corrosive substances Label S Cass S Corrosive substances S Label S Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Stowage Category A | ·Label | 8 |
| Label 8 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L ODT Quantity limitations On passenger aircraft/rail: 1 L ODT Quantity limitations On cargo aircraft only: 30 L IMDG 1L Code: E2 Limited quantities (LQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. * Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SG(B1) Alkalis Stowage Category A | · IMDG, IATA | |
| Label 8 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L OT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG IL Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. * Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SG(B1) Alkalis Stowage Category A | | |
| Label 8 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L DOT Quantity limitations On passenger aircraft/rail: 1 L ODT Quantity limitations On cargo aircraft only: 30 L IMDG 1L Code: E2 Limited quantities (LQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. * Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SG18) Alkalis Stowage Category A | | |
| Label 8 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L OT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG IL Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. * Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SG(B1) Alkalis Stowage Category A | ů | |
| Label 8 Packing group II DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 1 L DOT Quantity limitations On passenger aircraft/rail: 1 L ODT Quantity limitations On cargo aircraft only: 30 L IMDG 1L Code: E2 Limited quantities (LQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. * Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SG18) Alkalis Stowage Category A | · Class | 8 Corrosive substances |
| DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: | | |
| DOT, IMDG, IATA II Environmental hazards: Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: | · Packing group | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | Ш |
| MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: • DOT On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L • IMDG 1L • Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IATA * Remarks: • Special precautions for user When sold in quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. • Special precautions for user Warning: Corrosive substances • Hazard identification number (Kemler code): 80 F-A,S-B • Segregation groups (SGG18) Alkalis • Stowage Category A | · Environmental hazards: | Not applicable. |
| MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L Excepted quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | · Transport in bulk according to Annex II of | |
| DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups (SGG18) Alkalis Stowage Category A | MARPOL73/78 and the IBC Code | Not applicable. |
| Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L IMDG 1L • Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • IATA When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. • Special precautions for user Hazard identification number (Kemler code): Warning: Corrosive substances • EMS Number: F-A,S-B Segregation groups SGG18) Alkalis A | · Transport/Additional information: | |
| On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | · DOT | |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | · Quantity limitations | |
| Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | On cargo aircraft only: 30 L |
| Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | |
| Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category | | |
| Maximum net quantity per outer packaging: 500 ml IATA Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | Excepted quantities (EQ) | |
| Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | |
| Remarks: When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | · IATA | |
| or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category | | When sold in quantities of less than or equal to 1 mL |
| Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. • Special precautions for user Warning: Corrosive substances • Hazard identification number (Kemler code): 80 • EMS Number: F-A,S-B • Segregation groups (SGG18) Alkalis • Stowage Category A | | or 1 g, with an Excepted Quantity Code of |
| Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | |
| Dangerous Goods/Excepted Quantity. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A | | |
| • Special precautions for user Warning: Corrosive substances • Hazard identification number (Kemler code): 80 • EMS Number: F-A,S-B • Segregation groups (SGG18) Alkalis • Stowage Category A | | |
| · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B · Segregation groups (SGG18) Alkalis · Stowage Category A | Special precautions for user | |
| EMS Number:F-A,S-BSegregation groups(SGG18) AlkalisStowage CategoryA | | |
| Stowage Category A | · · · · · · · · · · · · · · · · · · · | |
| | | (SGG18) Alkalis |
| Segregation Code SG35 Stow "separated from" SGG1-acids | | |
| | · Segregation Code | SG35 Stow "separated from" SGG1-acids |

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

(Contd. from page 8)

· UN "Model Regulation":

UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

• **Department issuing SDS:** Environment protection department.

· Contact: -

(Contd. on page 10)

US

Date of issue: 12/02/2024

Revision date 12/02/2024

Trade name: Sodium Hydroxide (2.8 M)

| | (Contd. from page 9 |
|---|---------------------|
| Date of previous version 09/30/2022 | (Conta. nom page 9 |
| | |
| Date of preparation 12/02/2024 | |
| Abbreviations and acronyms: | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Skin corrosion 1A: Skin corrosion/irritation – Category 1A | |
| Eye damage 1: Serious eye damage/eye irritation – Čategory 1 | |
| * Data compared to the previous version altered. | |
| ····· | |