



Material Safety Data Sheet (MSDS)

PRODUCT IDENTITY:

Lympholyte®-Poly

CL5070

SECTION 1 -- SUPPLIER INFORMATION

Manufacturer's Name:

Cedarlane®

Supplier's Name:

Same as above

Address:

4410 Paletta Court
Burlington, Ontario, Canada L7L 5R2

Emergency Telephone Number:

CANUTEC - 613-996-6666

Telephone Number:

289-288-0001

Date Prepared:

February 6, 2014

SECTION 2 – HAZARDOUS INGREDIENT INFORMATION

Hazardous Components (Specific Chemical Identity: Common Names(s)):

Sodium Diatrizate

Dextran 500

CAS Registry Number: 737-31-5

CAS Registry Number: 9004-54-0

Content: 13.8% (w/v)

Content: 8.0% (w/v)

Other Comments:

None

SECTION 3 – PHYSICAL AND CHEMICAL CHARACTERISTICS

<i>Physical State:</i>	Liquid	<i>Odour Threshold:</i>	N/A
<i>Vapour Pressure:</i>	N/A	<i>Evaporation Rate:</i>	N/A
<i>Freezing Point:</i>	0°C	<i>Coefficient of</i>	N/A
<i>Odour and</i>	Odourless, colourless	<i>water/oil distribution:</i>	
<i>Appearance:</i>		<i>Specific Gravity:</i>	N/A
<i>Vapour Density:</i>	N/A	<i>Boiling Point:</i>	N/A
<i>pH</i>	6.8 +/- 0.5	<i>Other:</i>	Density: 1.113 g/ml

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point (method used): N/A

Extinguishing Media: Use media specific for site conditions

Unusual Fire and Explosion Hazards: None

Flammable Limits: N/A

Special Fire Fighting Procedures: N/A

Note: The above mentioned data are based on our present knowledge of this product. Since the use of this information and conditions of use of the product are not within the control of Cedarlane®, it is the user's responsibility to handle the product under conditions of safe use.



Material Safety Data Sheet (MSDS)

SECTION 5 – REACTIVITY DATA

<i>Stability:</i>	Stable
<i>Incompatibility (Materials to Avoid):</i>	N/A
<i>Conditions to Avoid:</i>	Avoid freezing
<i>Hazardous Decomposition or Byproducts:</i>	N/A

SECTION 6 – TOXICOLOGICAL PROPERTIES

<i>Routes of Entry:</i>		Skin or eye contact from splashes Inhalation: No information Skin: No Ingestion: Yes	
<i>Health Hazards (Acute and Chronic):</i>		N/A	
<i>Signs and Symptoms of Exposure:</i>		N/A	
<i>Medical Conditions Generally Aggravated by Exposure:</i>		N/A	
<i>Carcinogenicity:</i>	No information	<i>Teratogenicity:</i>	No Information
<i>Reproductive:</i>	No information	<i>Mutagenicity:</i>	No Information

SECTION 7 – PREVENTATIVE MEASURES

<i>Respiratory Protection (specify type):</i>	Not necessary
<i>Ventilation:</i>	Ventilated area
<i>Protective Gloves:</i>	Recommended
<i>Other Protective Clothing or Equipment:</i>	Laboratory coat
<i>Steps To Be Taken In Case of Leak or Spill:</i>	Wipe area with absorbent cloth or paper towel. Follow with laboratory disinfectant.
<i>Waste Disposal Method:</i>	Dispose of in accordance with local environmental regulations.
<i>Precautions to be Taken in Handling and Storage:</i>	Make sure that the product is stored at the appropriate temperature (room temperature).

SECTION 8 – FIRST AID MEASURES

<i>Eye Contact:</i>	Flush eyes with plenty of water
<i>Skin Contact:</i>	Flush skin with plenty of water
<i>Inhalation:</i>	If breathing becomes difficult, move to fresh air and seek medical assistance
<i>Ingestion</i>	Wash mouth thoroughly with water and drink large quantities of water
<i>Emergency First Aid Procedures:</i>	Consult with a physician

Note: The above mentioned data are based on our present knowledge of this product. Since the use of this information and conditions of use of the product are not within the control of Cedarlane®, it is the user's responsibility to handle the product under conditions of safe use.