

CORNING

Corning Life Sciences  
836 North Street  
Building 300, Suite 3401  
Tewksbury, MA 01876

31 October 2018

**To Whom It May Concern:**

A Safety Data Sheet (SDS) is not required for the following products as they have been evaluated and are not hazardous substances or mixtures according to GHS (United Nations Globally Harmonized System of Classification and Labeling of Chemicals) Standard, the HCS 2012/ OSHA Hazard Communication Standard 29 CFR 1910.1200, and EU-CLP or REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC (Dangerous Substance Directive) and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

**Product Name:** LSM (Lymphocyte Separation Medium)

**Product Code:** 25-072

Accordingly, an SDS is not provided.

*Kafe Dido*

Regards,

**Kafe Dido**

Regulatory Affairs Product Stewardship Lead

Corning Incorporated | Life Sciences

836 North Street, Building 300, Suite 3401

Tewksbury, MA 01876

[didok@corning.com](mailto:didok@corning.com)