

CORNING

Corning Life Sciences  
836 North Street  
Building 300, Suite 3401  
Tewksbury, MA 01876

21 November 2018

**To Whom It May Concern:**

A Safety Data Sheet (SDS) is not required for the following product as it has been evaluated and is not hazardous substance or mixture according to GHS (United Nations Globally Harmonized System of Classification and Labeling of Chemicals) Standard, the HCS 2012/ OSHA Hazard Communication Standard 29 CFR 1910.1200, and EU-CLP or REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC (Dangerous Substance Directive) and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

**Product Name:** Fetal Bovine Serum, Premium (Dialyzed)

**Product Code:** 35-071

Accordingly, an SDS is not provided.

*Kafe Dido*

Regards,  
**Kafe Dido**  
Regulatory Affairs Product Stewardship Lead  
Corning Incorporated | Life Sciences  
836 North Street, Building 300, Suite 3401  
Tewksbury, MA 01876  
[didok@corning.com](mailto:didok@corning.com)

Corning Restricted