

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 12/04/2024	Version: 3.1
SECTION 1: Identification of the substance/mixture and	d of the company/undertaking

	Product identifier			
Produ	uct Form	: Mixture		
			conjugated AffiniPure™ Goat Anti-Mouse IgM, m Chain Specific	
	· · · · · ·		action to Human, Bovine, and Horse Serum Proteins)	
	uct Code	: 115-575-075		
1.2.	Relevant identified uses of the	substance or mixture and	d uses advised against	
1.2.1.	Relevant identified uses	. For in the second to a sub- Not for discussion with second in the second states of the		
Use o	f the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.		
1.2.2.	Uses advised against			
	ditional information available			
1.3.	Details of the supplier of th	e safety data sheet		
	ıfacturer		European Contact	
	on ImmunoResearch Laboratorie	s, Inc.	Jackson ImmunoResearch Europe LTD	
	Vest Baltimore Pike		Cambridge House	
	Grove, PA 19390		St Thomas' Place	
	D-367-5296, 610-869-4024		Ely, Cambridgeshire CB7 4EX, UK	
-	D-869-0171		T: +44 (0) 1638 782616 F: +44 (0) 1353 664675	
	∮jacksonimmuno.com .jacksonimmuno.com		info@jacksonimmuno.com	
VV VV VV	Jacksonninuno.com		help@jacksonimmuno.com	
	l address for the person responsi			
1.4.	Pjacksonimmuno.com Emergency telephone num gency number +1			
<b>1.4.</b> Emer	Emergency telephone num	-610-869-4024 (USA)		
<b>1.4.</b> Emer	Emergency telephone num gency number : +1	-610-869-4024 (USA) ication		
1.4. Emerg SEC 2.1.	Emergency telephone num gency number : +1 TION 2: Hazards identif	-610-869-4024 (USA) ication e or mixture		
1.4. Emerg SEC 2.1. Classifi	Emergency telephone num gency number +1 TION 2: Hazards identif Classification of the substance	-610-869-4024 (USA) ication e or mixture		
1.4. Emerg SEC 2.1. Classifi Aqua	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Edu	-610-869-4024 (USA) ication e or mixture C) No. 1272/2008 [CLP] H412		
1.4. Emerg SEC 2.1. Classifi Aqua Full tex	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Edition Chronic3	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 H412	ts	
1.4. Emerg SEC 2.1. Classifi Aqua Full ter Advers	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 xt of hazard classes and H-statem	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 H412	ts	
1.4. Emerg SEC 2.1. Classifi Aqua Full ter Advers	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 ext of hazard classes and H-statem se physicochemical, human health	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 H412	ts	
1.4. Emerg SEC 2.1. Classifi Aqua Full te: Advers No add 2.2.	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 ext of hazard classes and H-statem se physicochemical, human health ditional information available	-610-869-4024 (USA) ication ee or mixture C) No. 1272/2008 [CLP] H412 eents: see section 16 and environmental effect	ts	
1.4. Emerge SEC 2.1. Classifi Aqua Full tex Advers No addo 2.2. Labelli Haza	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 et of hazard classes and H-statem se physicochemical, human health ditional information available Label elements ng According to Regulation (EC) N rd statements (CLP)	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 eents: see section 16 and environmental effect o. 1272/2008 [CLP] H412 - Harmful to	aquatic life with long lasting effects.	
1.4. Emerge SEC 2.1. Classifi Aqua Full tex Advers No addo 2.2. Labelli Haza	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 et of hazard classes and H-statem se physicochemical, human health ditional information available Label elements ng According to Regulation (EC) N	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 eents: see section 16 and environmental effect o. 1272/2008 [CLP] H412 - Harmful to P273 - Avoid releat	aquatic life with long lasting effects. use to the environment.	
1.4. Emerge SEC 2.1. Classifi Aqua Full tex Advers No addo 2.2. Labelli Haza	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 et of hazard classes and H-statem se physicochemical, human health ditional information available Label elements ng According to Regulation (EC) N rd statements (CLP)	-610-869-4024 (USA) ication ice or mixture C) No. 1272/2008 [CLP] H412 H412 H412 and environmental effect o. 1272/2008 [CLP] H412 - Harmful to P273 - Avoid releat P501 - Dispose of	aquatic life with long lasting effects. ise to the environment. contents/container to hazardous or special waste collection	
1.4. Emerge SEC 2.1. Classifi Aqua Full tex Advers No addo 2.2. Labelli Haza	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 et of hazard classes and H-statem se physicochemical, human health ditional information available Label elements ng According to Regulation (EC) N rd statements (CLP)	-610-869-4024 (USA) ication ice or mixture C) No. 1272/2008 [CLP] H412 eents: see section 16 and environmental effect o. 1272/2008 [CLP] H412 - Harmful to P273 - Avoid releat P501 - Dispose of point, in accordar	aquatic life with long lasting effects. use to the environment.	
1.4. Emerg SEC 2.1. Classifi Aqua Full tex Advers No add 2.2. Labelli Haza Preca	Emergency telephone num gency number : +1 TION 2: Hazards identif Classification of the substance cation According to Regulation (Ed tic Chronic3 et of hazard classes and H-statem se physicochemical, human health ditional information available Label elements ng According to Regulation (EC) N rd statements (CLP)	-610-869-4024 (USA) ication ce or mixture C) No. 1272/2008 [CLP] H412 eents: see section 16 and environmental effect o. 1272/2008 [CLP] H412 - Harmful to P273 - Avoid releat P501 - Dispose of point, in accordant regulation.	aquatic life with long lasting effects. ise to the environment. contents/container to hazardous or special waste collection	



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 568-conjugated AffiniPure™ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)	(CAS-No.) Not assigned	1.57	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.71	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.14	Not classified

### Full text of H-statements: see section 16

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	<ul> <li>Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighti	
5.1. Extinguishing media	a
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing med	lia : Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards	arising from the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition pro case of fire	oducts in : Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firef	ïghters
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accident	al release measures
	ns, protective equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency pe	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency respor	nders
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area
6.2. Environmental prec	cautions
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and mater	rial for containment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other	sections
See Section 8 for exposure cont	trols and personal protection and Section 13 for disposal considerations.
SECTION 7: Handling	and storage
7.1 Procentions for safe	

7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.	
7.2. Conditions for safe storage, in	ncluding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.	
Incompatible materials	<ul> <li>Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.</li> </ul>	

### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium chloride (7647-1	14-5)	
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m³)	5 mg/m <sup>3</sup>
Sodium azide (26628-22	l-8)	
EU	IOELV TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m³
Austria	MAK Short time value (mg/m³)	0,3 mg/m³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m³
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	0,2 mg/m <sup>3</sup>
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ibraltar OEL chemical category (GI)		Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	0,3 mg/m <sup>3</sup>
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
		0.1 / 3
Lithuania	IPRV (mg/m³)	0,1 mg/m³



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skir	
Malta	OEL TWA (mg/m³)	0,1 mg/m³	
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skir	
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)	
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m <sup>3</sup> (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m <sup>3</sup>	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>	
Portugal	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

#### 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.

12/04/2024

EN (English)



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory
	protection should be worn. In case of inadequate ventilation, oxygen deficient
	atmosphere, or where exposure levels are not known wear approved respiratory
	protection.
Other information	: When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

5.1. Information on basic physical and chemical properties			
Physical state	:	Solid	
Colour	:		
Odour	:	Odourless, as water	
Odour threshold	:	No data available	
рН	:	7.6, when rehydrated with indicated volume of $H_2O$	
Evaporation rate	:	No data available	
Melting point	:	No data available	
Freezing point	:	No data available	
Boiling point	:	No data available	
Flash point	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temerature	:	No data available	
Flammability (solid, gas)	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density at 20 °C	:	No data available	
Relative density	:	No data available	
Solubility	:	Water	
Partition coefficent: n-octanol/water	:	No data available	
Viscosity	:	No data available	
Explosive properties	:	No data available	
Oxidising properties	:	No data available	
Explosive limits	:	No data available	
9.2 Other information			

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

## Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-7	9-4)	

Sodium phosphate dibasic (7558-79-4)	
LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of $H_2O$
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12: Ecological information	
12.1. Toxicity	

# Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	
2.2. Persistence and degradabil	ity	
Alexa Fluor <sup>®</sup> 568-conjugated AffiniPur Horse Serum Proteins)	$re^{M}$ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine, and	
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
Alexa Fluor <sup>®</sup> 568-conjugated AffiniPur Horse Serum Proteins)	re™ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine, and	
Bioaccumulative potential	Not established.	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
<b>2.4. Mobility in soil</b> No additional information available		
<b>2.5. Results of PBT and vPvB ass</b> No additional information available	essment	
<b>2.6.</b> Other adverse effects Other information	: Avoid release to the environment.	
SECTION 13: Disposal cons	iderations	
<b>3.1. Waste treatment methods</b> Product/Packaging disposal recommendations Ecology - waste materials	<ul> <li>Dispose of contents/container in accordance with local, regional, national, and international regulations.</li> <li>Avoid release to the environment. This material is hazardous to the aquatic environment. Keen out of sewers and waterways</li> </ul>	
	environment. Keep out of sewers and waterways.	

# **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	Not regulated for transport				
14.2. UN proper shipping name					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group	)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : NoDangerous for the environment : No				

14.6. Special precautions for user

No additional information available

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Notapplicable

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Date of Preparation or Latest Revision Data sources	<ul> <li>12/04/2024</li> <li>Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.</li> </ul>
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

#### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL–Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	



Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.