

| Da | ate of issue: 12/04/2024 | | Version: 3.1 |
|--|-----------------------------------|--|--|
| SECTION 1: Identification | n of the substance, | mixture and of the | e company/undertaking |
| 1.1. Product identifier | | | |
| Product Form | : Mixture | | |
| Product Name | : Alexa Fluor [®] 55 | 5-conjugated AffiniPure-VH | H Fragment™ Alpaca Anti-Human IgG |
| | (H+L) (minimal c | ross-reaction to Bovine, M | ouse, and Rabbit Serum Proteins) |
| Product Code | : 609-564-213 | | |
| 1.2. Relevant identified uses of t | the substance or mixture a | nd uses advised against | |
| 1.2.1. Relevant identified uses | | | |
| Use of the substance/mixture | | arch use only. Not for diagr Contact supplier for specifi | nostic or therapeutic use. This is not a ic applications. |
| 1.2.2. Uses advised against | | | |
| No additional information available | 2 | | |
| 1.3. Details of the supplier of | f the safety data sheet | | |
| Manufacturer | | European Contact | |
| Jackson ImmunoResearch Laborato | ories, Inc. | Jackson ImmunoResearc | ch Europe LTD |
| 872 West Baltimore Pike | | Cambridge House | |
| West Grove, PA 19390 | | St Thomas' Place | |
| T: 800-367-5296, 610-869-4024 | | Ely, Cambridgeshire CB7 | 2 4EX, UK |
| F: 610-869-0171 | | T: +44 (0) 1638 782616 | |
| tech@jacksonimmuno.com | | F: +44 (0) 1353 664675 | a m |
| www.jacksonimmuno.com | | info@jacksonimmuno.c help@jacksonimmuno.c | |
| Email address for the person respo | onsible for this SDS [.] | neip@jacksonnindno.c | |
| tech@jacksonimmuno.com | | | |
| 1.4. Emergency telephone nu | umber | | |
| | +1-610-869-4024 (USA) | | |
| SECTION 2: Hazards iden | · · · · | | |
| | | | |
| 2.1. Classification of the subst | | | |
| Classification According to Regulatior Aquatic Chronic3 | H412 | | |
| Full text of hazard classes and H-sta | | | |
| | | | |

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

| Hazard statements (CLP) | H412 - Harmful to aquatic life with long lasting effects. |
|--------------------------------|---|
| Precautionary statements (CLP) | P273 - Avoid release to the environment. |
| | P501 - Dispose of contents/container to hazardous or special waste collection |
| | point, in accordance with local, regional, national and/or international |
| | regulation. |
| EUH-statements | EUH032 - Contact with acids liberates very toxic gas. |
| | |

2.3. Other hazards



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification According to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|---|
| Sodium azide | (CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7 | 0.54 | Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sodium phosphate dibasic | (CAS-No.) 7558-79-4 (EC-No.) 231-448-7 | 1.51 | Not classified |
| Alexa Fluor® 555-conjugated AffiniPure-VHH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse, and Rabbit Serum Proteins) | (CAS-No.) Not assigned | 1.57 | Not classified |
| Sodium chloride | (CAS-No.) 7647-14-5 (EC-No.) 231-598-3 | 15.71 | Not classified |
| Albumins, blood serum | (CAS-No.) 9048-46-8 (EC-No.) 232-936-2 | 16.14 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. 4.2. Most important symptoms and effects, both acute and delayed

| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of |
|-------------------------------------|--|
| | normal use. |
| Symptoms/effects after inhalation | : May be harmful or cause irritation. |
| Symptoms/effects after skin contact | : Prolonged exposure may cause skin irritation. |
| Symptoms/effects after eye contact | : May cause slight irritation to eyes. |
| Symptoms/effects after ingestion | : Ingestion may cause adverse effects. May be harmful if swallowed. |
| Chronic symptoms | : None expected under normal conditions of use. |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

| SECTION 5: Fire | hting measures | |
|--------------------------------------|--|--|
| 5.1. Extinguishing | | |
| Suitable extinguishing | | D ₂), alcohol-resistant foam, or dry chemical. |
| 0 0 | Use extinguishing media appropriat | - |
| Unsuitable extinguishi | | e of heavy stream of water may spread fire. |
| - | ards arising from the substance or mixture | |
| Fire hazard | : Not Assigned | |
| Reactivity | : Sodium azide in water is a weak bas and carbon disulfide to form shock- | e. Reacts with copper, lead, silver, mercury, sensitive compounds. Reacts with acids, en azide. Contact with acids liberates toxic |
| Hazardous decomposit case of fire | n products in : Hydrogen chloride. Sodium oxides. N | Nitrogen oxides. |
| 5.3. Advice fo | refighters | |
| Precautionary measure | ire : Exercise caution when fighting any c | chemical fire. |
| Firefighting instruction | : Use water spray or fog for cooling ex | xposed containers. |
| Protection during firefi | ting : Do not enter fire area without prope protection. | r protective equipment, including respiratory |
| SECTION 6: Acci | ntal release measures | |
| | tions, protective equipment and emergency proce | edures |
| General measures | : Avoid prolonged contact with eyes, s | |
| 6.1.1. For non-emerge | | - |
| Protective equipment | : Use appropriate personal protective | e equipment (PPE). |
| Emergency procedures | : Evacuate unnecessary personnel. | |
| 6.1.2. For emergency | ponders | |
| Protective equipment | : Equip cleanup crew with proper pro | tection. |
| Emergency procedures | of dangerous goods, protect oneself | ponder is expected to recognize the presence and the public, secure the area, and call for as soon as conditions permit. Ventilate area. |
| 6.2. Environmenta | recautions | |
| | : Prevent entry to sewers and public w | aters. Avoid release to the environment. |
| 6.3. Methods and | aterial for containment and cleaning up | |
| For containment | : Contain solid spills with appropriat into sewers or streams. | e barriers and prevent migration and entry |
| Methods for cleaning u | : Clean up spills immediately and dis authorities after a spill. | pose of waste safely. Contact competent |
| 6.4. Reference to | ier sections | |
| See Section 8 for exposu | controls and personal protection and Section 13 for dis | posal considerations. |
| SECTION 7: Hand | ng and storage | |

| 7.1. Precautions for safe handling | |
|------------------------------------|--|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, |
| | drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. |
|--------------------------------------|---|
| 7.2. Conditions for safe storage, in | cluding any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. |
| Incompatible materials | : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons. |

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Sodium chloride (7647-14-5) | | |
|-----------------------------|--|--|
| Latvia | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Lithuania | IPRV (mg/m ³) | 5 mg/m ³ |
| Sodium azide (26628-22-8) | | |
| EU | IOELV TWA (mg/m ³) | 0,1 mg/m ³ |
| EU | IOELV STEL (mg/m ³) | 0,3 mg/m ³ |
| EU | Notes | Possibility of significant uptake through the skin |
| Austria | MAK (mg/m³) | 0,1 mg/m ³ |
| Austria | MAK Short time value (mg/m³) | 0,3 mg/m ³ |
| Austria | OEL chemical category (AT) | Skin notation |
| Belgium | OEL chemical category (BE) | Skin, Skin notation |
| Bulgaria | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Bulgaria | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Croatia | GVI (granicna vrijednost izloženosti) (mg/m ³) | 0,1 mg/m³ |
| Croatia | KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) | 0,3 mg/m³ |
| Croatia | OEL chemical category (HR) | Skin notation |
| Cyprus | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Cyprus | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Cyprus | OEL chemical category (CY) | Skin-potential for cutaneous absorption |
| France | VLE (mg/m ³) | 0,3 mg/m ³ (restrictive limit) |
| France | VME (mg/m ³) | 0,1 mg/m ³ (restrictive limit) |
| France | OEL chemical category (FR) | Risk of cutaneous absorption |
| Germany | TRGS 900 Occupational exposure limit value (mg/m³) | 0,2 mg/m ³ |
| Gibraltar | Eight hours mg/m3 | 0,1 mg/m ³ |
| Gibraltar | Short-term mg/m3 | 0,3 mg/m ³ |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Gibraltar | OEL chemical category (GI) | Skin notation |
|----------------|--|--|
| Greece | OEL TWA (mg/m³) | 0,3 mg/m ³ |
| Greece | OEL TWA (ppm) | 0,1 ppm |
| Greece | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Greece | OEL STEL (ppm) | 0,1 ppm |
| USA ACGIH | ACGIH Ceiling (mg/m³) | 0,29 mg/m ³ |
| USA ACGIH | ACGIH Ceiling (ppm) | 0,11 ppm |
| Italy | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Italy | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Italy | OEL chemical category (IT) | skin - potential for cutaneous absorption |
| Latvia | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Latvia | OEL chemical category (LV) | skin - potential for cutaneous exposure |
| Spain | VLA-ED (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| Spain | VLA-EC (mg/m³) | 0,3 mg/m ³ |
| Spain | OEL chemical category (ES) | skin - potential for cutaneous absorption |
| Switzerland | KZGW (mg/m ³) | 0,4 mg/m³ (inhalable dust) |
| Switzerland | MAK (mg/m³) | 0,2 mg/m³ (inhalable dust) |
| Netherlands | Grenswaarde TGG 8H (mg/m³) | 0,1 mg/m ³ |
| Netherlands | Grenswaarde TGG 15MIN (mg/m³) | 0,3 mg/m ³ |
| United Kingdom | WEL TWA (mg/m ³) | 0,1 mg/m ³ |
| United Kingdom | WEL STEL (mg/m ³) | 0,3 mg/m ³ |
| United Kingdom | WEL chemical category | Potential for cutaneous absorption |
| Czech Republic | Expozicní limity (PEL) (mg/m³) | 0,1 mg/m ³ |
| Czech Republic | OEL chemical category (CZ) | Potential for cutaneous absorption |
| Denmark | Grænseværdie (langvarig) (mg/m³) | 0,1 mg/m ³ |
| Estonia | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Estonia | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Estonia | OEL chemical category (ET) | Sensitizer, Skin notation |
| Finland | HTP-arvo (8h) (mg/m³) | 0,1 mg/m ³ |
| Finland | HTP-arvo (15 min) | 0,3 mg/m ³ |
| Finland | OEL chemical category (FI) | Potential for cutaneous absorption |
| Hungary | AK-érték | 0,1 mg/m ³ |
| Hungary | CK-érték | 0,3 mg/m ³ |
| Ireland | OEL (8 hours ref) (mg/m ³) | 0,1 mg/m ³ |
| Ireland | OEL (15 min ref) (mg/m3) | 0,3 mg/m ³ |
| Ireland | OEL chemical category (IE) | Potential for cutaneous absorption |
| Lithuania | IPRV (mg/m³) | 0,1 mg/m ³ |
| Lithuania | TPRV (mg/m ³) | 0,3 mg/m³ |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Lithuania | OEL chemical category (LT) | Skin notation |
|------------|---|--|
| Luxembourg | OEL TWA (mg/m ³) | 0,1 mg/m³ |
| Luxembourg | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Luxembourg | OEL chemical category (LU) | Possibility of significant uptake through the skin |
| Malta | OEL TWA (mg/m ³) | 0,1 mg/m³ |
| Malta | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Malta | OEL chemical category (MT) | Possibility of significant uptake through the skin |
| Norway | Grenseverdier (AN) (mg/m ³) | 0,1 mg/m³ |
| Norway | Grenseverdier (Korttidsverdi) (mg/m3) | 0,3 mg/m ³ (value from the regulation) |
| Poland | NDS (mg/m ³) | 0,1 mg/m³ |
| Poland | NDSCh (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Romania | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL chemical category (RO) | Skin notation |
| Slovakia | NPHV (priemerná) (mg/m³) | 0,1 mg/m³ (Sodium azide) |
| Slovakia | NPHV (Hranicná) (mg/m³) | 0,3 mg/m ³ |
| Slovakia | OEL chemical category (SK) | Potential for cutaneous absorption |
| Slovenia | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Slovenia | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Slovenia | OEL chemical category (SL) | Potential for cutaneous absorption |
| Sweden | nivågränsvärde (NVG) (mg/m³) | 0,1 mg/m ³ |
| Sweden | kortidsvärde (KTV) (mg/m³) | 0,3 mg/m ³ |
| Portugal | OEL TWA (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| Portugal | OEL STEL (mg/m ³) | 0,3 mg/m ³ (indicative limit value) |
| Portugal | OEL - Ceilings (mg/m ³) | 0,29 mg/m ³ |
| Portugal | OEL - Ceilings (ppm) | 0,11 ppm (vapor) |
| Portugal | OEL chemical category (PT) | A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value |

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection: Wear suitable protective clothing.Respiratory protection: If exposure limits are exceeded or irritation is experienced, approved respiratory
protection should be worn. In case of inadequate ventilation, oxygen deficient
atmosphere, or where exposure levels are not known wear approved respiratory
protection.

| | protection |
|----------------------------------|--|
| Other information | : When using, do not eat, drink or smoke. |
| SECTION 9: Physical and ch | emical properties |
| 9.1. Information on basic physic | al and chemical properties |
| Physical state | : Solid |
| Colour | : Pink |
| Odour | : Odourless, as water |
| Odour threshold | : No data available |
| рН | : 7.6, when rehydrated with indicated volume of H ₂ O |
| Evaporation rate | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temerature | : No data available |
| | |

: No data available

:

:

:

:

:

:

:

Water

No data available

9.2. Other information

Flammability (solid, gas)

Relative vapour density at 20 °C

Partition coefficent: n-octanol/water

Vapour pressure

Relative density

Explosive properties

Oxidising properties

Explosive limits

Solubility

Viscosity

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

| Sodium chloride (7647-14-5) | | |
|-----------------------------------|--|--|
| LD50 oral rat | 3550 mg/kg (Species: Wistar) | |
| LD50 dermal rabbit | > 10000 mg/kg (Species: New Zealand White) | |
| LC50 inhalation rat (mg/l) | >42 g/m³ (Exposure time: 1 h) | |
| Sodium azide (26628-22-8) | | |
| LD50 oral rat | 27 mg/kg | |
| LD50 oral | 45 mg/kg | |
| LD50 dermal rabbit | 20 mg/kg | |
| Sodium phosphate dibasic (7558-79 | 9-4) | |
| ID50 oral rat | 17 g/kg | |

| LD50 oral rat | 17 g/kg |
|-----------------|---------------------------|
| LD50 dermal rat | >500 mg/kg (50% solution) |
| | |

| Skin corrosion/irritation | : Not classified |
|--------------------------------------|---|
| | pH: 7,6 when rehydrated with indicated volume of H ₂ O |
| Serious eye damage/irritation | : Not classified |
| | pH: 7,6 when rehydrated with indicated volume of H ₂ O |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/Injuries After Inhalation | : May be harmful or cause irritation. |
| Symptoms/Injuries After Skin Contact | : Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | : May cause slight irritation to eyes. |
| Symptoms/Injuries After Ingestion | : Ingestion may cause adverse effects. May be harmful if swallowed. |
| Chronic Symptoms | : None expected under normal conditions of use. |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

| Sodium chloride (7647-14-5) | |
|-----------------------------|--|
| LC50 fish 1 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| LC50 fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
|---|---|--|
| EC50 Daphnia 2 | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| NOEC chronic fish 252 mg/l (Species: Pimephales promelas) | | |
| Sodium azide (26628-22-8) | | |
| LC50 fish 1 | 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| LC50 fish 2 | 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |
| ErC50 (algae) | 0,348 mg/l | |
| 2.2. Persistence and degradabil | ty | |
| Alexa Fluor® 555-conjugated AffiniPur and Rabbit Serum Proteins) | e-VHH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse, | |
| Persistence and degradability | Not established. | |
| 2.3. Bioaccumulative potential | | |
| Alexa Fluor [®] 555-conjugated AffiniPur and Rabbit Serum Proteins) | e-VHH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse, | |
| Bioaccumulative potential Not established. | | |
| Sodium chloride (7647-14-5) | | |
| BCF fish 1 | (no bioaccumulation) | |
| 2.4. Mobility in soil lo additional information available | | |
| 2.5. Results of PBT and vPvB ass to additional information available | essment | |
| 2.6. Other adverse effects Other information | : Avoid release to the environment. | |
| SECTION 13: Disposal consi | derations | |
| | | |

13.1. Waste treatment methods

| Product/Packaging disposal | : Dispose of contents/container in accordance with local, regional, national, and |
|----------------------------|---|
| recommendations | international regulations. |
| Ecology - waste materials | : Avoid release to the environment. This material is hazardous to the aquatic |
| | environment. Keep out of sewers and waterways. |

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | | IMDG | ΙΑΤΑ | ADN | RID |
|----------------------------------|-----------|----------------|----------------|----------------|----------------|
| 14.1. | UN number | | | | |
| Not regulated for transport | | | | | |
| 14.2. UN proper shipping name | | | | | |
| Not app | olicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | | |
| Not app | olicable | Not applicable | Not applicable | Not applicable | Not applicable |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 14.4. Packing group |) | | | |
|------------------------------------|--|------------------------------------|------------------------------------|------------------------------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Date of Preparation or Latest Revision | : 12/04/2024 |
|--|--|
| Data sources | : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body |
| | websites, product/ingredient manufacturer or supplier specific information, |
| | and/or resources that include substance specific data and classifications |
| | according to GHS or their subsequent adoption of GHS. |
| Other information | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment |
| | Regulation (EU) 2015/830 |

Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2 |
|---------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
|-------------------|---|
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| H300 | Fatal if swallowed. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH032 | Contact with acids liberates very toxic gas. |

Indication of Changes No additional information available

Abbreviations and Acronyms

| ······································ | |
|--|--|
| ACGIH – American Conference of Governmental Industrial Hygienists | NDS - Najwyzsze Dopuszczalne Stezenie |
| ADN – European Agreement Concerning the International Carriage of | NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe |
| Dangerous Goods by Inland Waterways | NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe |
| ADR - European Agreement Concerning the International Carriage of | NOAEL - No-Observed Adverse Effect Level |
| Dangerous Goods by Road | NOEC - No-Observed Effect Concentration |
| ATE - Acute Toxicity Estimate | NRD - Nevirsytinas Ribinis Dydis |
| BCF - Bioconcentration Factor | NTP – National Toxicology Program |
| BEI - Biological Exposure Indices (BEI) | OEL - Occupational Exposure Limits |
| BOD – Biochemical Oxygen Demand | PBT - Persistent, Bioaccumulative and Toxic |
| CAS No Chemical Abstracts Service Number | PEL - Permissible Exposure Limit |
| CLP – Classification, Labeling and Packaging Regulation (EC) No | pH – Potential Hydrogen |
| 1272/2008 | REACH – Registration, Evaluation, Authorisation, and Restriction of |
| COD – Chemical Oxygen Demand | Chemicals |
| EC – European Community | RID – Regulations Concerning the International Carriage of Dangerous |
| EC50 - Median Effective Concentration | Goods by Rail |
| EEC – European Economic Community | SADT - Self Accelerating Decomposition Temperature |
| EINECS – European Inventory of Existing Commercial Chemical | SDS - Safety Data Sheet |
| Substances | STEL - Short Term Exposure Limit |
| EmS-No. (Fire) - IMDG Emergency Schedule Fire | STOT - Specific Target Organ Toxicity |
| EmS-No. (Spillage) - IMDG Emergency Schedule Spillage | TA-Luft - Technische Anleitung zur Reinhaltung der Luft |
| EU – European Union | TEL TRK – Technical Guidance Concentrations |
| ErC50 - EC50 in Terms of Reduction Growth Rate | ThOD – Theoretical Oxygen Demand |
| GHS – Globally Harmonized System of Classification and Labeling of | TLM - Median Tolerance Limit |
| Chemicals | TLV - Threshold Limit Value |
| IARC - International Agency for Research on Cancer | TPRD - Trumpalaikio Poveikio Ribinis Dydis |
| IATA - International Air Transport Association | TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von |
| IBC Code - International Bulk Chemical Code | Gefahrstoffen in ortsbeweglichen Behältern |
| IMDG - International Maritime Dangerous Goods | TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine |
| IPRV - Ilgalaikio Poveikio Ribinis Dydis | TRGS 900 - Technische Regel für Gefahrstoffe 900 – |
| IOELV – Indicative Occupational Exposure Limit Value | Arbeitsplatzgrenzwerte |
| LC50 - Median Lethal Concentration | TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische |
| LD50 - Median Lethal Dose | Grenzwerte |
| LOAEL - Lowest Observed Adverse Effect Level | TSCA - Toxic Substances Control Act |
| LOEC - Lowest-Observed-Effect Concentration | TWA - Time Weighted Average |
| Log Koc - Soil Organic Carbon-water Partitioning Coefficient | VOC – Volatile Organic Compounds |
| Log Kow - Octanol/water Partition Coefficient | VLA-EC - Valor Límite Ambiental Exposición de Corta Duración |
| Log Pow - Ratio of the equilibrium concentration (C) of a dissolved | VLA-ED - Valor Límite Ambiental Exposición Diaria |
| substance in a two-phase system consisting of two largely immiscible | VLE – Valeur Limite D'exposition |
| solvents, in this case octanol and water | VME – Valeur Limite De Moyenne Exposition |
| MAK – Maximum Workplace Concentration/Maximum Permissible | vPvB - Very Persistent and Very Bioaccumulative |
| Concentration | WEL – Workplace Exposure Limit |
| MARPOL - International Convention for the Prevention of Pollution | WGK - Wassergefährdungsklasse |
| EU GHS SDS | |



Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.