# Alexa Fluor® 568-conjugated AffiniPure-VHH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse,



According	to Regulation (EC) No. 1907/2006	6 (REACH) with its amer	dment Regulation (EU) 2015/830	
	Date	ofissue: 12/04/2024	Version: 3.1	
SECTIO	ON 1: Identification	of the substand	e/mixture and of the company/undertaki	ng
1.1. F	Product identifier			
Product	Form	: Mixture		
Product		(H+L) (minima	568-conjugated AffiniPure-VHH Fragment™ Alpaca Anti-Hum al cross-reaction to Bovine, Mouse, and Rabbit Serum Proteir	-
Product		: 609-574-213		
	Relevant identified uses of the	e substance or mixtur	e and uses advised against	
	Relevant identified uses ne substance/mixture		esearch use only. Not for diagnostic or therapeutic use. This ce. Contact supplier for specific applications.	s not a
	<b>Jses advised against</b> onal information available			
	Details of the supplier of t	he safety data shee	•t	
Manufac	••		European Contact	
Jackson	ImmunoResearch Laboratori	es, Inc.	Jackson ImmunoResearch Europe LTD	
872 Wes	st Baltimore Pike		Cambridge House	
West Gr	ove, PA 19390		St Thomas' Place	
T: 800-3	67-5296, 610-869-4024		Ely, Cambridgeshire CB7 4EX, UK	
F: 610-8			T: +44 (0) 1638 782616	
	cksonimmuno.com		F: +44 (0) 1353 664675	
www.jac	ksonimmuno.com		info@jacksonimmuno.com	
	ldress for the person respons cksonimmuno.com	ible for this SDS:	help@jacksonimmuno.com	
-	Emergency telephone nun	nber		
		-1-610-869-4024 (USA	0	
	ON 2: Hazards identi			
	assification of the substan		10]	
	ion According to Regulation (I Chronic3	H412	LP]	
	of hazard classes and H-state			
	physicochemical, human healt		effects	
No additi	onal information available			
	According to Regulation (EC) I			
	statements (CLP)		ul to aquatic life with long lasting effects.	
	ionary statements (CLP)		release to the environment.	
	, , ,	P501 - Dispos	se of contents/container to hazardous or special waste colle	ction
		point, in acco	ordance with local, regional, national and/or international	
		regulation.		
		regulation.		



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 568-conjugated AffiniPure-VHH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse, and Rabbit Serum Proteins)	(CAS-No.) Not assigned	1.57	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.71	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.14	Not classified

# Full text of H-statements: see section 16

# SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5

First-aid measures after eye contact
 First-aid measures after ingestion
 First-aid measures after ingestion
 minutes. Obtain medical attention if irritation develops or persists.
 Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
 Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects: Not expected to present a significant hazard under anticipated conditions of<br/>normal use.Symptoms/effects after inhalation<br/>Symptoms/effects after skin contact<br/>Symptoms/effects after eye contact<br/>Symptoms/effects after ingestion: May be harmful or cause irritation.Symptoms/effects after skin contact<br/>Symptoms/effects after ingestion: May cause skin irritation.: May cause slight irritation to eyes.<br/>: Ingestion may cause adverse effects. May be harmful if swallowed.
  - Chronic symptoms : None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECT	ION 5: Firefighting meas	sures
5.1.	Extinguishing media	
Suitak	ole extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
		Use extinguishing media appropriate for surrounding fire.
Unsui	table extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2.		om the substance or mixture
Fire h		: Not Assigned
React	ivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazar case c	dous decomposition products in of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
Preca	utionary measures fire	: Exercise caution when fighting any chemical fire.
Firefi	ghting instructions	: Use water spray or fog for cooling exposed containers.
Protec	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECT	ION 6: Accidental releas	se measures
6.1.		ive equipment and emergency procedures
	al measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1.	For non-emergency personnel	
Protec	ctive equipment	: Use appropriate personal protective equipment (PPE).
Emerg	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protec	ctive equipment	: Equip cleanup crew with proper protection.
Emerg	ency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	
		: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for con	tainment and cleaning up
For co	ontainment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Metho	ods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4.	Reference to other sections	
See Sec	tion 8 for exposure controls and pe	ersonal protection and Section 13 for disposal considerations.
SECT	ION 7: Handling and sto	rage

7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating,
	drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.		
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.		

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sodium chloride (7647-14-5)					
Latvia	OEL TWA (mg/m³)	5 mg/m³			
Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>			
Sodium azide (26628-22-8)					
EU	IOELV TWA (mg/m³)	0,1 mg/m <sup>3</sup>			
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>			
EU	Notes	Possibility of significant uptake through the skin			
Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>			
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>			
Austria	OEL chemical category (AT)	Skin notation			
Belgium	OEL chemical category (BE)	Skin, Skin notation			
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>			
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>			
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³			
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³			
Croatia	OEL chemical category (HR)	Skin notation			
Cyprus	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>			
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>			
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption			
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)			
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)			
France	OEL chemical category (FR)	Risk of cutaneous absorption			
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	0,2 mg/m <sup>3</sup>			
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>			
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>			



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-EC (mg/m³)	0,3 mg/m <sup>3</sup>
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m <sup>3</sup> )	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	0,3 mg/m <sup>3</sup>
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m <sup>3</sup>
Hungary	CK-érték	0,3 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m³



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lithuania	OEL chemical category (LT)	Skin notation
uxembourg OEL TWA (mg/m³)		0,1 mg/m³
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m³
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m <sup>3</sup>
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>
Portugal	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

#### 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory
	protection should be worn. In case of inadequate ventilation, oxygen deficient
	atmosphere, or where exposure levels are not known wear approved respiratory
	protection.

Other information	: When using, do not eat, drink or smoke.
SECTION 9: Physical ar	nd chemical properties
9.1. Information on basic	physical and chemical properties
Physical state	: Solid

Physical state	:	Solid
Colour	:	
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of $H_2O$
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
0.2 Other information		

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat 3550 mg/kg (Species: Wistar)		
LD50 dermal rabbit	>10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	at (mg/l) >42 g/m <sup>3</sup> (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit 20 mg/kg		
Sodium phosphate dibasic (7558-79	9-4)	
D50 oral rat 17 g/kg		

LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.

# SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish 252 mg/l (Species: Pimephales promelas)		
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae) 0,348 mg/l		
2.2. Persistence and degradability		
Alexa Fluor <sup>®</sup> 568-conjugated AffiniPure-V and Rabbit Serum Proteins)	'HH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse,	
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
Alexa Fluor <sup>®</sup> 568-conjugated AffiniPure-V and Rabbit Serum Proteins)	'HH Fragment™ Alpaca Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Mouse,	
Bioaccumulative potential Not established.		
Bioaccumulative potential	Not established.	
Bioaccumulative potential Sodium chloride (7647-14-5)	Not established.	
-	Not established. (no bioaccumulation)	
Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information available 2.5. Results of PBT and vPvB assess	(no bioaccumulation)	
Sodium chloride (7647-14-5)         BCF fish 1         2.4. Mobility in soil         Io additional information available         2.5. Results of PBT and vPvB assess         Io additional information available	(no bioaccumulation)	
Sodium chloride (7647-14-5)BCF fish 12.4. Mobility in soilIo additional information available2.5. Results of PBT and vPvB assessIo additional information available2.6. Other adverse effects	(no bioaccumulation)	
Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil to additional information available 2.5. Results of PBT and vPvB assess to additional information available	(no bioaccumulation)  sment  : Avoid release to the environment.	

# SECTION 14: Transport information

Ecology - waste materials

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

environment. Keep out of sewers and waterways.

: Avoid release to the environment. This material is hazardous to the aquatic

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not regulated for transport					
14.2. UN proper shipping name					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	iviarine poilutant : No			

#### 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Date of Preparation or Latest Revision	: 12/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body
	websites, product/ingredient manufacturer or supplier specific information,
	and/or resources that include substance specific data and classifications
	according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

#### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

······································	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL – Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	



Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.