Novobiocin: sc-362034

MATERIAL SAFETY DATA SHEET

SECTION 1. Chemical Identification

Name Synonyms CAS Number Catalog Number	Novobiocin Albamycin, Vulcamycin, Antibiotic PA 93, Antibiotic WS 6629, Griseoflavin, 303-81-1 sc-362034	
Chemical Formula	C ₃₁ H ₃₆ N ₂ O ₁₁	Emergency
Company	Santa Cruz Biotechnology, Inc. 2145 Delaware Avenue Santa Cruz, California 95060 800.457.3801 or 831.457.3800	ChemWatch Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

SECTION 2. Health Hazard Data

Acute Health Effects

The toxicological properties of this compound have not been fully investigated. Exercise appropriate precautions to prevent opportunities for inhalation and to prevent direct contact with skin and eyes. All uncharacterized chemicals should be treated as suspected toxins.

Chronic Health Effects

Unknown

SECTION 3. First Aid Measures

Eye Contact

Check for and remove contact lenses. Flush eyes with running water for at least 15 minutes separating eyelids. Seek medical attention immediately

Skin Contact

Wash with water for 15 minutes. Remove contaminated clothing and shoes. Seek medical attention immediately.

Inhalation

Remove from exposure. If breathing is difficult, administer oxygen. If breathing stops, administer artificial respiration. Seek medical attention immediately. Provide chemical label and MSDS if possible.

Ingestion

Remove dentures and clear mouth. If person is conscious, rinse mouth with water. Call physician or poison control immediately. Provide chemical label and MSDS information if possible.

SECTION 4. Fire and Explosion Data

Flammability

Not Available

Flash Point Not Available

Combustion Products

Unknown

Extinguishing Media

Carbon Dioxide, Dry chemical powder, polymer foam, water spray

Special Firefighting Procedures

Use self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual Fire/Explosion Hazards

May emit toxic gases upon thermal decomposition.



SECTION 5. Spill or Leak Procedures

Cleanup Procedures

EVACUATE AREA Wearing appropriate protective gear as outlined under "Protective equipment" sweep up spill and place in sealed container and hold for disposal. Avoid raising dust. Ventilate the area and wash spill site after material has been removed.

Waste Disposal Method

Observe all Federal, State and Local regulations concerning the disposal of this product.

SECTION 6. Storage and Handling Precautions

Protective Equipment

For spill clean up, wear suitable protective clothing, chemical resistant rubber gloves, rubber boots, and chemical safety goggles. Self contained breathing apparatus or NIOSH/MSHA approved respirator is recommended.

Storage and Handling

This product should be stored at -20°C. It should be kept in a tightly closed container. This product should be handled only by qualified experienced professionals. Wash thoroughly after handling this material

SECTION 7. Physical Data

Appearance	Solid
Molecular Weight	612.6
Boiling Point	Not Available
Melting Point	Not Available
Solubility	Soluble in ethanol, methanol, DMF or DMSO. Limited water solubility.
Vapor Density	Not Available
Specific Gravity	Not Available
Vapor Pressure	Not Available
Volatility	Not Available

SECTION 8. Stability and Reactivity Data

Stability

This material is stable if stored as directed.

Conditions to Avoid

None known

Incompatibles

Not Available

SECTION 9. Toxicity Data

RTECS#

RD5425000 (novobiocin monosodium)

Acute toxicity

Type of test : LD_{50} - lethal dose, 50 percent kill Route of exposure : Oral Species observed : rodent - rat Dose/duration : LD50 = 3,500 mg/kgType of test : LD_{50} - lethal dose, 50 percent kill Route of exposure : Subcutaneous Species observed : rodent - rat Dose/duration : LD50 = 450 mg/kg

SECTION 10. Ecological Data

Ecotoxicological Information None Available Type of test : LD_{50} - lethal dose, 50 percent kill Route of exposure : Intravenous Species observed : rodent - rat Dose/duration : LD50 = 385 mg/kgType of test : LD_{50} - lethal dose, 50 percent kill Route of exposure : Oral Species observed : rodent - mouse Dose/duration : LD50 = 962 mg/kg

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user. 10/23/2010