according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



SECTION 1: Identification

1.1. Identification

Product form	: Mixture
Product name	: ImmPACT [®] DAB Substrate Kit, Peroxidase
Product code	: SK-4105
Kit component	: ImmPACT [®] DAB Diluent

1.2. Recommended use and restrictions on use

Use of the substance/mixture

: Laboratory chemicals

1.3. Supplier

Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 U.S.A T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

1.4. Emergency telephone number

Emergency number

: US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Wash skin with plenty of water.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



First-aid measures after eye contact First-aid measures after ingestion : Rinse eyes with water as a precaution.

: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
0		
5.1. Suitable (and unsuitable) extinguishing	media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and stora	nge
7.1. Precautions for safe handling	3
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, i	including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

I	mmF	РАСТ	DAB	Diluent	

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Color	:	Colorless
Odor	:	No data available
Odor threshold	:	No data available
рН	:	No data available
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Not applicable.
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01

available available available



Explosion limits	:	No data
Explosive properties	:	No data
Oxidizing properties	:	No data

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	Not applicableNot applicableNot applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (IMDG) Packing group (IATA)	Not applicableNot applicableNot applicable
14.5. Environmental hazards	
Other information	: No supplementary
14.6. Special precautions for user	
DOT No data available	

IMDG No data available

IATA No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

information available.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom_SDS_USA_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



SECTION 1: Identification

1.1. Identification

Product form	: Mixture
Product name	: ImmPACT [®] DAB Substrate Kit, Peroxidase
Product code	: SK-4105
Kit component	: ImmPACT [®] DAB Reagent 1

1.2. Recommended use and restrictions on use

Use of the substance/mixture

: Laboratory chemicals

1.3. Supplier

Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 U.S.A T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

1.4. Emergency telephone number

Emergency number

: US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 Acute toxicity (oral) Category 4 Acute toxicity (inhalation:dust,mist) Category 4 Serious eye damage/eye irritation Category 2 Germ cell mutagenicity Category 2 Carcinogenicity Category 1B

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US)

Hazard pictograms (GHS US)

Highly flammable liquid and vapor Harmful if swallowed Harmful if inhaled Causes serious eye irritation Suspected of causing genetic defects May cause cancer



	. Bangon
Hazard statements (GHS US)	: Highly flammable liquid and vapor
	Harmful if swallowed or if inhaled
	Causes serious eye irritation
	Suspected of causing genetic defects
	May cause cancer
Precautionary statements (GHS US)	: Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	Keep container tightly closed.
	Ground/Bond container and receiving equipment.
	Use explosion-proof electrical/ventilating/lighting equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Avoid breathing dust/fume/gas/mist/vapors/spray.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center or doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center or doctor if you feel unwell. Rinse mouth. If eye irritation persists: Get medical advice/attention. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Trade secret component*	CAS-No.: Trade Secret	50 – 55
biphenyl-3,3',4,4'-tetrayltetraamine, diaminobenzidine	CAS-No.: 91-95-2	1 – 3

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact

: Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measure	ures
----------------------------------	------

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapor.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

CECTION C. Assidental values

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6. Accidental release meas	sules
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	· No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public
Other information	waters. : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Storage conditions : Ground/bond container and receiving equipment.

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ImmPACT® DAB Reagent 1		
No additional information available		
biphenyl-3,3',4,4'-tetrayltetraamine, diaminobenzidine (91-95-2)		
No additional information available		
Trade secret component		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	70 mg/m³	
OSHA PEL TWA [2]	40 ppm	
Regulatory reference (US-OSHA) OSHA Annotated Table Z-1		

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear respiratory protection.

Personal protective equipment symbol(s):



according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Color	:	Liquid Pale to dark red-purple
Odor	:	No data available
Odor threshold	:	No data available
pH	:	No data available
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	> 177 °F estimated
Flash point	:	< 73 °F estimated
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Not applicable.
Vapor pressure	:	No data available
Relative vapor density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)
Acute toxicity (der	mal)

Harmful if swallowed.Not classified

SK-4105 VUS-LBL-00784

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



Acute toxicity (inhalation)	: Harmful if inhaled.
ImmPACT® DAB Reagent 1	
ATE US (oral)	994.827 mg/kg body weight
ATE US (dust, mist)	2.984 mg/l/4h
Trade secret component	
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Trade secret component	
NOAEC (inhalation,rat,gas,90 days)	400 ppm Animal: rat, Guideline: other:
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after eye contact	: Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Trade secret component	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	> 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Trade secret component	
Partition coefficient n-octanol/water (Log Pow)	-0.3 Source: ICSC

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



12.4. Mobility in soil

biphenyl-3,3',4,4'-tetrayltetraamine, diaminobenzidine (91-95-2)	
Mobility in soil	8.544 Source: EPISUITE

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods Additional information : Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Flammable vapors may accumulate in the container.

: Flammable liquids, n.o.s.

: Flammable liquid, n.o.s.

: 3

: 3

: FLAMMABLE LIQUID. N.O.S.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number

DOT NA No	:	UN1993
UN-No. (IMDG)	:	1993
UN-No. (IATA)	:	1993

14.2. UN proper shipping name

Proper Shipping Name (DOT) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)

IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG)

IATA

Transport hazard class(es) (IATA) Hazard labels (IATA)



according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



14.4. Packing group	
Packing group (DOT)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT	
UN-No.(DOT)	: UN1993
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
	MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49	: 60 L
CFR 175.75)	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
IMDG	
Special provision (IMDG)	: 274
Limited quantities (IMDG) Excepted quantities (IMDG)	: 1L : E2
Packing instructions (IMDG)	: E2 : P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER
Stowage category (IMDG)	: B
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341 : 1L
PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: 1L : 353
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 555
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 9/28/2022 Version: 01



ERG code (IATA)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: 3H

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Trade secret component Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)	

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Trade secret component()	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom_SDS_USA_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.