according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Vector® Black Substrate Kit, Alkaline Phosphatase

Product code : SK-5200

Kit component : Vector® Black Reagent 1

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

#### 1.3. Supplier

#### Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

## 1.4. Emergency telephone number

Emergency number : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

### **GHS US classification**

Not classified

### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

No labeling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Vector® Black Reagent 1

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):







### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color Colorless Odor No data available Odor threshold No data available рΗ : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available No data available Flash point No data available

Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Not applicable. No data available Vapor pressure Relative vapor density at 20 °C No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available : No data available Viscosity, dynamic

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified : Not classified Acute toxicity (inhalation) Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity Not classified : Not classified STOT-single exposure STOT-repeated exposure : Not classified Aspiration hazard Not classified No data available Viscosity, kinematic

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

No additional information available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

DOT

No data available

**IMDG** 

No data available

IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Vector® Black Substrate Kit, Alkaline Phosphatase

Product code : SK-5200

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Kit component : Vector® Black Reagent 2

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

#### 1.3. Supplier

#### Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 U.S.A

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

## 1.4. Emergency telephone number

Emergency number : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

No labeling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## Vector® Black Reagent 2

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



#### 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Pale to dark blue Color Odor No data available Odor threshold No data available рΗ No data available Melting point Not applicable Freezing point No data available Boiling point No data available : No data available Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure No data available Relative vapor density at 20 °C No data available No data available Relative density Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** : No data available

### 9.2. Other information

Explosive properties

Oxidizing properties

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

No data availableNo data available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified No data available Viscosity, kinematic

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

**5.**..

## 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

#### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

DOT

No data available

**IMDG** 

No data available

IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
5-Bromo-4-chloro-3-indolyl phosphate dipotassium	CAS-No. 102185-49-9	1 – 2%

salt

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Vector® Black Substrate Kit, Alkaline Phosphatase

Product code : SK-5200

Kit component : Vector® Black Reagent 3

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laboratory chemicals

### 1.3. Supplier

#### Manufacturer

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560

U.S.A

T (650) 697-3600 - F (650) 697-0339 customerservice@vectorlabs.com

### 1.4. Emergency telephone number

Emergency number : US only (800) 227-6666 or outside of the US +1 (650) 697-3600 (7:15 AM - 5:00 PM PST)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 2

Acute toxicity (oral) Category 3
Acute toxicity (dermal) Category 3

Acute toxicity (inhalation:dust,mist) Category 3

Serious eye damage/eye irritation Category 2

Carcinogenicity Category 1B

Specific target organ toxicity (single exposure) Category 1

Highly flammable liquid and vapor

Toxic if swallowed

Toxic in contact with skin

Toxic if inhaled

Causes serious eye irritation

May cause cancer

Causes damage to organs (central nervous system) (oral)

### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)









Signal word (GHS US) : Danger

Hazard statements (GHS US) : Highly flammable liquid and vapor

Toxic if swallowed, in contact with skin or if inhaled

Causes serious eye irritation

May cause cancer

Causes damage to organs (central nervous system) (oral)

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center or doctor.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed: Call a poison center/doctor.

If exposed or concerned: Get medical advice/attention.

Call a poison center or doctor.

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

Specific treatment (see supplemental first aid instruction on this label)

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
	CAS-No.: Trade Secret	< 50
•	CAS-No.: Trade Secret	< 50

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eve contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable

protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment.

protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned

regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on

clothing.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing

before reuse. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Vector <sup>®</sup> Black Reagent 3		
No additional information available		
Trade secret substance		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	200 ppm	
ACGIH OEL STEL [ppm]	250 ppm	
Remark (ACGIH)	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI	
Regulatory reference	ACGIH 2022	
USA - ACGIH - Biological Exposure Indices		
BEI	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: End of shift - Notations: B, Ns	
Regulatory reference	ACGIH 2022	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	260 mg/m³	
OSHA PEL TWA [2]	200 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Trade secret compound		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2022	

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Trade secret compound	
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA [1]	70 mg/m³
OSHA PEL TWA [2]	40 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear respiratory protection.

### Personal protective equipment symbol(s):







### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : No data available No data available Odor : No data available Odor threshold рΗ : No data available Melting point Not applicable Freezing point No data available Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not applicable. Vapor pressure No data available Relative vapor density at 20 °C No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature No data available Decomposition temperature No data available

Viscosity, kinematic

No data available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Viscosity, dynamic : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Toxic if swallowed.

Acute toxicity (dermal) : Toxic in contact with skin.

Acute toxicity (inhalation) : Toxic if inhaled.

Vector® Black Reagent 3			
ATE US (oral)	172.533 mg/kg body weight		
ATE US (dermal)	621.118 mg/kg body weight		
ATE US (dust, mist)	0.776 mg/l/4h		
Trade secret substance	Trade secret substance		
LD50 oral rat	1187 – 2769 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Aqueous solution, Oral, 7 day(s))		
LD50 dermal rabbit	300 mg/kg Source: ECHA		
LC50 Inhalation - Rat	128 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))		
ATE US (oral)	100 mg/kg body weight		
ATE US (dermal)	300 mg/kg body weight		
ATE US (gases)	700 ppmV/4h		
ATE US (vapors)	3 mg/l/4h		
ATE US (dust, mist)	0.5 mg/l/4h		

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Trade secret compound	
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	· Causes damage to organs (central nervous system) (oral)

STOT-single exposure : Causes damage to organs (central nervous system) (oral).

Trade secret substance	
STOT-single exposure	Causes damage to organs (central nervous system) (oral).
STOT-repeated exposure :	Not classified

Trade secret compound

NOAEC (inhalation,rat,gas,90 days)

400 ppm Animal: rat, Guideline: other:

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after eye contact : Eye irritation.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Trade secret substance		
LC50 - Fish [1]	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, Locomotor effect)	
Trade secret compound		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oryzias latipes	
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic)	> 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d'	

### 12.2. Persistence and degradability

Trade secret substance	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



Trade secret substance	
Biochemical oxygen demand (BOD)	0.6 – 1.12 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance
ThOD	1.5 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

Trade secret substance		
BCF - Fish [1]	1 – 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Trade secret compound		
Partition coefficient n-octanol/water (Log Pow)	-0.3 Source: ICSC	

### 12.4. Mobility in soil

Trade secret substance	
Mobility in soil	2.75 Source: HSDB
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-0.89 – -0.21 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

### 14.1. UN number

DOT NA No : UN1992 UN-No. (IMDG) : 1992 UN-No. (IATA) : 1992

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, toxic, n.o.s. Proper Shipping Name (IMDG) FLAMMABLE LIQUID, TOXIC, N.O.S. Proper Shipping Name (IATA) : Flammable liquid, toxic, n.o.s.

## 14.3. Transport hazard class(es)

Transport hazard class(es) (DOT) : 3 (6.1)

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



Hazard labels (DOT) : 3, 6.1





#### IMDG

Transport hazard class(es) (IMDG) : 3 (6.1) Hazard labels (IMDG) : 3, 6.1



#### IATA

Transport hazard class(es) (IATA) : 3 (6.1) Hazard labels (IATA) : 3, 6.1



## 14.4. Packing group

Packing group (DOT) : II
Packing group (IMDG) : II
Packing group (IATA) : II

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### DOT

UN-No.(DOT) : UN1992

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP13 - Self-contained breathing apparatus must be provided when this hazardous material is

transported by sea.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 243
DOT Quantity Limitations Passenger aircraft/rail (49 : 1 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 6

CFR 175.75)

: 60 L

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Issue date: 09/27/2022 Version01



DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

**IMDG** 

Special provision (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : E

Properties and observations (IMDG) : Flammable toxic liquid which is not specified by name in this class or, on account of its

characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.

IATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 352 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) 364 CAO max net quantity (IATA) 60L Special provision (IATA) A3 ERG code (IATA) 3HP

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Trade secret substance		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	

Trade secret compound		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	

### 15.2. International regulations

No additional information available

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 09/27/2022 Version01



### 15.3. US State regulations



This product can expose you to Trade secret substance, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Trade secret substance()	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List
Trade secret compound()	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Custom\_SDS\_USA\_VECTOR

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.