



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

1 Identification

- **Product identifier**
- **Trade name:** ZP Express Lysis Buffer
- **Article number:** D4213-1-210
- **Application of the substance / the mixture** Laboratory Reagent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Zymo Research Corp.
17062 Murphy Ave.
Irvine, CA 92614
USA
Phone: 1-949-679-1190 or 1-888-882-9682
sds@zymoresearch.com
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
- **Precautionary statements**
Wear protective gloves / eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 1)

- Classification system:
NFFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

Table with 3 columns: CAS number, chemical name, and percentage. Includes sodium dodecyl sulphate (≤5%) and sodium hydroxide (≤2.5%).

4 First-aid measures

- Description of first aid measures
After inhalation: In case of unconsciousness place patient stably in side position for transportation.
After skin contact: Immediately wash with water and soap and rinse thoroughly.
After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing: Do not induce vomiting; immediately call for medical help.
Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 2)

- Special hazards arising from the substance or mixture
Products of thermal decomposition of this material would include caustic vapors as well as sodium and sulfur compounds.
Advice for firefighters
Protective equipment:
Wear protective clothing, including self-contained breathing apparatus, for fighting fires involving this material.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals

PAC-1:

Table with 3 columns: CAS number, chemical name, and concentration. Rows include sodium dodecyl sulphate (3.9 mg/m3) and sodium hydroxide (0.5 mg/m3).

PAC-2:

Table with 3 columns: CAS number, chemical name, and concentration. Rows include sodium dodecyl sulphate (43 mg/m3) and sodium hydroxide (5 mg/m3).

PAC-3:

Table with 3 columns: CAS number, chemical name, and concentration. Rows include sodium dodecyl sulphate (260 mg/m3) and sodium hydroxide (50 mg/m3).

7 Handling and storage

- Handling:
Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Information about protection against explosions and fires: No special measures required.
Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles:
Store in cool, dry place. Store in well-ventilated location.

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 3)

- Information about storage in one common storage facility: Do not store together with acids, chlorinated solvents, and reactive metals (e.g. aluminum, phosphorous, tin/tin oxides, zinc).
Further information about storage conditions: Keep receptacle tightly sealed.
Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
Control parameters: Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.
Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

CAS: 1310-73-2 sodium hydroxide

Table with 2 columns: Limit Type and Value. Rows include PEL (Long-term value: 2 mg/m³), REL (Ceiling limit value: 2 mg/m³), and TLV (Ceiling limit value: 2 mg/m³).

- Additional information: The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Blue
· Odor:	Nearly odorless
· Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not Applicable
· Upper:	Not Applicable

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 6)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 5)

- Viscosity:
Dynamic: Not determined.
Kinematic: Not determined.
· Solvent content:
Organic solvents: 0.0 %
VOC content: 0.0 g/l / 0.00 lb/gl
· Solids content: 2.5 %
· Other information: No further relevant information available.

10 Stability and reactivity

- Reactivity: No further relevant information available.
· Chemical stability
· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
· Possibility of hazardous reactions: No dangerous reactions known.
· Conditions to avoid: No further relevant information available.
· Incompatible materials: No further relevant information available.
· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- Primary irritant effect:
· on the skin: Irritant to skin and mucous membranes.
· on the eye: Irritating effect.
· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 6)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Behavior in environmental systems:
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
Recommendation:
Dispose of contents in accordance with local/regional/national, and international recommendations.
Uncleaned packagings:
Recommendation:
Dispose of container in accordance with local/regional/national and international recommendations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- UN-Number
DOT, IMDG, IATA UN1760
UN proper shipping name
DOT Corrosive liquids, n.o.s. (Sodium hydroxide)
IMDG, IATA CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

(Contd. on page 8)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 7)

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances
· Label 8

· IMDG, IATA



· Class 8 Corrosive substances
· Label 8

· Packing group

· DOT, IMDG, IATA III

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances
· Danger code (Kemler): 80
· EMS Number: F-A,S-B
· Segregation groups Alkalis
· Stowage Category A
· Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT
· Quantity limitations On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· IMDG

· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1760 CORROSIVE LIQUIDS, N.O.S. (SODIUM HYDROXIDE), 8, III

US

(Contd. on page 9)



Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 8)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS07

Signal word Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 10)



ZYMO RESEARCH

The Beauty of Science is to Make Things Simple

Page 10/10

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/22/2017

Reviewed on 11/16/2016

Trade name: ZP Express Lysis Buffer

(Contd. of page 9)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:**

Zymo Research Corp.

Safety Department

17062 Murphy Ave.

Irvine, CA 92614

USA

Phone: 1-949-679-1190 or 1-888-882-9682

· **Contact:** sds@zymoresearch.com

· **Date of preparation / last revision** 02/22/2017 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US