

04/21/2023	Kit Components
Product code	Description
D4311	Load N' Go ZymoBIOMICS DNA MagBead Kit
Components:	
D4311-1-425	Plate 1: Binding Plate
D4311-2-500	Plate 2: Binding Wash
D4311-3-500	Plate 3: MagWash 1
D4311-4-900	Plate 4: MagWash 2-1
D4311-5-900	Plate 5: MagWash 2-2
D4311-6-50	Plate 6: Elution Plate
R1100-50	DNA/RNA Shield - 50 ml, 250 ml & sample; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

ning dule 04/21/2025	<i>Reviewed on 04/21/202</i>
Identification	
Product identifier	
Trade name: Plate 1: Bi	inding Plate
Article number: D4311-1	5
• Details of the supplier of • Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave., Irvis sds@zymoresearch.com	f the safety data sheet ne, CA 92614, U.S.A., Phone: +1(949) 679-1190 or +1(888) 882-9682,
Information department. Emergency telephone nu During normal business h	
Hazard(s) identificat	tion
Classification of the subs	
Classification of the subs	
GHS05 Corros	ion
Skin Corrosion 1C	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
•	on 4 H332 Harmful if inhaled.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.
• Label elements • GHS label elements The • Hazard pictograms GHS • Signal word Danger	product is classified and labeled according to the Globally Harmonized System (GHS). 05, GHS07
• <i>Hazard-determining com</i> guanidinium chloride	<i>iponents of labeling:</i>
guanidinium thiocyanate Hazard statements Harmful if swallowed or i Causes severe skin burns Harmful to aquatic life wi	and eye damage. ith long lasting effects.
• <i>Hazard statements</i> Harmful if swallowed or i Causes severe skin burns Harmful to aquatic life wi • <i>Precautionary statement</i>	and eye damage. ith long lasting effects. is
• Hazard statements Harmful if swallowed or if Causes severe skin burns Harmful to aquatic life with • Precautionary statement Do not breathe mist/vapo Wash thoroughly after ha	and eye damage. ith long lasting effects. is urs/spray.

Printing date 04/21/2023

Reviewed on 04/21/2023

### Trade name: Plate 1: Binding Plate

(Contd. of Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale $\theta - 4$ ) Health = 3 Fire = 0 Reactivity = 0	
<ul> <li>HMIS-ratings (scale 0 - 4)</li> <li>HEALTH 3 Health = *3 FIRE 0 Fire = 0 REACTIVITY Reactivity = 0</li> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	
<ul> <li>3 Composition/information on ingredients</li> <li>• Chemical characterization: Mixtures</li> <li>• Description: Mixture of the substances listed below with nonhazardous additions.</li> </ul>	

Danaarous	componants.	

Dangerous com	ponenis.	
CAS: 50-01-1	guanidinium chloride	0-≤100%
CAS: 56-81-5	glycerol	≤30%
CAS: 593-84-0	guanidinium thiocyanate	≤30%

## 4 First-aid measures

### · Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

(Contd. on page 3)

US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

- After swallowing:
- Rinse mouth
- DO NOT induce vomiting.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available. • *Indication of any immediate medical attention and special treatment needed*
- No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.
- Advice for firefighters
- · Protective equipment: Wear protective clothing.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:		
CAS: 50-01-1	guanidinium chloride	1.4 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	45 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m <sup>3</sup>
CAS: 1309-37-1	diiron trioxide	15 mg/m <sup>3</sup>
CAS: 7631-86-9	silicon dioxide, chemically prepared	18 mg/m <sup>3</sup>
· PAC-2:		
CAS: 50-01-1	guanidinium chloride	16 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	180 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m <sup>3</sup>
CAS: 1309-37-1	diiron trioxide	360 mg/m <sup>3</sup>
CAS: 7631-86-9	silicon dioxide, chemically prepared	740 mg/m <sup>3</sup>
• PAC-3:		
CAS: 50-01-1	guanidinium chloride	94 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	1,100 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m <sup>3</sup>
		Contd. on page 4)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

		(Contd. of page 3)
CAS: 1309-37-1	diiron trioxide	2,200 mg/m <sup>3</sup>
CAS: 7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

· Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust, vapor, mist or gas. Avoid prolonged or reapeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) Laboratory reagent

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### CAS: 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

JS -

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightl

Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information Appearance:		
Appearance. Form:	Liquid	
Color:	Clear	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	400 °C (752 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.9 Vol %	
Upper:	0.0 Vol %	
Vapor pressure at 20 °C (68 °F):	0.1 hPa	
Density:	Not determined.	

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

		(Contd. of page
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Partition coefficient (n-octano	<i>l/water):</i> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
<b>Organic solvents:</b>	30.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	50.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- *Thermal decomposition / conditions to be avoided:* Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

(Contd. on page 7)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

### Trade name: Plate 1: Binding Plate

(Contd. of page 6)

3

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 1309-37-1 diiron trioxide

CAS: 7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

### • Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

## 14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name · DOT · IMDG, IATA	Corrosive liquids, n.o.s. (guanidinium thiocyanate) CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
	(Contd. on page 8)

JS —

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

	(Contd. of page
· Transport hazard class(es)	
DOT	
corrosive	
<b>V</b>	
· Class · Label	8 Corrosive substances 8
	8
· IMDG, IATA	
8	
· Class	8 Corrosive substances
· Label	8
	с 
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
· EMS Number: · Stowage Category	F-A,S-B A
Stowage Code	SW2 Clear of living quarters.
0	5 112 Crow of hims quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum not quantity non inner pochaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GUANIDINIUM
	THIOCYANATE), 8, III

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

	(Contd. of	pag
	toxic chemical listings):	
None of the ingredier	ts is listed.	
TSCA (Toxic Substa	ces Control Act):	
All components have	the value ACTIVE.	
Hazardous Air Pollu	ants	
None of the ingredier	ts is listed.	
Proposition 65		
Chemicals known to	cause cancer:	
None of the ingredier	ts is listed.	
Chemicals known to	cause reproductive toxicity for females:	
None of the ingredier	ts is listed.	
Chemicals known to	cause reproductive toxicity for males:	
None of the ingredier		
Chemicals known to	cause developmental toxicity:	
None of the ingredier		
Carcinogenic catego		
EPA (Environmenta		
None of the ingredien		
TLV (Threshold Lim	,	
CAS: 1309-37-1 diii		ŀ
	Institute for Occupational Safety and Health)	
None of the ingredier		
GHS label elements Hazard pictograms Signal word Danger	The product is classified and labeled according to the Globally Harmonized System (GF HS05, GHS07	IS)
5	components of labeling:	
guanidinium thiocyar	ate	
<i>Hazard statements</i> Harmful if swallowed	orifinhaled	
Causes severe skin by		
	e with long lasting effects.	
Precautionary statem		
Do not breathe mist/w Wash thoroughly after		
	noke when using this product.	
Avoid release to the	nvironment.	
	s/protective clothing/eye protection/face protection.	
	oison center/doctor if you feel unwell. outh. Do NOT induce vomiting.	
	ike off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remo	e person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse caut	busly with water for several minutes. Remove contact lenses, if present and easy to do.	
Continue rinsing. Immediately call a po	son center/doctor.	
Specific treatment (se		
	othing before reuse.	
wash containnated c	(Contd. on p	

(Contd. on page 10)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 1: Binding Plate

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1C: Skin corrosion/irritation - Category 1C Eye Damage 1: Serious eye damage/eye irritation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 US

(Contd. of page 9)



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

ning dule 04/21/2023	Keviewed on 04/21/202
Identification	
· Product identifier	
• Trade name: Plate 2: B	Sinding Wash
Article number: D4311-	
Details of the supplier of Manufacturer/Supplier. Zymo Research Corp. 17062 Murphy Ave., Irv. sds@zymoresearch.com	
Information department Emergency telephone na During normal business	
Hazard(s) identifica	tion
· Classification of the sub	bstance or mixture
GHS05 Corro	sion
Skin Corrosion 1C	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
•	ion 4 H332 Harmful if inhaled.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.
• Label elements • GHS label elements The • Hazard pictograms GHS • Signal word Danger	e product is classified and labeled according to the Globally Harmonized System (GHS). S05, GHS07
• GHS label elements The • Hazard pictograms GHS • Signal word Danger • Hazard-determining con guanidinium thiocyanate • Hazard statements	S05, GHS07
• GHS label elements The • Hazard pictograms GHS • Signal word Danger • Hazard-determining con guanidinium thiocyanate • Hazard statements Harmful if swallowed or Causes severe skin burns	S05, GHS07  mponents of labeling: if inhaled. s and eye damage.
• GHS label elements The • Hazard pictograms GHS • Signal word Danger • Hazard-determining conguanidinium thiocyanate • Hazard statements Harmful if swallowed or	S05, GHS07 <i>mponents of labeling:</i> if inhaled. s and eye damage. vith long lasting effects.
<ul> <li>GHS label elements The Hazard pictograms GHS</li> <li>Signal word Danger</li> <li>Hazard-determining con guanidinium thiocyanate</li> <li>Hazard statements</li> <li>Harmful if swallowed or Causes severe skin burns</li> <li>Harmful to aquatic life w</li> <li>Precautionary statement</li> <li>Do not breathe mist/vapor</li> </ul>	S05, GHS07 mponents of labeling: if inhaled. s and eye damage. with long lasting effects. its ours/spray.
<ul> <li>GHS label elements The Hazard pictograms GHS</li> <li>Signal word Danger</li> <li>Hazard-determining con guanidinium thiocyanate</li> <li>Hazard statements</li> <li>Harmful if swallowed or Causes severe skin burns</li> <li>Harmful to aquatic life w</li> <li>Precautionary statement</li> <li>Do not breathe mist/vapo Wash thoroughly after ha</li> </ul>	S05, GHS07 mponents of labeling: if inhaled. s and eye damage. with long lasting effects. ts ours/spray. andling. ke when using this product.

Printing date 04/21/2023

Reviewed on 04/21/2023

### Trade name: Plate 2: Binding Wash

	(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	sv to do.
Continue rinsing.	· · · · · · · · · · · · · · · · · · ·
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 Health = *3	
FIRE 0 Fire = 0	
$\frac{1}{\text{REACTIVITY}[0]} \text{ Reactivity} = 0$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT</i></b> : Not applicable.	
• <i>vPvB</i> : Not applicable.	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

• *Description:* Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 56-81-5 glycerol	≤50%	
CAS: 593-84-0 guanidinium thiocyanate	≤50%	

## 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration if trained to do so. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

(Contd. on page 3)

US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

- After swallowing:
- Rinse mouth
- DO NOT induce vomiting.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available. • *Indication of any immediate medical attention and special treatment needed*
- No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- *Special hazards arising from the substance or mixture* Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.
- Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

### 6 Accidental release measures

	utions, protective equipment and emergency procedures ined breathing apparatus for responding to non-incidental release of	f this material in which there is
	inhalation of vapors, mists or sprays	
	equipment. Keep unprotected persons away.	
· Environmental		
Dilute with plen		
	enter sewers/ surface or ground water.	
	<i>aterial for containment and cleaning up:</i> uid-binding material (sand, diatomite, acid binders, universal binder agent.	rs, sawdust).
	inated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to other		
	r information on safe handling.	
	r information on personal protection equipment.	
See Section 13 f	for disposal information.	
· Protective Actio	n Criteria for Chemicals	
• PAC-1:		
CAS: 56-81-5	glycerol	45 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m <sup>3</sup>
· PAC-2:		
CAS: 56-81-5	glycerol	180 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m <sup>3</sup>
· PAC-3:		
CAS: 56-81-5	glycerol	1,100 mg/m <sup>3</sup>

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 2: Binding Wash

CAS: 593-84-0 guanidinium thiocyanate

(Contd. of page 3) 65 mg/m<sup>3</sup>

### 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### CAS: 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

(Contd. on page 5)

### Printing date 04/21/2023

Reviewed on 04/21/2023

### Trade name: Plate 2: Binding Wash

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

General Information	
Appearance:	T' '1
Form:	Liquid
Color:	Clear
Odor:	Mild
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	0.0 Vol %
Vapor pressure at 20 °C (68 °F):	0.1 hPa
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octand	<i>l/water):</i> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	50.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	50.0 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

## · LD/LC50 values that are relevant for classification:

### CAS: 593-84-0 guanidinium thiocyanate

- Oral LD50 593 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 7)

<sup>–</sup> US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

(Contd. of page 6)

·NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- Aquatic toxicity:

CAS: 593-84-0 guanidinium thiocyanate

- EC50 42.4 mg/kg (daphnia)
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Must not reach bodies of water or drainage ditch undituted or unneutralized

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations. • *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number	
DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (guanidinium thiocyanate)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

(Contd. of page
8 Corrosive substances 8
0
8 Corrosive substances
8
III
Not applicable.
Warning: Corrosive substances
): 80
F-A,S-B
A
SW2 Clear of living quarters.
Not applicable.
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
5L
Code: E1
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN 1760 CORROSIVE LIQUID, N.O.S. (GUANIDINIUM

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

## • Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

	(Contd. of pag
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
-	
Carcinogenic categories	
<i>EPA (Environmental Protection Agency)</i> None of the ingredients is listed.	
-	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally H Hazard pictograms GHS05, GHS07 Signal word Danger	larmonized System (GHS)
Hazard-determining components of labeling:	
guanidinium thiocyanate	
<i>Hazard statements</i> Harmful if swallowed or if inhaled.	
Causes severe skin burns and eye damage.	
Harmful to aquatic life with long lasting effects.	
Precautionary statements	
Do not breathe mist/vapours/spray. Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Avoid release to the environment.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with w	vater/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p Continue rinsing.	present and easy to do.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	(Contd. on page

(Contd. on page 10)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 2: Binding Wash

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations. • *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1C: Skin corrosion/irritation - Category 1C Eye Damage 1: Serious eye damage/eye irritation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3



Printing date 04/21/2023

Reviewed on 04/21/2023

Page 1/10

Identification	
Product identifier	
Trade name: Plate 3: MagWash 1	
Article number: D4311-3-500 Application of the substance / the mi	xture Laboratory Reagent
<ul> <li>Details of the supplier of the safety d</li> <li>Manufacturer/Supplier: Zymo Research Corp.</li> <li>17062 Murphy Ave., Irvine, CA 9261 sds@zymoresearch.com</li> </ul>	<i>ata sheet</i> 4, U.S.A., Phone: +1(949) 679-1190 or +1(888) 882-9682,
Information department: Product Sat	fety Dept.
<i>Emergency telephone number:</i> During normal business hours (8 am te	o 5 pm Pacific Standard Time): +1 (949) 679 1190
Hazard(s) identification	
Classification of the substance or mi.	xture
Classification of the substance or mi.	xure
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	
5	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Sing	H319 Causes serious eye irritation. le Exposure 3 H336 May cause drowsiness or dizziness.
Label elements GHS label elements The product is cl Hazard pictograms GHS02, GHS07	-
Label elements GHS label elements The product is cl Hazard pictograms GHS02, GHS07 Signal word Danger Hazard-determining components of a guanidinium chloride	le Exposure 3 H336 May cause drowsiness or dizziness.
Label elements GHS label elements The product is el Hazard pictograms GHS02, GHS07 Signal word Danger Hazard-determining components of a guanidinium chloride propan-2-ol Hazard statements Highly flammable liquid and vapor.	le Exposure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is cl</li> <li>Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> <li>Hazard-determining components of a guanidinium chloride</li> <li>propan-2-ol</li> <li>Hazard statements</li> </ul>	le Exposure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is cl Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> <li>Hazard-determining components of a guanidinium chloride propan-2-ol</li> <li>Hazard statements</li> <li>Highly flammable liquid and vapor.</li> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> </ul>	le Exposure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is cl Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> <li>Hazard-determining components of a guanidinium chloride propan-2-ol</li> <li>Hazard statements</li> <li>Highly flammable liquid and vapor.</li> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> </ul>	le Exposure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is clip Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> <li>Hazard-determining components of a guanidinium chloride propan-2-ol</li> <li>Hazard statements</li> <li>Highly flammable liquid and vapor.</li> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> <li>Precautionary statements</li> </ul>	le Exposure 3 H336 May cause drowsiness or dizziness. lassified and labeled according to the Globally Harmonized System (GHS). labeling:
<ul> <li>Label elements</li> <li>GHS label elements The product is cl</li> <li>Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> <li>Hazard-determining components of a guanidinium chloride propan-2-ol</li> <li>Hazard statements</li> <li>Highly flammable liquid and vapor.</li> <li>Harmful if swallowed.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> </ul>	le Exposure 3 H336 May cause drowsiness or dizziness. lassified and labeled according to the Globally Harmonized System (GHS). <i>labeling:</i> nes/hot surfaces No smoking.

Printing date 04/21/2023

CAS: 67-63-0 propan-2-ol

Reviewed on 04/21/2023

## Trade name: Plate 3: MagWash 1

(Cu	ontd. of page 1)
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
Specific treatment (see on this label).	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	to do.
Continue rinsing.	
If skin irritation occurs: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
INTI A ruings (scule 0 - 4)	
Health $= 2$	
Fire = $3$	
$\frac{2}{10} Reactivity = 0$	
V Kattivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health = 2	
FIRE 3 Fire $= 3$	
$\frac{1}{\text{REACTIVITY}[0]} \text{Reactivity} = 0$	
REACTIVITY 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT</i></b> : Not applicable.	
• <i>vPvB</i> : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 50-01-1 guanidinium chloride	≤50%

(Contd. on page 3)

≤50%

US

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 3: MagWash 1

(Contd. of page 2)

## 4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1:

CAS: 50-01-1 guanidinium chloride

 $1.4 \text{ mg/m}^3$ (Contd. on page 4)

page 4)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 3: MagWash 1

CAS: 67-63-0	propan-2-ol	(Contd. of page 3) 400 ppm
· PAC-2:		
CAS: 50-01-1	guanidinium chloride	16 mg/m <sup>3</sup>
CAS: 67-63-0	propan-2-ol	2000* ppm
• PAC-3:		
CAS: 50-01-1	guanidinium chloride	94 mg/m <sup>3</sup>
CAS: 67-63-0	propan-2-ol	12000** ppm

## 7 Handling and storage

#### · Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Store in cool, ary conditions in wen search recep
- *Specific end use(s)* Laboratory reagent

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	5: 67-63-0 propan-2-ol
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppmLong-term value: 980 mg/m³, 400 ppm
TLV	<ul> <li><sup>7</sup> Short-term value: 400 ppm</li> <li>Long-term value: 200 ppm</li> <li>BEI, A4</li> </ul>
· Ingre	redients with biological limit values:
CAS	S: 67-63-0 propan-2-ol
	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
	(Contd. on pag

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

## Trade name: Plate 3: MagWash 1

Additional information: The lists that were valid during the creation were used as basis.	
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or log respiratory protective device that is independent of circulating air.	nger exposure use
Protection of hands:	
Trolection of numus.	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the prepar	ation
Due to missing tests no recommendation to the glove material can be given for the product/ the	
chemical mixture.	Propulation and
Selection of the glove material on consideration of the penetration times, rates of diffusion and t	the degradation
Material of gloves	C
The selection of the suitable gloves does not only depend on the material, but also on further ma	
varies from manufacturer to manufacturer. As the product is a preparation of several substances	
the glove material can not be calculated in advance and has therefore to be checked prior to the	application.
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protective gloves a	nd has to be
observed.	
Eye protection:	
Tightly sealed goggles	
—	
Physical and chemical properties	
Information on basic physical and chemical properties	

· Information on basic physical and · General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Alcohol-like	
· Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
		(Contd. on page

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 3: MagWash 1

	(Contd. of page
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	49.0 %
VOC content:	49.00 %
	490.0 g/l / 4.09 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

(Contd. on page 7)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 3: MagWash 1

(Contd. of page 6)

3

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.


## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.



Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 3: MagWash 1

	(Contd. of pa
UN proper shipping name DOT IMDG, IATA	Isopropanol mixture ISOPROPANOL (ISOPROPYL ALCOHOL) mixture
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category	Warning: Flammable liquids : 33 F-E,S-D B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Quantity limitations	On passenger aircraft/rail: 5 L
~ ~	On cargo aircraft only: 60 L
TIMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) MIXTURE, 3, II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 3: MagWash 1

(Con	td. of page
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 propan-2-ol	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 67-63-0 propan-2-ol	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized System Hazard pictograms GHS02, GHS07 Signal word Danger	ı (GHS).
<i>Hazard-determining components of labeling:</i> guanidinium chloride propan-2-ol	
Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
<i>Precautionary statements</i> Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools. Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.	
	l. on page 1

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 3: MagWash 1

(Contd. of page 9)
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
Specific treatment (see on this label).
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

ming aute 04/21/2025	
I Identification	
· Product identifier	
• Trade name: Plate 4: MagWash 2-1	
• Article number: D4311-4-900 • Application of the substance / the mixture L	aboratory Reagent
• Details of the supplier of the safety data shew • Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave., Irvine, CA 92614, U.S.A sds@zymoresearch.com	<i>et</i> A., Phone: +1(949) 679-1190 or +1(888) 882-9682,
• <i>Information department:</i> Product Safety Dep • <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm )	
? Hazard(s) identification	
Classification of the substance or mixture GHS02 Flame	
Flammable Liquids 2 GHS07	H225 Highly flammable liquid and vapor.
Eye Irritation 2A	H319 Causes serious eye irritation.
	osure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is classified</li> <li>Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> </ul>	l and labeled according to the Globally Harmonized System (GHS).
• <i>Hazard-determining components of labeling</i> propan-2-ol ethanol	ζ <b>:</b>
• <i>Hazard statements</i> Highly flammable liquid and vapor.	
Causes serious eye irritation. May cause drowsiness or dizziness.	
• <i>Precautionary statements</i> Keep away from heat/sparks/open flames/hot Ground/bond container and receiving equipm	
- vnound/bond container and receiving edilinm	التال.
Use explosion-proof electrical/ventilating/light	
	hting/equipment. scharge.

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

Wash thoroughly after handling.	(Contd. of page 1)
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	er.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	d easy to do.
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	18.
Classification system:	
·NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 3\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH2FIRE3Fire = 3REACTIVITY 0Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b><i>PBT</i></b> : Not applicable.	
<i>vPvB</i> : Not applicable.	
••	
3 Composition/information on ingredients	
Chamier I al anna tari actione Minterna	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonbazardous additions	

• *Description:* Mixture of the substances listed below with nonhazardous additions.

-	
· Dangerous co	mponents:
	ethanol
CAS: 67-63-0	propan-2-ol

## 4 First-aid measures

### · Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open.

- Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.
- After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

≤25% ≤25%

<sup>-</sup> US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

- Information for doctor:
- Most important symptoms and effects, both acute and delayed

Inhalation of vapors, mists or sprays can cause drowsiness, dizziness, and other central nervous system effects. Accidental eye contact can cause serious irritation.

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Advice for firefighters*
- · Protective equipment: Wear protective clothing.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
	ethanol	1,800 ppm
CAS: 67-63-0	propan-2-ol	400 ppm
· PAC-2:		
	ethanol	3300* ppm
CAS: 67-63-0	propan-2-ol	2000* ppm
· PAC-3:		
	ethanol	15000* ppm
CAS: 67-63-0	propan-2-ol	12000** ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

(Contd. on page 4)

<sup>4)</sup> - US —

(Contd. of page 3)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) Laboratory reagent

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:	
etha	ıol	
PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm	
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm	
TLV	Short-term value: 1000 ppm	
	A3	
CAS	: 67-63-0 propan-2-ol	
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm	
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
TLV	Short-term value: 400 ppm	
	Long-term value: 200 ppm	
	BEI, A4	
· Ingre	edients with biological limit values:	
CAS	: 67-63-0 propan-2-ol	
	40 mg/L	
	Medium: urine	
	Time: end of shift at end of workweek	
	Parameter: Acetone (background, nonspecific)	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
	sure controls	
	onal protective equipment:	
	ral protective and hygienic measures:	
	away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work.	
	d contact with the eyes.	
	d contact with the eyes and skin.	
	thing equipment:	
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer ratory protective device that is independent of circulating air.	r exposure use
	alory didiective device that is independent of circulating an.	

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

Information on basic physical and c	hemical properties
General Information Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

		(Contd. of page
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	!	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
<b>Organic</b> solvents:	50.0 %	
VOC content:	50.00 %	
	500.0 g/l / 4.17 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include carbon monoxide and carbon dioxide
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

May be harmful by inhalation. Material is irritating to mucous membranes and upper respiratory tract.

• Acute toxicity:

### · LD/LC50 values that are relevant for classification:

## CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal		12,800 mg/kg (rabbit)
Inhalative		30 mg/l (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye:

Causes severe eye irritation

Irritating effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 4: MagWash 2-1

#### • Additional toxicological information:

Inhalation of vapors/mists, and sprays of this product can cause dizzness, drowsiness and other central nervous system effects.

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

·NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
$\cdot DOT$	Flammable liquids, n.o.s. (Isopropanol, Ethanol)	

(Contd. of page 6)

3

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

	(Contd. of page
IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL), ETHANOL)
Transport hazard class(es)	
DOT	
R-JAMMAEE (DOID)	
Class	3 Flammable liquids
	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number: Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	11
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
	(ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL)), 3, II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

<sup>-</sup>US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 4: MagWash 2-1

Sara	(Contd. of pag
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 propan-2-ol	
TSCA (Toxic Substances Control Act):         All components have the value ACTIVE.	
-	
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
ethanol	A
CAS: 67-63-0 propan-2-ol	A
	11
<i>NIOSH-Ca (National Institute for Occupational Safety and Health)</i> None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized S Hazard pictograms GHS02, GHS07 Signal word Danger	ystem (GHS).
<i>Hazard-determining components of labeling:</i> propan-2-ol ethanol	
Hazard statements         Highly flammable liquid and vapor.         Causes serious eye irritation.         May cause drowsiness or dizziness.         Precautionary statements         Keep away from heat/sparks/open flames/hot surfaces No smoking.         Ground/bond container and receiving equipment.         Use explosion-proof electrical/ventilating/lighting/equipment.         Use only non-sparking tools.         Take precautionary measures against static discharge.         Avoid breathing dust/fume/gas/mist/vapors/spray         Wash thoroughly after handling.         Use only outdoors or in a well-ventilated area.         Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	(Contd. on page

(Contd. on page 10) US

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 4: MagWash 2-1

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

ming date 01/21/2025	
Identification	
· Product identifier	
• Trade name: Plate 5: MagWash 2-2	
• Article number: D4311-5-900 • Application of the substance / the mixture La	boratory Reagent
• Details of the supplier of the safety data shee • Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave., Irvine, CA 92614, U.S.A sds@zymoresearch.com	<i>t</i> A., Phone: +1(949) 679-1190 or +1(888) 882-9682,
· Information department: Product Safety Dep	t.
• <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm F	Pacific Standard Time): +1 (949) 679 1190
? Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS07	
Eye Irritation 2A	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Single Expos	sure 3 H336 May cause drowsiness or dizziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is classified</li> <li>Hazard pictograms GHS02, GHS07</li> <li>Signal word Danger</li> </ul>	and labeled according to the Globally Harmonized System (GHS).
· Hazard-determining components of labeling.	:
propan-2-ol ethanol	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation. May cause drowsiness or dizziness.	
• Precautionary statements	
Keep away from heat/sparks/open flames/hot s	surfaces No smoking.
	ent.
Ground/bond container and receiving equipme	ting/aguinment
Use explosion-proof electrical/ventilating/ligh	ting/equipment.
Use explosion-proof electrical/ventilating/ligh Use only non-sparking tools.	
Use explosion-proof electrical/ventilating/ligh	scharge.

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

<ul> <li>Wash thoroughly after handling.</li> <li>Use only outdoors or in a well-ventilated area.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas Continue rinsing.</li> <li>Call a poison center/doctor if you feel unwell.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>In case of fire: Use CO2, powder or water spray to extinguish.</li> <li>Store in a well-ventilated place. Keep cool.</li> <li>Store in a well-ventilated place. Keep cool.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/national/international regulations.</li> <li><i>Classification system:</i></li> <li><i>NFPA ratings (scale 0 - 4)</i></li> </ul>	(Contd. of page 1) sy to do.
$\begin{array}{c} & Health = 2 \\ Fire = 3 \\ Reactivity = 0 \end{array}$	
<ul> <li>HMIS-ratings (scale 0 - 4)</li> <li>HEALTH 2 FIRE 3 Fire = 3 REACTIVITY 0 Reactivity = 0</li> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	
3 Composition/information on ingredients • Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	

•	Dangerous	components:
---	-----------	-------------

2		
	ethanol	≤25%
CAS: 67-63-0	propan-2-ol	≤25%

# 4 First-aid measures

## · Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

• *After swallowing:* Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

<sup>–</sup> US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

- Information for doctor:
- Most important symptoms and effects, both acute and delayed

Inhalation of vapors, mists or sprays can cause drowsiness, dizziness, and other central nervous system effects. Accidental eye contact can cause serious irritation.

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Advice for firefighters*
- · Protective equipment: Wear protective clothing.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
	ethanol	1,800 ppm
CAS: 67-63-0	propan-2-ol	400 ppm
· PAC-2:		
	ethanol	3300* ppm
CAS: 67-63-0	propan-2-ol	2000* ppm
· PAC-3:		
	ethanol	15000* ppm
CAS: 67-63-0	propan-2-ol	12000** ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

(Contd. on page 4)

<sup>4)</sup> - US —

(Contd. of page 3)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) Laboratory reagent

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:	
etha	ıol	
PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm	
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm	
TLV	Short-term value: 1000 ppm	
	A3	
CAS	: 67-63-0 propan-2-ol	
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm	
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
TLV	Short-term value: 400 ppm	
	Long-term value: 200 ppm	
	BEI, A4	
· Ingre	edients with biological limit values:	
CAS	: 67-63-0 propan-2-ol	
	40 mg/L	
	Medium: urine	
	Time: end of shift at end of workweek	
	Parameter: Acetone (background, nonspecific)	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
	sure controls	
	onal protective equipment:	
	ral protective and hygienic measures:	
	away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work.	
	d contact with the eyes.	
	d contact with the eyes and skin.	
	thing equipment:	
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer ratory protective device that is independent of circulating air.	r exposure use
	alory didiective device that is independent of circulating an.	

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



T

Tightly sealed goggles

Information on basic physical and c	chemical properties
General Information Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

		(Contd. of page
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	!	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
<b>Organic solvents:</b>	50.0 %	
VOC content:	50.00 %	
	500.0 g/l / 4.17 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include carbon monoxide and carbon dioxide
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

- May be harmful by inhalation. Material is irritating to mucous membranes and upper respiratory tract.
- Acute toxicity:

## · LD/LC50 values that are relevant for classification:

# CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
		5,045 mg/kg (lat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye:

Causes severe eye irritation

Irritating effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 5: MagWash 2-2

#### · Additional toxicological information:

Inhalation of vapors/mists, and sprays of this product can cause dizzness, drowsiness and other central nervous system effects.

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

·NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Isopropanol, Ethanol)	

(Contd. of page 6)

3

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

	(Contd. of pag
IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY ALCOHOL), ETHANOL)
Transport hazard class(es)	
DOT	
PLAMMARE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E, <u>S-E</u>
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ `	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
<u> </u>	(ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
	3, 11

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

<sup>-</sup>US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 5: MagWash 2-2

·Sara	(Contd. of page
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 propan-2-ol	
• TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
• Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
• Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value)	
ethanol	A3
CAS: 67-63-0 propan-2-ol	A4
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
<ul> <li>• GHS label elements The product is classified and labeled according to the Globally Harmonized S</li> <li>• Hazard pictograms GHS02, GHS07</li> <li>• Signal word Danger</li> </ul>	System (GHS).
· Hazard-determining components of labeling:	
propan-2-ol ethanol	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness. • <i>Precautionary statements</i>	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
	(Contd. on page 1

(Contd. on page 10) US

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 5: MagWash 2-2

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

US –



*Printing date 04/21/2023* 

Reviewed on 04/21/2023

Page 1/7



(Contd. on page 2)

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 6: Elution Plate

(Contd. of page 1)

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7732-18-5 water, distilled, conductivity or of similar purity
- · Identification number(s)
- EC number: 231-791-2

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· Environmental precautions: Dilute with plenty of water.

• Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:

Substance is not listed.

*PAC-2*:

Substance is not listed.

(Contd. on page 3)

US -

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 6: Elution Plate

(Contd. of page 2)

• *PAC-3*:

Substance is not listed.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Specific end use(s) Laboratory reagent

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physic	cal and chemical properties	
General Information	* *	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
• Odor threshold:	Not determined.	

Printing date 04/21/2023

Reviewed on 04/21/2023

## Trade name: Plate 6: Elution Plate

	(Contd. of page
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
Water:	100.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 6: Elution Plate

(Contd. of page 4)

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 04/21/2023

Reviewed on 04/21/2023

#### Trade name: Plate 6: Elution Plate

(Contd. of page 5)

UN-Number DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed. • *Proposition 65* 

• Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

(Contd. on page 7)

US

Printing date 04/21/2023

Reviewed on 04/21/2023

Trade name: Plate 6: Elution Plate

(Contd. of page 6)

• TLV (Threshold Limit Value)

Substance is not listed.

### ·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Department issuing SDS:

REL: Recommended Exposure Limit

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit



*Printing date 04/21/2023* 

Reviewed on 01/23/2023

Page 1/9

## **1** Identification

· Product identifier

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit

#### • Article number:

R1100-50, R1100-50-E, R1100-250, R1100-250-E, R1100-8-S, R1100-1L, R1100-1L-E, R1200-25, R1200-25-E, R1200-125, R1200-125-E, R1200-500, R1150, R1101, R1101-E, R1101-1-E, R1137, R1102, R1102-E, R1102-10-E, R1103, R1103-E, R1104, R1104-E, R1105, R1105-E, R1106, R1107, R1107-E, R1108, R1109, R1109-E, R1210, R1210-E, R1160, R1160-E, R1161, R1161-E, R1211, R1211-E

· Application of the substance / the mixture Laboratory Reagent

• Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
- Zymo Research Corp.

17062 Murphy Ave., Irvine, CA 92614, U.S.A., Phone: +1(949) 679-1190 or +1(888) 882-9682, sds@zymoresearch.com

- · Information department: Product Safety Dept.
- Emergency telephone number:

During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190

# 2 Hazard(s) identification

• Classification of the	substance or mixture	
GHS07		
Acute Toxicity - Oral	14 H302 Harmful if swallowed	
Skin Irritation 2	H315 Causes skin irritation.	
Eye Irritation 2B	H320 Causes eye irritation.	
<ul> <li>Hazard pictograms O</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>Harmful if swallowed</li> <li>Causes skin and eye if</li> <li>Precautionary statem</li> <li>Wash thoroughly after</li> <li>Do not eat, drink or statem</li> </ul>	GHS07 g d. irritation. <b>nents</b>	beled according to the Globally Harmonized System (GHS). unwell. (Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml: DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 20 Fire = 0FIRE Reactivity = 0REACTIVITY 0

• Other hazards

- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** This product is a proprietary solution.
- · Dangerous components: Void

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US

Printing date 04/21/2023

Reviewed on 01/23/2023

(Contd. of page 2)

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Lysis Tube (Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Tissue); DNA/RNA Shield Collection Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Not considered a fire hazard. Use extinguishing media appropriate surrounding fire conditions. Use fire fighting measures that suit the environment.

- Use fire fighting measures that suit the environment
- Advice for firefighters
- · Protective equipment: Wear protective clothing.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

- · Environmental precautions: Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Ensure adequate ventilation.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

• PAC-3:

None of the ingredients is listed.

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

• *Specific end use(s)* Laboratory reagent

 $(Contd. \ of \ page \ 3)$ 

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- · Protection of hands: Use appropiate gloves. Avoid contact with skin.
- · Material of gloves Use appropriate gloves. Avoid contact with skin.
- *Penetration time of glove material* The exact break through time has to be found out by th

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Avoid contact with eyes.
- · Body protection:

Avoid contact with eyes, skin, and clothing. Wash throughly after handling. Remove contaminated clothing and wash before use. Avoid ingestion and inhalation.

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance: Form: · Odor: · Odor threshold:	Liquid No information available Not determined.
pH-value:	5.0-7.0
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
	(Contd. on page 5)

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

		(Contd. of page 4
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wo	uter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· *Reactivity* Strong oxidizing agents and acids.

- · Possibility of hazardous reactions Strong oxidizing agents and acids.
- · *Conditions to avoid* Strong oxidizing agents and acids.
- · Incompatible materials: Strong oxidizing agents and acids.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating to eyes.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program)

• Additional toxicological information:

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADN, IMDG, IATA	Not dangerous goods. not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not dangerous goods. not regulated	
Transport hazard class(es)	Not dangerous goods.	

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Lysis Tube (Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Microbe); DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

(Contd. of page 6)

· Class	not regulated
· Packing group · DOT, IMDG, IATA	Not dangerous goods. not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation":	not regulated

## **15 Regulatory information**

· DOT, ADN, IMDG, IATA

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube (Microbe); DNA/RNA Shield Lysis Tube (Tissue); DNA/RNA Shield Collection Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

(Contd. of page 7)

· NIOSH-Ca (National Institute for Occupational Sa	ifetv and Health)
--	-------------------

- None of the ingredients is listed.
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements
- Harmful if swallowed.
- Causes skin and eye irritation.
- Precautionary statements
- Wash thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- If swallowed: Call a poison center/doctor if you feel unwell.
- Rinse mouth.
- If on skin: Wash with plenty of water.
- Specific treatment (see on this label).
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
- Continue rinsing.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- If eye irritation persists: Get medical advice/attention.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · *Contact:* sds@zymoresearch.com · Date of preparation / last revision 04/21/2023 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 9)

US

Printing date 04/21/2023

Reviewed on 01/23/2023

Trade name: DNA/RNA Shield - 50 ml, 250 ml, sample, 1 Liter; DNA/RNA Shield (2X Concentrate) - 25 ml & 125 ml; DNA/RNA Shield Blood Collection Tube, DNA/RNA Shield Blood Kit, DNA/RNA Shield Fecal Collection Tube, DNA/RNA Shield Fecal Collection Tube (with Beads), DNA/RNA Shield Collection Tube, DNA/RNA Shield Lysis Tube (Microbe), DNA/RNA Shield Lysis Tube w/ Swab (Microbe), DNA/RNA Shield Lysis Tube(Tissue); DNA/RNA Shield Collection Tube w/ Swab; DNA/RNA Shield Saliva Collection Kit, DNA/RNA Shield SafeCollect Swab Collection Kit, DNA/RNA Shield SafeCollect Saliva Collection Kit

(Contd. of page 8)

US

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B