



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Urokinase-type plasminogen activator [mAb-112] Standard Size Ab00367-1.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

Isotype and Format: Mouse IgG1, [Fc Silent™](#), Kappa

Clone Number: mAb-112

Alternative Name(s) of Target: pro-uPA; urokinase zymogen

UniProt Accession Number of Target Protein: P00748

Published Application(s): Blocking, WB

Published Species Reactivity: Human

Immunogen: Human recombinant single chain pro-uPA.

Specificity: The antibody binds to pro-uPA with a Kd of 0.8E-9M.

Application Notes: The antibody binds to and stabilizes pro-uPA, the zymogen form (inactive) of urokinase-type plasminogen activator. Active uPA catalyzes the conversion of plasminogen to the active protease plasmin, a protease that degrades extracellular matrix proteins. T

Antibody First Published in: Blouse et al. 2009 A novel mode of intervention with serine protease activity: targeting zymogen activation. Journal of Biological Chemistry 2009; 284(7):4647-4657

[PMID:19047064](#)

Note on publication: Describes the generation of a monoclonal antibody that binds to pro-uPA with subnanomolar affinity.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.