



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CXCL9 [I5-8] Standard Size Ab00379-1.1

This full-length, reformatted mouse antibody was made using the variable domain sequences of the original Mouse scFv format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG1, Kappa

Clone Number: I5-8

Alternative Name(s) of Target: MIG; MIG/CXCL9; Monokine induced by Interferon gamma

UniProt Accession Number of Target Protein: Q07325

Published Application(s): WB, ELISA

Published Species Reactivity: Human

Immunogen: Biotinylated human MIG.

Specificity: The antibody binds specifically to MIG/CXCL9.

Application Notes: The antibody binds to monokine induced by interferon-gamma, a T-cell chemoattractant that interacts with chemokine receptor CXCR3 and is degraded by matrix metalloproteinase 9.

Antibody First Published in: Eteshola E. Isolation of scFv fragments specific for monokine induced by interferon-gamma (MIG) using phage display. Journal of Immunological Methods 2010; 358:104-110 [PMID:](#)

Note on publication: Describes the generation of scFvs by phage display and ELISA-based affinity characterization.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.