



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Quadruplex DNA [5E11] Standard Size Ab00392-1.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

Isotype and Format: Mouse IgG1, Fc Silent™, Kappa

Clone Number: 5E11

Alternative Name(s) of Target: G4 DNA

UniProt Accession Number of Target Protein:

Published Application(s): ELISA, IHC

Published Species Reactivity: Mammals

Immunogen: Ver-3 or d(TGGGGG(TTAGGG)2T

Specificity: The antibody binds to quadruplex DNA with a Kd of 13.1 nM. Binds to both the Ver-3 and the Oxy-2 type of quadruplex DNA.

Application Notes: This antibody binds to quadruplex DNA, which is generated through the association of four guanines bound through Hoogsteen base pairing. G4-forming sequences are associated with immunoglobulin switch regions, promoter sequences, rDNA and telomeric repeats.

Antibody First Published in: Henderson et al. Detection of G-quadruplex DNA in mammalian cells. Nucleic Acids 2014; 42(2):860-869 [PMID:24163102](#)

Note on publication: Describes the generation of several G4-DNA-specific monoclonal antibodies and how these can be used for nuclear staining.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.