



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Angiogenin [26-2F] Standard Size Ab00400-1.1

---

**Isotype and Format:** Mouse IgG1, Kappa

**Clone Number:** 26-2F

**Alternative Name(s) of Target:** ANG; Ribonuclease 5; RNase 5; ALS9; HEL168; RAA1

**UniProt Accession Number of Target Protein:** P03950

**Published Application(s):** ICC, Block, ELISA, IHC

**Published Species Reactivity:** Rabbit, Human

**Immunogen:** Human angiogenin.

**Specificity:** Binds to human angiogenin with a Kd of 1.6 nM. Minimal epitope is W89 and fragment 38-41 (PCKD).

**Application Notes:** The antibody binds specifically to angiogenin, a member of of the ribonuclease superfamily of proteins, which interacts with actin on the surface of endothelial and smooth muscle cells, inducing neovascularization. Due to its angiogenic activity, angiogenesis plays a key role in the growth and invasiveness of tumour cells, and therefore neutralising monoclonal antibodies such as 26-2F are important anticancer drugs. The monoclonal antibody 26-2F is not directly cytotoxic to tumour cells in vitro, however has been shown to have antagonistic effects in human breast cancer xenografts in athymic mice.

**Antibody First Published in:** Fett et al. A monoclonal antibody to human angiogenin. Inhibition of ribonucleolytic and angioneogenic activities and localization of the antigenic epitope. *Biochemistry* 1994; 33(18):5421-5427 [PMID:7514035](#)

**Note on publication:** Describes the generation of a monoclonal antibody against human angiogenin and epitope mapping.

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.